

# SONY

2014 Winter

## Sony Overseas Models Products Catalog

索尼海外规格产品目录  
オーバーシーズモデル総合カタログ

The latest Sony products you can enjoy around the world

您在全球范围内可享受到的最新索尼产品



**Sony  
Overseas  
Models**

索尼海外规格产品

[sony.jp/overseas/](http://sony.jp/overseas/)

BE MOVED




# Your best choice of Sony Products in Japan

您可以在日本放心购买的索尼产品

## Safety for Use 有保无忧

### Warranty service covering 53 countries and regions

在53个国家和地区均可享受保修服务



- North America**  
U.S.A. / Canada
- Latin America**  
Puerto Rico / Chile / Panama / Venezuela / Mexico / Costa Rica / Ecuador / El Salvador / Guatemala / Honduras / Nicaragua
- Africa\*1**  
South Africa
- Middle East\*1**  
U.A.E. / Qatar / Bahrain / Lebanon / Tunisia
- Oceania\*1**  
Australia / New Zealand / Fiji / Tahiti / New Caledonia
- Asia\*1**  
Singapore / Malaysia / Hong Kong / Korea / Philippines / Maldives / Thailand / Taiwan / India / Indonesia / Japan / China\*2
- Europe\*3**  
Belgium / Switzerland / Germany / Denmark / Spain / Portugal / Austria / Greece / France / Finland / Italy / Norway / Netherlands / Sweden / U.K. / Russia / Ukraine

Map illustration shown may differ from actual landscape. (This warranty service is as of October 2014)  
地图可能跟实际情形不同,仅供参考(此保修服务调查时间为2014年10月)  
※Recording Media products target different countries and areas, please refer to page 15 for detailed specifications. 有关针对不同国家和地区的媒体产品的详细规格,请参阅第15页。

### After-sales service\*4 售后服务\*4

The Overseas Models are covered by a common warranty in a wide range of countries/regions

海外规格产品在许多国家/地区均可享受保修服务

◎ Common warranty service is offered in 53 countries/regions. 53个国家/地区享受保修服务。

In case you should experience problems with Japanese version products, you may face a number of difficulties when trying to resolve these outside of Japan. For example, there may be no spare parts available, or it may take long repair time or additional fees. However, with Sony Overseas Models, you automatically receive a common 1 year warranty, which is valid in 53 countries/regions around the world. This ensures you free 1 year coverage on your purchased products.

如果遇到日语版本产品方面的问题,尝试在日本以外的地区解决可能会面临许多困难。例如,可能没有备件,维修时间过长或产生额外费用。但是对于索尼海外规格产品,可自动获得在全球53个国家/地区有效的1年保修服务,确保您所购买产品享受1年免费保修。

\*1 For Middle Eastern, African, Asian or Oceanian countries and regions not listed above, please Email us from the "Contact Us" section at: <http://www.css.ap.sony.com> 有关上述未列的中东、非洲、亚洲或大洋洲国家和地区,请在下列网站的“联系我们”网页中发送电子邮件给我们: <http://www.css.ap.sony.com> \*2 China Limited Warranty sticker should be attached on the warranty card. 保修卡上须附有中国保修贴条。 \*3 For European countries not listed above, please contact: The European Sony Customer Care Center in Belgium. 有关上述未列的欧洲国家,请联系:位于比利时的欧洲索尼客服中心。 \*4 Warranty services for some products may not be provided, or differ in some countries and regions. For more details, please consult your nearest Sony Overseas Models dealers in Japan. 部分产品可能无法提供保修服务,或者因国家和地区而异。如需了解详情,请就近向日本的索尼海外规格产品经销商咨询。

## Easy for Use 便于您的使用



### Multi-lingual menus and instruction manuals 多国语言菜单和使用说明书

Multi-lingual menus and instruction manuals are also available for Sony Overseas Models

索尼海外规格产品还会提供多国语言菜单和使用说明书

Sony Overseas Models product instructions come in various languages, such as English, Chinese, Korean, German, French, Spanish, Portuguese and Russian. (Available languages depend on the model) The menu display on the products of certain Handycam, Cyber-shot, etc. are able to display several languages besides English. (Available languages depend on the model)

索尼海外规格产品的使用说明书提供英语、中文、韩语、德语、法语、西班牙语、葡萄牙语和俄语等多种语言。(提供的语言取决于机型)部分Handycam数码相机、Cyber-shot数码相机等产品的菜单显示能够显示英语等多种语言。(提供的语言取决于机型)

※There is different of Pre-installed Language by Model. For the detail, Please check the catalog  
多国语言菜单的预装语言数量根据产品不同而有所增减,详细请参照本册细节

### Color system, Voltage & Frequency 彩色制式,电压与频率

Country / Region 国家/地区	Color system 彩色制式	Voltage 电压	Frequency 频率
Puerto Rico	NTSC	120V	60Hz
Chile	NTSC	220V	50Hz
Panama	NTSC	110/220V	60Hz
Venezuela	NTSC	120V	60Hz
Mexico	NTSC	120/127V	60Hz
Costa Rica	NTSC	110V	60Hz
Ecuador	NTSC	110V	60Hz
El Salvador	NTSC	110V	60Hz
Guatemala	NTSC	120V	60Hz
Honduras	NTSC	110V	60Hz
Nicaragua	NTSC	120/240V	60Hz
U.S.A.	NTSC	120V	60Hz
Canada	NTSC	120V	60Hz
U.A.E.	PAL	240V	50Hz
Qatar	PAL	240V	50Hz
Bahrain	PAL	220/240V	50/60Hz
Lebanon	SECAM	110/220V	50Hz
Tunisia	SECAM	220V	50Hz
South Africa	PAL	220/230V	50Hz
Singapore	PAL	230V	50Hz
Malaysia	PAL	240V	50Hz
Hong Kong	PAL	200/220V	50Hz
Korea	NTSC	220V	60Hz
Philippines	NTSC	220/230V	60Hz
Maldives	PAL	220-240V	50Hz
Thailand	PAL	220V	50Hz
Taiwan	NTSC	110V	60Hz
India	PAL	230/240V	50Hz
Indonesia	PAL	127/230V	50Hz
Japan	NTSC	100V	50/60Hz
China	PAL	220V	50Hz
Australia	PAL	240V	50Hz
New Zealand	PAL	230/240V	50Hz
Fiji	PAL	240V	50Hz
Tahiti	SECAM	220V	60Hz
New Caledonia	SECAM	220V	50Hz
Belgium	PAL	230V	50Hz
Switzerland	PAL	230V	50Hz
Germany	PAL	230V	50Hz
Denmark	PAL	230V	50Hz
Spain	PAL	127/230V	50Hz
Portugal	PAL	230V	50Hz
Austria	PAL	230V	50Hz
Greece	SECAM	220V	50Hz
France	SECAM	230V	50Hz
Finland	PAL	230V	50Hz
Italy	PAL	220V	50Hz
Norway	PAL	230V	50Hz
Netherlands	PAL	230V	50Hz
Sweden	PAL	230V	50Hz
U.K.	PAL	240V	50Hz
Russia	SECAM	220V	50Hz
Ukraine	SECAM	220V	50Hz

●The power supply situation and broadcasting system of each country may be changed without a preliminary announcement. You may obtain reconfirmation by yourself before purchase.  
●每个国家的供电情况和广播系统均有可能在未事先通知的情况下发生变更。请在购买产品之前,自行重新确认。

## INDEX

目录

P4 Digital Camcorder  
数码摄像机

P7 Digital Recording  
Binoculars  
摄录望远镜

P8 Interchangeable  
Lens Digital Camera  
数码单反相机

P12 Digital Still Camera  
数码相机

P14 Lens Style Camera  
镜头型数码相机

P15 Recording Media  
索尼存储卡

P15 Radio  
收音机

P16 Walkman®  
MP3播放器

P18 Headphones  
耳机

P22 Wireless Speaker  
无线扬声器

P23 IC Recorder  
数码录音棒


P24 Specifications  
规格表



## Advancing to the next world of 4K recording


引领您进入4K拍摄的新时代

FDR-AX100E



Other camcorders typically support Full HD (1920 x 1080), but FDR-AX100E support 4K (3840 x 2160), the extraordinary superior-definition format that delivers about four times the resolution of the Full HD format to capture incredible details that bring images to vibrant life.

其他摄像机一般支持全高清(1920x1080),但FDR-AX100E支持4K(3840x2160)非凡高清晰格式,以约4倍于全高清格式的分辨率,捕捉微小细节,呈现栩栩如生的影像。



## Built-in Projector


内置投影机

HDR-PJ820E / PJ540E / PJ340E

Our projector model allows you to easily and instantly share your latest adventure with your family and friends without the need of a TV and even cumbersome cables. A built-in projector with up to 50 lumen brightness can project images up to 200 inches wide\*. Projector performance is vastly improved by a keystone adjustment feature that automatically corrects images distorted by the projection angle\*1.

利用我们的投影机型摄像机,无需使用电视机乃至繁琐的接线,便可轻松与家人和朋友即时分享您的最新经历。亮度高达50流明的内置投影机可投影宽度达200英寸的影像\*1。通过梯形失真调整功能,可以自动校正因投影角度造成的影像失真,极大地改善了投影机的性能\*1。

\*1 Only PJ820E 仅限PJ820E



## Balanced Optical SteadyShot


平稳光学防抖



HDR-PJ820E / PJ540E

By controlling the entire optical path including the image sensor as one floating unit, image stabilization is improved by as much as 13 times\*2 compared to previous Image Stabilization technology. That applies to the full zoom range from wide to telephoto. Beautiful image quality with minimum blur is assured whether you're shooting scenery on vacation, or zooming in to catch an expression on a child's face.

相对于原先的影像稳定技术,该技术通过将包括影像传感器在内的完整光路作为一个浮动单元来加以控制,影像稳定性提高了13倍\*2之多。适用于广角到长焦的全程变焦范围。无论是拍摄度假美景还是放大捕捉儿童脸部表情,均能确保美丽的影像品质以及最低程度的模糊。\*2 Compared to standard-mode image stabilization angle on the HDR-CX700. 相对于HDR-CX700的标准模式影像稳定性。



## Flagship Full HD Camcorder with Balanced Optical SteadyShot and Built-in Projector with External Input

旗舰版全高清摄像机,具备平衡光学防抖功能,内置投影机具有外部输入接口



MADE IN JAPAN  
日本制造(主机)

### PAL HDR-PJ820E(JE)

Open Price

Still Image Size 24.5 Megapixels 2450万像素静态图像尺寸	Wide-angle 26.8mm 26.8mm广角焦距	Balanced Optical SteadyShot 平衡光学防抖	Optical Zoom 12x 12倍光学变焦	Clear Image Zoom Up to 24x 最高24倍清晰影像变焦
Progressive Mode 50p/25p/24p 逐行扫描模式	Internal Memory 64GB 64GB内存	5.1ch / 2ch MIC 5.1/2声道麦克风	Built-in Projector With External Input 具有外部输入接口的内置投影机	Light Output Up to 50 lumen 光输出高达50流明



## Standard Full HD Camcorder with Balanced Optical SteadyShot and Built-in Projector with External Input

标准型全高清摄像机,具备平衡光学防抖功能,内置投影机具有外部输入接口



MADE IN JAPAN  
日本制造(主机)

### PAL HDR-PJ540E(JE)

Open Price

Still Image Size 9.2 Megapixels 920万像素静态图像尺寸	Wide-angle 26.8mm 26.8mm广角焦距	Balanced Optical SteadyShot 平衡光学防抖	Optical Zoom 30x 30倍光学变焦	Clear Image Zoom Up to 60x 最高60倍清晰影像变焦
Progressive Mode 50p/25p 逐行扫描模式	Internal Memory 32GB 32GB内存	5.1ch / 2ch MIC 5.1/2声道麦克风	Built-in Projector With External Input 具有外部输入接口的内置投影机	Light Output Up to 25 lumen 光输出高达25流明



## Entry Full HD Camcorder with Optical SteadyShot and Built-in Projector with External Input

入门级全高清摄像机,具备光学防抖功能,内置投影机具有外部输入接口



MADE IN JAPAN  
日本制造(主机)

### PAL HDR-PJ340E(JE)

Open Price

Still Image Size 9.2 Megapixels 920万像素静态图像尺寸	Wide-angle 26.8mm 26.8mm广角焦距	Optical SteadyShot with Intelligent Active Mode 带有智能增强模式的光学防抖	Optical Zoom 30x 30倍光学变焦	Clear Image Zoom Up to 60x 最高60倍清晰影像变焦
Progressive Mode 50p 逐行扫描模式	Internal Memory 16GB 16GB内存	2ch MIC 2声道麦克风	Built-in Projector With External Input 具有外部输入接口的内置投影机	Light Output Up to 13 lumen 光输出高达13流明



## Action Cam with Live-View Remote kit

“酷拍”摄像机实时监控器套装



Supplied Accessories 随机配件



### PAL/NTSC HDR-AS100VR(CE35)

Action Cam

Open Price

\*Requires Memory Stick Micro or microSD / SDHC / SDXC Memory Card for shooting. 拍摄时需要Memory Stick Micro或microSD/SDHC/SDXC存储卡。

Splashproof 防溅	Waterproof 防水	Dustproof 防尘	Shockproof 防震	Freezeproof 防冻
Still Image Size 13.5 Megapixels 1350万像素静态图像尺寸	Ultra Wide-angle 170° 170度超广角镜头	Advanced SteadyShot 高级防抖	50 Mbps XAVC S <sup>6</sup> High bit rate 50Mbps XAVC S高比特率	High Speed REC 120 fps / 240 fps 每秒120帧/240帧高速录制



Multilingual Menu Display 多语言菜单显示	HDR-PJ820E / PJ540E / PJ340E: English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay	HDR-AS100VR: English / French / Brazilian Portuguese	Instruction Manual 使用说明书	HDR-PJ820E / PJ540E / PJ340E: English / Russian / Chinese (Simplified Chinese) 中文(简体中文) / Korean / Arabic / Turkish	HDR-AS100VR: English / Chinese (Traditional Chinese) 中文(繁体中文) / Korean / Arabic / Turkish
--------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------	-----------------------------	---------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------

\*Please refer to page 24 for product specifications and page 7 for accessories. 关于本产品的规格,请参阅第24页;配件请参阅第7页。

\*For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only.

★如需了解关于"Open Price(价格未定)"产品的价格信息,请就近向索尼产品零售商家联系咨询。★此处包含的所有插图均为模拟图片,仅供参考。

### Digital 4K Camcorder with 1.0 type Exmor R image sensor

具备1.0型Exmor R影像传感器的4K数码摄像机



TIPA AWARDS 2014 BEST CAMCORDER  
EISA AWARD Best Product 2014-2015 CAMCORDER Sony FDR-AX100  
MADE IN JAPAN 日本制造(主机)

**FDR-AX100E(JE)** PAL Open Price **NEW**

※Requires a recording media for shooting. 拍摄时需要记录媒体。

Still Image Size <b>20.0</b> Megapixels 2000万像素静态图像尺寸	Wide-angle <b>29.0mm</b> 29.0mm广角焦距	Optical SteadyShot 光学防抖	Progressive Mode 50p (HD) / 25p / 24p (4K, HD) 逐行扫描模式
Optical Zoom <b>12x</b> 12倍光学变焦	Clear Image Zoom Up to <b>18x</b> (4K) / <b>24x</b> (HD) 最高18倍(4K) / 24倍(HD)清晰影像变焦	5.1ch*2 / 2ch MIC 5.1 / 2声道麦克风	

921K dots Xtra Fine LCD  
3.5 type Touch Panel

ZEISS EXMOR R CMOS Sensor 4K  
XAVC S BIONZ X MULTI  
Wi-Fi CERTIFIED Picture Effect AVCHD Progressive ni Multi Interface Shoe OLED Tru-Finder

### High-end Full HD Camcorder with 1.0 type Exmor R image sensor

具备1.0型Exmor R影像传感器的高端全高清摄像机



MADE IN JAPAN 日本制造(主机)

**HDR-CX900E(JE)** PAL Open Price

※Requires a recording media for shooting. 拍摄时需要记录媒体。

Still Image Size <b>20.0</b> Megapixels 2000万像素静态图像尺寸	Wide-angle <b>29.0mm</b> 29.0mm广角焦距	Optical SteadyShot 光学防抖	Optical Zoom <b>12x</b> 12倍光学变焦	Clear Image Zoom Up to <b>24x</b> 最高24倍清晰影像变焦
Progressive Mode 50p/25p/24p 逐行扫描模式	5.1ch / 2ch MIC 5.1 / 2声道麦克风			

921K dots Xtra Fine LCD  
3.5 type Touch Panel

ZEISS EXMOR R CMOS Sensor Full HD 1080  
XAVC S BIONZ X MULTI  
Wi-Fi CERTIFIED Picture Effect AVCHD Progressive ni Multi Interface Shoe OLED Tru-Finder

### 35mm Interchangeable Lens Full-Frame Full HD Camcorder with Carl Zeiss standard zoom lens

35mm可更换镜头采用卡尔·蔡司标准变焦镜头的全画幅全高清摄像机



TIPA AWARDS 2013 BEST PRO CAMCORDER  
MADE IN JAPAN 日本制造(主机)

**NEX-VG900EH(JE)** PAL Open Price **JAPAN Limited KIT 日本限定套装**

Kit lens: SAL2470Z Vario-Sonnar T\* 24-70mm F2.8 ZA SSM  
※Requires a recording media for shooting. 拍摄时需要记录媒体。

Still Image Size <b>24.3</b> Megapixels 2430万像素静态图像尺寸	Interchangeable Lens 可更换镜头	Come with* LA-EA3 adaptor 配备LA-EA3适配器	Progressive Mode 50p/25p/24p 逐行扫描模式	5.1ch / 2ch MIC 5.1 / 2声道麦克风
-------------------------------------------------------------	-------------------------------	------------------------------------------	-------------------------------------------	---------------------------------

\*When using LA-EA3 adaptor, Auto-focus doesn't operate during movie recording.

921K dots Xtra Fine LCD  
3.0 type Touch Panel

ZEISS FULL FRAME EXMOR R CMOS Sensor Full HD 1080  
AVCHD Progressive BIONZ X ni Multi Interface Shoe XGA OLED Tru-Finder

### Interchangeable Lens Full HD Camcorder with High-magnification power zoom lens

配备高倍电动变焦镜头的可更换镜头全高清摄像机



MADE IN JAPAN 日本制造(主机)

**NEX-VG30EH(JE)** PAL Open Price

Kit lens: SELP18200 E PZ 18-200mm F3.5-6.3 OSS  
※Requires a recording media for shooting. 拍摄时需要记录媒体。

Still Image Size <b>16.1</b> Megapixels 1610万像素静态图像尺寸	Interchangeable Lens 可更换镜头	Progressive Mode 50p/25p/24p 逐行扫描模式	5.1ch / 2ch MIC 5.1 / 2声道麦克风
-------------------------------------------------------------	-------------------------------	-------------------------------------------	---------------------------------

921K dots Xtra Fine LCD  
3.0 type Touch Panel

EXMOR R FPS HD CMOS Full HD 1080  
AVCHD Progressive BIONZ X ni Multi Interface Shoe XGA OLED Tru-Finder

Multilingual Menu Display 多语言菜单显示 English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Thai / Polish / Czech / Hungarian [Arabic / Persian / Turkish / Romanian / Indonesian / Malay (FDR-AX100E / HDR-CX900E only)]  
Instruction Manual 使用说明书 English / Russian / Chinese (Simplified Chinese) 中文 (简体中文)

※Please refer to page 25 for product specifications and page 7 for accessories. 关于本产品的规格, 请参阅第25页; 配件请参阅第7页。

### Digital binoculars with HD video recording

可录制高清视频的摄录望远镜



MADE IN JAPAN 日本制造(主机)

**DEV-30(JE)** PAL/NTSC Open Price

Rainproof 防雨 Dustproof 防尘

Still Image Size <b>20.4</b> Megapixels 2040万像素静态图像尺寸	Optical SteadyShot 光学防抖	Movie Mode <b>15x(2D) / 6x(3D)</b> Magnification 动态影像模式15倍(2D)/6倍(3D)放大倍率	Photo Mode <b>15x</b> Magnification 照片模式15倍放大倍率
Progressive Mode 60p/50p 逐行扫描模式	2ch MIC 2声道麦克风		

Exmor R CMOS Sensor BIONZ  
AVCHD 1920 x 1080 Full HD 3D / Progressive  
3D world Created by Sony XGA OLED Tru-Finder

Multilingual Menu Display 多语言菜单显示 Japanese / English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Canadian French / Italian / German / Spanish / Dutch / Russian / Portuguese / Brazilian Portuguese / Greek / Arabic / Persian / Thai / Korean / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay  
Instruction Manual 使用说明书 Japanese / English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Korean / Arabic / Persian

※Please refer to page 29 for product specifications. 关于本产品的规格, 请参阅第29页。

### Digital Camcorder / Digital Recording Binoculars Accessories 数码摄像机 / 摄录望远镜配件

#### Rechargeable Battery Pack 可重复充电电池

<p><b>NP-FV100(JE)</b> Open Price</p> <p>InfoLITHIUM V ActiFORCE™</p> <ul style="list-style-type: none"> <li>Voltage 电压: 6.8V</li> <li>Capacity 容量: 25Wh (3,700mAh)</li> <li>Mass 重量: 195g</li> </ul>	<p><b>NP-FV70(JE)</b> Open Price</p> <p>InfoLITHIUM V ActiFORCE™</p> <ul style="list-style-type: none"> <li>Voltage 电压: 6.8V</li> <li>Capacity 容量: 13Wh (1,960mAh)</li> <li>Mass 重量: 96g</li> </ul>	<p><b>NP-FV50(JE)</b> Open Price</p> <p>InfoLITHIUM V ActiFORCE™</p> <ul style="list-style-type: none"> <li>Voltage 电压: 6.8V</li> <li>Capacity 容量: 6.6Wh (980mAh)</li> <li>Mass 重量: 51g</li> </ul>	<p><b>NP-BX1(JE)</b> Open Price</p> <p>LITHIUM ION X™</p> <ul style="list-style-type: none"> <li>Voltage 电压: 3.6V</li> <li>Capacity 容量: 4.5Wh (1,240mAh)</li> <li>Mass 重量: 25g</li> </ul>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

※V series battery is compatible with H / P battery "Handycam". V系列电池可兼容使用H/P系列电池的"Handycam"数码摄像机。

#### Portable Speaker 便携式扬声器

**RDP-CA3M(JE)** Open Price

- Dimensions (D x H) 尺寸(深x高): 57 x 88 mm
- Mass 重量: 90g (only main body)
- Maximum output 最大输出功率: 2.5W
- Supplied Accessories 随机配件: Connector Protect Cap, Carrying Pouch

Diffuser panel effectively projects sound 360 degrees. 360度高效扩散声音的扩散板

Speaker 扬声器 Diffuser 扩散器

Built-in Speaker only 仅内置扬声器  
with Portable Speaker (RDP-CA3M) 采用便携式扬声器(RDP-CA3M)

※Photo shown is image. 所示照片仅供参考。

### Digital Camcorder / Digital Recording Binoculars Accessories compatibility 可兼容的数码摄像机 / 摄录望远镜配件

	Rechargeable Battery Pack 可重复充电电池				Portable Speaker 便携式扬声器
	NP-FV100(JE)	NP-FV70(JE)	NP-FV50(JE)	NP-BX1(JE)	
HDR-PJ820E / PJ540E	●	●	●	—	●
HDR-PJ340E / CX900E, FDR-AX100E	●	●	●	—	—
HDR-AS100VR	—	—	—	●	—
NEX-VG900EH / VG30EH	●	●	—	—	—
DEV-30	●	●	—	—	—

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄动态影像和静态图像。 \*2 Video Mode is AVCHD. 视频模式为AVCHD格式。 \*3 Requires SDXC Memory Card (Class10) 需要SDXC存储卡(Class10) \*4 Movies and still images recorded with this camera can be output by TV that supports PAL or NTSC System. 支持PAL或NTSC制式的电视可输出本相机拍摄动态影像和静态图像。 \*5 IP tests are performed under our own test methods. 以本公司测试方法进行IP测试。 \*6 IP tests are performed under our own test methods. 关于防尘性能, 并不保证望远镜不会刮伤。 As for dust-proof performance, there is no guarantee that the binoculars will not become scratched. 以本公司测试方法进行IP测试。 关于防尘性能, 并不保证望远镜不会刮伤。

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only. ★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。 ★此处包含的所有插图均为模拟图片, 仅供参考。



## Interchangeable Lens Digital Camera 数码单电相机



### The image sensor of larger size can make higher quality images

更大尺寸的影像传感器可实现更高质量的影像

SLT-A99, ILCE-7R / 7 / 6000 / 5100 / 5000 / 3000

### 3 advantages of larger image sensor

更大尺寸影像传感器的三大优势

- Stronger defocusing of background  
背景虚化效果更强
- Wider angle of view  
视角更宽广
- Higher sensitivity, lower noise  
高感光度, 低噪点


**35mm Full-frame CMOS Sensor**  
(SLT-A99, ILCE-7R / 7)

**APS HD CMOS Sensor**  
(ILCE-6000 / 5100 / 5000 / 3000)

approx. 2.3x  
约2.3x

**1/2.3 type Image Sensor (DSC)**

approx. 30x  
约30x



35mm Full-frame CMOS Sensor  
[Actual size]  
实际尺寸



### Professional quality in your pocket

掌中专业品质

ILCE-6000 / 5100 / 5000 / 3000

Sony E-mount cameras have the same size of the image sensor as conventional DSLR cameras. So the image quality is stunning despite the compact body.

索尼E卡口相机具备与传统数码单反相机相同尺寸的影像传感器。因此,即使机身小巧,也可实现惊人的影像品质。



**Exmor**  
CMOS Sensor

※ CMOS Sensor photo is an image. CMOS影像传感器是图像。

### Translucent Mirror Technology for Full-time Continuous AF

半透镜技术实现, 全时连续AF

SLT-A99

Exclusive Sony Translucent Mirror Technology eliminates the need for mechanical mirror movement and enables continuous precision phase-detection autofocus whether you're shooting stills or movies, or viewing via the viewfinder or LCD monitor. Another advantage is that the subject stays in view at the moment of capture.

无论是拍摄静态图像或动态影像, 还是通过取景器或液晶屏浏览, 索尼独特的半透镜技术实现均可以免除机械反光镜的移动, 并且能够进行连续精确的相位检测自动对焦。另外一个优势是在拍摄时拍摄主体总能处于视线之内。

**Translucent**  
Mirror Technology



## Interchangeable Lens Digital Camera

数码单电相机



### Translucent Mirror Technology with Full size CMOS Sensor

采用全画幅CMOS影像传感器的半透镜技术



MADE IN JAPAN  
日本制造(主机)

A-Mount PAL/NTSC **SLT-A99KIT(JE)**  
Open Price

JAPAN Limited KIT  
日本限定套装

<b>24.3</b> Megapixels 2430万有效像素	<b>35mm Full size</b> Exmor CMOS Sensor 35mm全画幅 Exmor CMOS影像传感器	<b>ISO 100-25600</b> ISO 100-25600	<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>Continuous shooting</b> Up to 7fps 最高每秒7帧的连拍
<b>Clear Image Zoom</b> Up to 2x <sup>*2</sup> 最高2倍清晰影像变焦	<b>Sweep Panorama</b> 扫描全景			

**Single lens kit**  
Kit lens: SAL2470Z Vario-Sonnar T\*  
24-70mm F2.8 ZA SSM  
AF Point: 19 + 102 AF points including  
11 cross sensors  
(TTL Phase-detection AF /  
Dual AF system)

FULL  
FRAME



1,228K dots TFT LCD

3.0 type

### World's smallest and lightest 35mm full-frame interchangeable-lens camera<sup>\*3</sup>

全球最轻便小巧的35mm全画幅微单相机<sup>\*3</sup>



E-Mount PAL/NTSC **ILCE-7RKIT(JE)**  
Open Price

JAPAN Limited KIT  
日本限定套装

<b>36.4</b> Megapixels 3640万有效像素	<b>35mm Full size</b> Exmor CMOS Sensor 35mm全画幅 Exmor CMOS影像传感器	<b>ISO 100-25600</b> ISO 100-25600	<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>Continuous shooting</b> Up to 4fps 最高每秒4帧的连拍
<b>Clear Image Zoom</b> Up to 2x 最高2倍清晰影像变焦	<b>Wi-Fi / NFC</b> Wi-Fi / NFC	<b>Sweep Panorama</b> 扫描全景		

**Single lens kit**  
Kit lens: SEL2470Z Vario-Tessar T\*  
FE 24-70mm F4 ZA OSS  
AF Point: 25 points  
(Contrast-detection AF)

FULL  
FRAME



921K dots TFT LCD

3.0 type

### 24.3-megapixel 35mm full-frame interchangeable-lens camera

2430万像素35mm全画幅微单相机



E-Mount PAL/NTSC **ILCE-7K(JE)**  
Open Price

<b>24.3</b> Megapixels 2430万有效像素	<b>35mm Full size</b> Exmor CMOS Sensor 35mm全画幅 Exmor CMOS影像传感器	<b>ISO 100-25600</b> ISO 100-25600	<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>Continuous shooting</b> Up to 5fps 最高每秒5帧的连拍
<b>Clear Image Zoom</b> Up to 2x 最高2倍清晰影像变焦	<b>Wi-Fi / NFC</b> Wi-Fi / NFC	<b>Sweep Panorama</b> 扫描全景		

**Single lens kit**  
Kit lens: SEL2870  
FE 28-70mm F3.5-5.6 OSS  
AF Point: 25 points (Contrast-detection AF) /  
117 points (Phase-detection AF)

FULL  
FRAME



921K dots TFT LCD

3.0 type

**Multilingual**  
Menu Display  
多语言菜单显示

English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

**Instruction**  
Manual  
使用说明书

English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / Korean / Spanish / Portuguese

※Please refer to page 30 for product specifications and page 11 for accessories. 关于本产品的规格, 请参阅第30页; 配件请参阅第11页。

<sup>\*1</sup> Movies and still images recorded with this camera can be output by TV that supports PAL or NTSC System. 支持PAL或NTSC制式的电视可输出本相机拍摄动态影像和静态图像。  
<sup>\*2</sup> Still Image only. 仅限静态图像。  
<sup>\*3</sup> As of October 16, 2013 according to Sony's internal survey. 截至2013年10月16日的索尼内部调查。

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only.  
★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。★此处包含的所有插图均为模拟图片, 仅供参考。



### World's fastest AF\* And DSLR-style operation

全球最快的自动对焦\*  
数码单反相机形式的操作方式



ILCE-6000L (B/E)

ILCE-6000Y (B/E)

ILCE-6000Y (S/E)

\*Among interchangeable-lens digital cameras equipped with an APS-C image sensor as of February 12, 2014, based on Sony research. Measured using CIPA internal measurement method with E PZ 16-50mm F3.5-5.6 OSS lens mounted, Pre-AF off and viewfinder in use. 具备APS-C影像传感器的数码单反相机中，截止到2014年2月12日，根据索尼调查的数据，根据相机影像器材工业协会内部测量方法，使用E PZ 16-50mm F3.5-5.6 OSS镜头，在使用取景器并且关闭预先自动对焦时。

### Sublime AF performance and image quality with 180°Tiltable touch LCD screen

自动对焦性能与影像品质皆完美，  
具备180°可翻转触控式液晶屏



ILCE-5100L (B/E)

ILCE-5100L (W/E)

ILCE-5100Y (B/E)

ILCE-5100Y (W/E)

ILCE-5100Y (T/E)

Black body come with black lens, white and brown body come with silver lens. 黑色机身附有黑色镜头，白色和棕色机身则附有银色镜头。

### 180°Tiltable monitor for Self portraits in compact body with 20.1M APS HD CMOS Sensor

采用2010万像素APS HD CMOS影像传感器的  
小巧机身具备方便自拍的180°可旋转屏幕



(B) Black

(W) White

(S) Silver

(P) Pink

Multilingual Menu Display  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

Instruction Manual  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Spanish / Portuguese

※Please refer to page 31 for product specifications and page 11 for accessories. 关于本产品的规格，请参阅第31页；配件请参阅第11页。

### ILCE-6000L(JE)

Open Price  
※(B) Black Only 只提供黑色

### ILCE-6000Y(JE)

Open Price

24.3 Megapixels 2430万有效像素	Exmor APS HD CMOS Sensor Exmor APS高清CMOS影像传感器	ISO 100-25600 ISO 100-25600	AVCHD Full HD Movie AVCHD格式全高清动态影像	Continuous shooting Up to 11fps 最高每秒11帧的连拍
------------------------------	--------------------------------------------------	--------------------------------	---------------------------------------	--------------------------------------------------

Clear Image Zoom Up to 2X 最高2倍清晰影像变焦	Wi-Fi / NFC Wi-Fi / NFC	Sweep Panorama 扫描全景
--------------------------------------------	----------------------------	------------------------

ILCE-6000L  
Single lens kit  
Kit lens: E PZ 16-50mm F3.5-5.6 OSS  
AF Point: 25 points (Contrast-detection AF) / 179 points (Phase-detection AF)

921K dots TFT LCD

ILCE-6000Y  
Double lens kit  
Kit lens: E PZ 16-50mm F3.5-5.6 OSS / E 55-210mm F4.5-6.3 OSS  
AF Point: 25 points (Contrast-detection AF) / 179 points (Phase-detection AF)

### 20.1M Exmor APS HD CMOS Sensor and ISO 16000 sensitivity

2010万像素 Exmor APS HD CMOS影像  
传感器和ISO 16000感光度



### ILCE-3000K(JE)

Open Price

20.1 Megapixels 2010万有效像素	Exmor APS HD CMOS Sensor Exmor APS高清CMOS影像传感器	ISO 100-16000 ISO 100-16000	AVCHD Full HD Movie AVCHD格式全高清动态影像	Continuous shooting Up to 3.5fps 最高每秒3.5帧的连拍
------------------------------	--------------------------------------------------	--------------------------------	---------------------------------------	----------------------------------------------------

Clear Image Zoom Up to 2X*4 最高2倍清晰影像变焦	Sweep Panorama 扫描全景
----------------------------------------------	------------------------

Single lens kit  
Kit lens: E 18-55mm F3.5-5.6 OSS  
AF Point: 25 points (Contrast-detection AF)

230K dots TFT LCD



Multilingual Menu Display  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

Instruction Manual  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Spanish / Portuguese

※Please refer to page 31 for product specifications and page 11 for accessories. 关于本产品的规格，请参阅第31页；配件请参阅第11页。

### Japan Limited Lens Kit of bright, high performance portrait lens and Versatile, lightweight 11x zoom lens

日本限定镜头套装包括高亮度、高性能人像镜头，  
以及灵活且轻量的11倍变焦镜头



SEL50F18 (Black)

SEL18200LE (Black)

### SELTPKIT(JE)

Open Price NEW

JAPAN Limited KIT  
日本限定套装

	Single focal length lens	Zoom lens
	E 50mm F1.8 OSS [SEL50F18]	E 18-200mm F3.5-6.3 OSS LE [SEL18200LE]
Optical SteadyShot 光学防抖	●	●
Supports Fast Hybrid AF 支持快速混合自动对焦	●	●
35mm equivalent focal length 35mm换算焦距距离	75mm	27-300mm
Lens configuration 镜头构成	8 groups, 9 elements 8组9片	13 groups, 17 elements 13组17片
Min. focus distance 最近对焦距离	0.39m	0.5m
Max. magnification ratio 最大放大倍率	0.16x 0.16倍	0.27x 0.27倍
Filter diameter 滤镜直径	49mm	62mm
Dimensions (max. dia. x length) 尺寸 (最大直径x长度)	62 x 62mm	68 x 97.1mm
Mass (Approx.) 重量 (约)	202g	460g
Supplied Accessories 随机配件	hood (ALC-SH116) 遮光罩 (ALC-SH116)	hood (ALC-SH124) 遮光罩 (ALC-SH124)

Instruction Manual  
English / French / Spanish / Italian / Portuguese / German / Dutch / Swedish / Russian / Korean / Arabic / Ukrainian / Japanese / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文)

### • Interchangeable Lens Digital Camera Accessories

数码单电相机配件

Rechargeable Battery Pack 可重复充电电池	
For A-mount Camera [ SLT-A99 ]	For E-mount Camera [ ILCE-7R / ILCE-7 / ILCE-6000 / ILCE-5100 / ILCE-5000 / ILCE-3000 ]
NP-FM500H(JE) Open Price	NP-FW50(JE) Open Price
 •Voltage 电压: 7.2V •Capacity 容量: 11.5Wh (1,600mAh) •Mass 重量: 78g	 •Voltage 电压: 7.2V •Capacity 容量: 7.3Wh (1,020mAh) •Mass 重量: 42g

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL or NTSC System. 支持PAL或NTSC制式的电视可输出本相机拍摄动态影像和静态图像。 \*2 Requires SDXC Memory Card (Class10) 需要SDXC存储卡 (Class10) \*3 Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄动态影像和静态图像。 \*4 Still Image only. 仅限静态图像。 ★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only. ★如需了解关于"Open Price(价格未定)"产品的价格信息，请就近向索尼产品零售商联系咨询。★此处包含的所有插图均为模拟图片，仅供参考。



### Full Size CMOS Sensor without optical low-pass filter

全画幅CMOS影像传感器 无光学低通滤镜



MADE IN JAPAN 日本制造(主机)

**DSC-RX1R(E32)** Open Price

<b>24.3</b> Megapixels 2430万有效像素	<b>35mm Full size Exmor CMOS Sensor</b> 35mm全画幅 Exmor CMOS影像传感器	<b>F2.0 Carl Zeiss Lens</b> F2.0蔡司镜头	<b>Clear Image Zoom Up to 2x<sup>*2</sup></b> 最高2倍清晰影像变焦	<b>SteadyShot</b> (EIS(blur reduction) for Movie) 电子防抖(动态影像)
<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>13 Picture Effect</b> 13种照片效果	<b>Superior Auto iA+</b> 增强自动	<b>Sweep Panorama</b> 扫描全景	<b>Smile Shutter</b> 笑脸快门

1,229K dots Xtra Fine TFT LCD

ZEISS Full HD 1080 FULL FRAME

Exmor CMOS Sensor BIONZ AVCHD Progressive

**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Turkish / Malay

**Instruction Manual** 使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / Arabic / Persian

### Ultra 50x zoom and Optical SteadyShot

50倍超高变焦和光学防抖



**DSC-HX300(JE)** Open Price

<b>20.4</b> Megapixels 2040万有效像素	<b>Exmor R CMOS Sensor</b> Exmor R CMOS影像传感器	<b>Optical Zoom 50x</b> 50倍光学变焦	<b>Clear Image Zoom Up to 100x<sup>*2</sup></b> 最高100倍清晰影像变焦	<b>Optical<sup>*5</sup> SteadyShot</b> 光学防抖
<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>9 Picture Effect</b> 9种照片效果	<b>Superior Auto iA+</b> 增强自动	<b>360 Sweep Panorama</b> 扫描全景	<b>Smile Shutter</b> 笑脸快门

921K dots Xtra Fine TFT LCD

ZEISS Full HD 1080 3D world Created by Sony

Exmor CMOS Sensor BIONZ AVCHD Progressive

**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay / Indonesian / Vietnamese / Brazilian Portuguese

**Instruction Manual** 使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / Korean / Brazilian Portuguese / Spanish

### Carl Zeiss lens with 1.0 type Exmor R back-illuminated CMOS Sensor

卡尔·蔡司镜头和1.0型Exmor R背面照射型CMOS影像传感器



**DSC-RX100M3(E32)** Open Price **NEW**

<b>20.1</b> Megapixels 2010万有效像素	<b>1.0 type Exmor R CMOS Sensor</b> 1.0型Exmor R CMOS影像传感器	<b>Optical Zoom 2.9x</b> 2.9倍光学变焦	<b>Clear Image Zoom Up to 5.8x</b> 最高5.8倍清晰影像变焦	<b>Optical<sup>*5</sup> SteadyShot</b> 光学防抖
<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>13 Picture Effect</b> 13种照片效果	<b>Superior Auto iA+</b> 增强自动	<b>Sweep Panorama</b> 扫描全景	<b>Smile Shutter</b> 笑脸快门

Wi-Fi / NFC

ZEISS N Wi-Fi CERTIFIED 4K Still Image Full HD 1080

XAVC S<sup>4</sup> Exmor CMOS Sensor BIONZ X AVCHD Progressive

OLED Tru-Finder

1,229K dots Xtra Fine TFT LCD

**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Turkish / Malay / Indonesian

**Instruction Manual** 使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / Arabic / Persian / Thai / Indonesian

### 20x zoom and Wi-Fi/NFC in compact body

小巧机身具备20倍变焦和Wi-Fi/NFC, 可拍摄多达470张照片



**DSC-WX350(JE)** Open Price

<b>18.2</b> Megapixels 1820万有效像素	<b>Exmor R CMOS Sensor</b> Exmor R CMOS影像传感器	<b>Optical Zoom 20x</b> 20倍光学变焦	<b>Clear Image Zoom Up to 40x</b> 最高40倍清晰影像变焦	<b>Optical<sup>*5</sup> SteadyShot</b> 光学防抖
<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>13 Picture Effect</b> 13种照片效果	<b>Superior Auto iA+</b> 增强自动	<b>360 Sweep Panorama</b> 扫描全景	<b>Smile Shutter</b> 笑脸快门

Wi-Fi / NFC

ZEISS N Wi-Fi CERTIFIED 4K Still Image Full HD 1080

Exmor CMOS Sensor BIONZ X AVCHD

460K dots Clear Photo LCD

**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay / Indonesian / Vietnamese / Brazilian Portuguese / Turkish

**Instruction Manual** 使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / Brazilian Portuguese / Spanish

※Please refer to page 27 for product specifications and page 13 for accessories. 关于本产品的规格, 请参阅第27页; 配件请参阅第13页。

### Carl Zeiss lens with 1.0 type CMOS Sensor

采用卡尔·蔡司镜头与1.0型CMOS影像传感器



**DSC-RX100(JE)** Open Price

<b>20.2</b> Megapixels 2020万有效像素	<b>1.0 type Exmor CMOS Sensor</b> 1.0型Exmor CMOS影像传感器	<b>Optical Zoom 3.6x</b> 3.6倍光学变焦	<b>Clear Image Zoom Up to 7.2x<sup>*2</sup></b> 最高7.2倍清晰影像变焦	<b>Optical<sup>*5</sup> SteadyShot</b> 光学防抖
<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>13 Picture Effect</b> 13种照片效果	<b>Superior Auto iA+</b> 增强自动	<b>Sweep Panorama</b> 扫描全景	<b>Smile Shutter</b> 笑脸快门

1,229K dots Xtra Fine TFT LCD

ZEISS Full HD 1080

Exmor CMOS Sensor BIONZ AVCHD Progressive

**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

**Instruction Manual** 使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / Korean / Spanish / Portuguese

※Please refer to page 26-27 for product specifications and page 13 for accessories. 关于本产品的规格, 请参阅第26-27页; 配件请参阅第13页。

### Digital Still Camera / Lens Style Camera Accessories 数码相机 / 镜头型数码相机配件

Rechargeable Battery Pack 可重复充电电池		
For DSC-RX1R / RX100M3 / RX100 / HX300 / WX350	For DSC-QX30 / QX10	For ILCE-QX1
<b>NP-BX1(JE)</b> Open Price 	<b>NP-BN1(JE)</b> Open Price 	<b>NP-FW50(JE)</b> Open Price 
<b>LITHIUM ION X</b> •Voltage 电压: 3.6V •Capacity 容量: 4.5Wh (1,240mAh) •Mass 重量: 25g	<b>LITHIUM ION N</b> •Voltage 电压: 3.6V •Capacity 容量: 2.2Wh (600mAh) •Mass 重量: 15g	<b>InfoLITHIUM W</b> •Voltage 电压: 7.2V •Capacity 容量: 7.3Wh (1,020mAh) •Mass 重量: 42g

<sup>\*1</sup> Movies and still images recorded with this camera can be output by TV that supports PAL or NTSC System. 支持PAL或NTSC制式的电视可输出本相机拍摄动态影像和静态图像。  
<sup>\*2</sup> Still Image only. 仅限静态图像。  
<sup>\*3</sup> Depending on the shooting environment, there may be times when faces cannot be detected and the shutter does not function. Faces may be indistinguishable because of the shooting environment or individual subject traits. 由于拍摄环境的不同, 有时人脸未能被检测出来, 此时快门不起作用。因拍摄环境或拍摄主体的某些特性不同, 均有可能导致人脸未能被识别出来。  
<sup>\*4</sup> Requires SDXC Memory Card (Class 10). 需要SDXC存储卡(Class 10)。  
<sup>\*5</sup> The SteadyShot function may not work with excessive camera shake or extremely slow shutter speeds. 幅度过大的相机震动或反应过慢的快门速度均有可能使防抖功能失效。  
<sup>\*6</sup> Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄动态影像和静态图像。

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only.

★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售店联系咨询。★此处包含的所有插图均为模拟图片, 仅供参考。



## Smartphone attachable lens-style camera

### 可换手机的数码相机

※Sony Tourist Products do not provide the phone case on the image picture. 索尼海外规格产品不销售在图片中使用的手机壳。

**APS HD CMOS Sensor and E-mount lens creates high-quality images with interchangeable-lens camera style**

可更换镜头形式的机身通过APS HD CMOS影像传感器和E卡口镜头创造高品质影像



E-Mount	PAL/NTSC	<b>ILCE-QX1L(CE7)</b>	Open Price <b>NEW</b>	
20.1 Megapixels	Exmor APS HD CMOS Sensor	ISO 100-16000	Full HD Movie MP4 / 30P	Continuous shooting Up to 3.5fps
2010万有效像素	Exmor APS HD CMOS影像传感器	ISO 100-16000	全高清动态影像MP4/30P	最高每秒3.5帧的连拍
Optical Zoom <sup>*2</sup> Approx. 3x	Clear Image Zoom Up to Approx. 6x <sup>*2</sup>	Optical <sup>*3</sup> SteadyShot	Wi-Fi / NFC	Superior Auto 
约3倍光学变焦	最高约6倍清晰影像变焦	光学防抖	Wi-Fi / NFC	增强自动

Exmor CMOS Sensor BIONZ X Wi-Fi CERTIFIED

Supplied lens Kit lens: E PZ 16-50mm F3.5-5.6 OSS AF Point: 25 points (Contrast-detection AF)

Battery monitor 电量显示屏



**Capture and share far away object with 30x Optical Zoom / 60x Clear Image Zoom**

通过30倍光学变焦和60倍清晰影像变焦, 捕捉并分享远处的景物



PAL/NTSC	<b>DSC-QX30(CE7)</b>	Cyber-shot	Open Price <b>NEW</b>
20.4 Megapixels	Exmor R CMOS Sensor	ISO 80-12800	Full HD Movie MP4 / 60P
2040万有效像素	Exmor R CMOS影像传感器	ISO 80-12800	全高清动态影像MP4/60P
Optical Zoom 30x	Clear Image Zoom Up to 60x	Optical <sup>*3</sup> SteadyShot	Wi-Fi / NFC
30倍光学变焦	最高60倍清晰影像变焦	光学防抖	Wi-Fi / NFC

Exmor R CMOS Sensor BIONZ X Wi-Fi CERTIFIED

Battery monitor 电量显示屏



**10x Optical Zoom & Optical SteadyShot with Compact Size**

机身小巧, 具备10倍光学变焦和光学防抖



PAL/NTSC	<b>DSC-QX10(CE7)</b>	Cyber-shot	Open Price
18.2 Megapixels	Exmor R CMOS Sensor	ISO 100-12800	Full HD Movie MP4 / 30P <sup>*5</sup>
1820万有效像素	Exmor R CMOS影像传感器	ISO 100-12800	全高清动态影像MP4/30P
Optical Zoom 10x	Optical SteadyShot <sup>*3</sup>	Wi-Fi / NFC	Superior Auto 
10倍光学变焦	光学防抖	Wi-Fi / NFC	增强自动

Exmor R CMOS Sensor BIONZ X Wi-Fi CERTIFIED

Battery monitor 电量显示屏



Instruction Manual 使用说明书 English / French / Spanish / Italian / Portuguese / German / Dutch / Swedish / Russian / Korean / Arabic / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文)

※Sony Tourist Products do not provide the phone case on the DSC-QX10 image picture. 索尼海外规格产品不销售在图片中使用的手机壳。 ※Please refer to page 28 for product specifications. 关于本产品的规格, 请参阅第28页。

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL or NTSC System. 支持PAL或NTSC制式的电视可输出本相机拍摄的动态影像和静态图像。 \*2 When fitted with the SELP1650. Varies by lens. 安装SELP1650时, 因镜头而异。 \*3 The SteadyShot function may not work with excessive camera shake or extremely slow shutter speeds. 幅度过大的相机震动或反应过慢的快门速度均有可能使防抖功能失效。 \*4 Image stabilization supported on lens. 镜头支持影像防抖功能。 \*5 Firmware update may be necessary. 有可能需要固件升级。

<b>Memory Stick PRO Duo</b>	<b>SDXC UHS-I Memory Card(Class10)</b>	<b>SDHC UHS-I Memory Card(Class10)</b>	<b>SDHC Memory Card(Class4)</b>	<b>microSDXC UHS-I Memory Card(Class10)</b>	<b>microSDHC Memory Card(Class4)</b>
4GB <b>MS-MT4G(JE)</b> Open Price	<b>NEW</b> 64GB <b>SF-64UX2(ET4)</b> Open Price	32GB <b>SF-32UY(ET4)</b> Open Price	32GB <b>SF-32N4(JE)</b> Open Price	64GB <b>SR-64UYA(ET4)</b> Open Price	32GB <b>SR-32A4(ET4)</b> Open Price
<b>Memory Stick PRO-HG Duo HX</b>		16GB <b>SF-16UY(ET4)</b> Open Price	16GB <b>SF-16N4(JE)</b> Open Price		16GB <b>SR-16A4(JE)</b> Open Price
8GB <b>MS-HX8B(JE)</b> Open Price		8GB <b>SF-8UY(ET4)</b> Open Price	8GB <b>SF-8N4(JE)</b> Open Price		8GB <b>SR-8A4(JE)</b> Open Price
		4GB <b>SF-4N4(JE)</b> Open Price			4GB <b>SR-4A4(JE)</b> Open Price

SD Memory Card conversion adaptor supplied. 附带SD存储卡转换适配器。

※ Recording Media's warranty service covering 27 countries and regions. Australia / New Zealand / HongKong / Indonesia / India / Korea / Malaysia / Thailand / Philippine / Singapore / Taiwan / Vietnam / U.A.E. / Kuwait / Pakistan / Jordan / Egypt / Saudi Arabia / Tunisia / Algeria / Syria / Lebanon / Nigeria / Morocco / Iraq / Libya / South Africa ※索尼存储卡的保修服务遍布27个国家和地区。澳大利亚 / 新西兰 / 香港 / 印度尼西亚 / 印度 / 韩国 / 马来西亚 / 泰国 / 菲律宾 / 新加坡 / 台湾 / 越南 / 阿联酋 / 科威特 / 巴基斯坦 / 约旦 / 埃及 / 沙特阿拉伯 / 突尼斯 / 阿尔及利亚 / 叙利亚 / 黎巴嫩 / 尼日利亚 / 摩洛哥 / 伊拉克 / 利比亚 / 南非

## Radio | 收音机

Card size radio [Traditional Japanese design] 卡片收音机 [传统日本设计]

MADE IN JAPAN 日本制造 (主机)

**SRF-220(JE)** M.S.R.P. 6,000 yen plus tax



Fit for gift 馈赠佳品

(L1) Namiura (W) Shinkansen (L) Mt.Fuji

## International shortwave broadcast receivable radio

可接收国际短波广播的收音机

MADE IN JAPAN 日本制造 (主机)

**ICF-SW7600GR(JE)** M.S.R.P. 40,000 yen plus tax

Stereo

**ICF-SW35(JE)** M.S.R.P. 19,800 yen plus tax

Stereo

MADE IN JAPAN 日本制造 (主机)

**ICF-SW22(JE)** M.S.R.P. 13,000 yen plus tax

Monaural

**ICF-SW11(JE)** M.S.R.P. 7,800 yen plus tax

Stereo

※Battery is Option. Please refer to page 30-31 for product specifications. ※不符电池。关于本产品的规格, 请参阅第30-31页。

## Compact size radio

小型收音机

MADE IN JAPAN 日本制造 (主机)

**SRF-T615(JE)** M.S.R.P. 9,400 yen plus tax

- FM stereo / AM / PLL synthesizer radio
- FM立体声/AM/PLL 合成器收音机

**SRF-M97(JE)** M.S.R.P. 7,800 yen plus tax

- MEGA BASS
- Clip (on back side) for carrying convenience
- 夹子位于背面携带更方便

**SRF-S84(JE)** M.S.R.P. 4,800 yen plus tax

- MEGA BASS
- Compact, cigarette-lighter-sized body
- 小巧的机身, 大小如同打火机

**ICF-T46(JE)** M.S.R.P. 4,500 yen plus tax

- Only 12.4mm slimness and slips easily into your breast pocket
- 仅12.4mm的纤薄机身, 可轻易置于胸袋内

Instruction Manual 使用说明书 ICF-SW22: English / Korean / Japanese Others: English / Chinese (Simplified Chinese) 中文 (简体中文) / Korean / Japanese

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only. ★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。★此处包含的所有插图均为模拟图片, 仅供参考。




# What is High-Res Audio

## 什么是高分辨率音频

High-Res Audio, which is typically referred to as "96kHz/24bit" or something higher, is made by digitally sampling an original analog audio source. So, Hi-Resolution Audio is the most same as original audio, and delivers you a new experience of music listening.

高分辨率音频通常指“96kHz/24bit”或更高的音频，通过对原始模拟音源进行数字采样制作。因此，高分辨率音频最接近原始音频，给您带来音乐欣赏的全新体验。

The product with this logo has been designed to maximize the sound performance of High Resolution Audio<sup>1</sup>. 带有此标志的产品专为充分发挥高分辨率音频<sup>1</sup>的声音表现力而设计。  
<sup>1</sup> High-resolution audio generally refers to music data with a volume of information exceeding that of CDs.  
 高分辨率音频通常是指音乐数据信息量超过CD的音频。



## Sony's High-Resolution Audio Technology

## 索尼高分辨率音频技术

### S-MASTER HX

Hi-Res Audio Amplifier  
 Stunning realism than you've ever heard  
 前所未有的震撼临场感

### DSEE HX


Digital Sound Enhancement Engine  
 Upscales your audio file sound quality  
 提升音频文件音质

### ClearAudio+

Easy access to the best sound  
 轻松享受最佳音质

## Enjoy the ultimate sound quality in Hi-Resolution Audio like you never experienced before

享受前所未有的超高音质  
 高清晰度音频



(S) Silver

### NWZ-ZX1(E)

Open Price **NEW**

Notice: There is no Headphone in the box.  
 注意：本产品不附耳机。

Built-in Memory <b>128GB</b> 内置记忆体128GB	Max. Recordable Song 128   <b>20,000</b> number 最多可录制歌曲128kpbs/20,000首	Max. Recordable Video 384   <b>466h. 40min.</b> 最多可录制视频384kpbs/466小时40分钟	Audio Formats MP3 / WMA / Linear PCM / AAC / HE-AAC / FLAC / Apple Lossless / AIFF 音频格式
Music 音乐 <sup>*2</sup> Continuous Playback <b>32h.</b> 连续播放32小时	Video 视频 <sup>*3</sup> Continuous Playback <b>5h.</b> 连续播放5小时	Operation System <b>Android™ Version 4.1</b> Android™ 4.1版本	



Bluetooth® The Bluetooth® (Wireless) function is applicable in Hong Kong / Singapore / Thailand / Philippines / Korea / Taiwan / Vietnam / Malaysia/Australia

## World's smallest and lightest\* Hi-Res Audio digital music player

世界最小最轻\*高清晰度音频数字音乐播放器

\*As of September 3, 2014 local time.  
 Dimensions: 43.6 x 109 x 8.7 mm (Width Length Thickness),  
 Weight: approximately 66g  
 \*截至2014年9月3日当地时间。  
 体积：43.6 x 109 x 8.7 毫米（宽 x 高 x 厚），  
 重量：约66克



(B) Black

(S) Silver

### NWZ-A15(E)

Open Price **Coming Soon**

Notice: There is no Headphone in the box.  
 注意：本产品不附耳机。

Built-in Memory <b>16GB</b> 内置记忆体16GB	Max. Recordable Song 128   <b>3,600</b> number 最多可录制歌曲128kpbs/3,600首	Max. Recordable Video 384   <b>49h.</b> 最多可录制视频384kpbs/49小时	Audio Formats MP3 / WMA / Linear PCM / AAC / HE-AAC / Apple Lossless / AIFF 音频格式
Music 音乐 <sup>*2</sup> Continuous Playback <b>50h.</b> 连续播放50小时	Video 视频 <sup>*3</sup> Continuous Playback <b>14h.</b> 连续播放14小时	FM tuner <b>87.5 to 108.0MHz</b> FM调谐器	



Bluetooth® The Bluetooth® (Wireless) function is applicable in Bahrain / Lebanon / Qatar / UAE / Indonesia / Malaysia/Maldives / Philippines / Singapore / Thailand/Hong Kong / Korea / Taiwan / Australia / Fiji / New Caledonia / New Zealand / Tahiti / South Africa

## Recommended Headphones

推荐耳机



All the recommended headphones supports Hi-Resolution Audio 推荐耳机均支持高分辨率音频



### Multilingual Menu Display

多语言菜单显示

NWZ-ZX1: German / English / Spanish / French / Italian / Polish / Portuguese / Russian / Turkish / Korean / Japanese / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文)

NWZ-A15: English / French / Spanish / Russian / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Portuguese / German / Italian / Polish / Turkish

### Instruction Manual

使用说明书

NWZ-ZX1 / A15: English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Arabic (NWZ-A15 only)

\*Please refer to page 28 for product specifications. 关于本产品的规格，请参阅第28页。

## More Comfortable Music Experience during Exercise

更舒适更舒适地在运动中享受音乐享受音乐



### NWZ-WS613(E)

Open Price **Coming Soon**

Built-in Memory <b>4GB</b> 内置记忆体4GB	Max. Recordable Song 128   <b>940</b> number 最多可录制歌曲128kpbs/940首	Audio Formats WMA / AAC / MP3 / Linear PCM 音频格式
Music 音乐 <sup>*2</sup> Continuous Playback <b>8h.</b> 连续播放8小时	<b>3min. Quick Charge</b> 3分钟快速充电	Water Resistance 防水



Bluetooth® The Bluetooth® (Wireless) function is applicable in Bahrain / Lebanon / Qatar/Hong Kong / Taiwan / Indonesia / Malaysia / Philippines / Singapore / Thailand / Australia

## Enjoy music in the water

在水中欣赏音乐



### NWZ-W273S(JE)

Open Price

### NWZ-W274S(JE)

Open Price ※(B)Black Only 只提供黑色

Built-in Memory <b>4GB</b> 内置记忆体4GB	Max. Recordable Song 128   <b>990</b> number 最多可录制歌曲128kpbs/990首	Built-in Memory <b>8GB</b> 内置记忆体8GB	Max. Recordable Song 128   <b>1970</b> number 最多可录制歌曲128kpbs/1970首
Music 音乐 <sup>*2</sup> Continuous Playback <b>8h.</b> 连续播放8小时	<b>3min. Quick Charge</b> 3分钟快速充电	<b>Wearable Design</b> 耐磨设计	

Water Resistance 防水等级 IPX5 / IPX8  
 Applicable • fresh water, tap water, perspiration, pool water  
 Not applicable • liquids other than those above  
 适用于 • 淡水、自来水、汗水、池水  
 不适用于 • 上述之外的其他液体  
 (例如：肥皂水、清洁剂水、含沐浴剂、洗发剂的水、温泉水、海水等)

## MP3 player, Over head type Headphone, Personal speaker, 3-in-1 WALKMAN®

MP3播放器、头戴式耳机和个人音箱三合一的WALKMAN®



(W) White

(B) Black


### NWZ-WH303(JE)

Open Price

Built-in Memory <b>4GB</b> 内置记忆体4GB	Max. Recordable Song 128   <b>960</b> number 最多可录制歌曲128kpbs/960首	Audio Formats MP3 / WMA / AAC-LC / Linear PCM 音频格式	Music 音乐 <sup>*2</sup> Continuous Playback For Headphone <b>20h.</b> 耳机连续播放20小时
<b>3min. Quick Charge</b> 3分钟快速充电	<b>30mm drive unit</b> 30毫米驱动单元	<b>ZAPPIN™</b>	

## Take your entertainment with you

音乐随你所动



(R) Red

(P) Pink

(B) Black

(L) Blue

### NWZ-E383(JE)

Open Price

Built-in Memory <b>4GB</b> 内置记忆体4GB	Max. Recordable Song 128   <b>950</b> number 最多可录制歌曲128kpbs/950首	Max. Recordable Video 384   <b>14h. 20min.</b> 最多可录制视频384kpbs/14小时20分钟	Audio Formats MP3 / WMA / AAC-LC / Linear PCM 音频格式
FM tuner <b>87.5 to 108.0MHz</b> FM调谐器	Music 音乐 <sup>*2</sup> Continuous Playback <b>30h.</b> 连续播放30小时	Video 视频 <sup>*3</sup> Continuous Playback <b>4h.</b> 连续播放4小时	

## You can enjoy powerful bass sound

可欣赏强劲的低音



(R) Red

(L) Blue

(P) Pink

(N) Gold

### NWZ-B183F(JE)

Open Price

Built-in Memory <b>4GB</b> 内置记忆体4GB	Max. Recordable Song 128   <b>890</b> number 最多可录制歌曲128kpbs/890首	Audio Formats MP3 / WMA / AAC-LC / Linear PCM 音频格式	Music 音乐 <sup>*2</sup> Continuous Playback <b>20h.</b> 连续播放20小时
<b>3min. Quick Charge</b> 3分钟快速充电	FM tuner <b>87.5 to 108.0MHz</b> FM调谐器	<b>Built-in USB</b> 内置USB	

### Multilingual Menu Display

多语言菜单显示

NWZ-E383: German / English / Spanish / French / Italian / Polish / Portuguese / Russian / Turkish / Korean / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文)

NWZ-B183F: English / French / Spanish / Russian / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Portuguese / German

### Instruction Manual

使用说明书

NWZ-WS613 / W273S / W274S / WH303 / E383 / B183F: English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Arabic / Korean (NWZ-WS613 / W273S / W274S / WH303 / B183F only)

\*Please refer to page 28-29 for product specifications. 关于本产品的规格，请参阅第28-29页。

\*2 When playing MP3 128kpbs. 当播放MP3 128kpbs时。 \*3 When playing MPEG-4 384kpbs. 当播放MPEG-4 384kpbs时。 \*4 In the built-in memory. 内置记忆体中。 \*5 Copyright protected files cannot be played back. 不会播放受著作权保护的文件。 \*6 The time may differ depending on ambient temperature or the status of use. 时长会因周边温度或使用状态而异。

XBA Series

XBA 系列



**XBA-A3(E)**

Open Price **Coming Soon**



- Sony's unique HD hybrid 3-Way driver unit (16mm dynamic driver unit and two balanced armature driver units) for music enjoyment over the entire frequency range.
- 索尼独创高清混合式三位驱动单元 (16mm动态驱动单元和2个动铁驱动单元) 给您带来全频率的音乐享受。



**XBA-A2(E)**

Open Price **Coming Soon**



- Sony's unique HD hybrid 3-Way driver unit (12mm dynamic driver unit and two balanced armature driver units) for music enjoyment over the entire frequency range.
- 索尼独创高清混合式三位驱动单元 (12mm动态驱动单元和2个动铁驱动单元) 给您带来全频率的音乐享受。



**XBA-A1AP(E)**

Open Price **Coming Soon**



- Sony's unique HD hybrid 2-Way driver unit (9mm dynamic driver unit and Balanced Armature driver unit) Delivers clear sound with bass sound.
- 索尼独创高清混合式双位驱动单元 (9mm动态驱动单元和1个动铁驱动单元) 使您聆听到具有低音的清澈声音。



**XBA-100(E)**

Open Price **Coming Soon**

- Crystal clear and profound vocal sound • 声音清澈浑厚



**XBA-C10(JE)**

Open Price

**XBA-C10IP(JE)**

Open Price

※(B) Black and (W) White only  
仅限黑色和白色款

Made for

- Smooth and clear vocal sound • 声音清晰流畅

Inner Ear / Active Style Headphones

入耳式 / 运动式耳机



**MDR-AS800BT(E)**

Open Price **Coming Soon**

- Light weight, splash proof (IPX4), wireless (Bluetooth®) headset
- Continuous battery life: Approx. 4.5h • Charging time: Approx. 2h
- 重量轻, 具备防水性能 (IPX4) 的无线 (Bluetooth®) 耳机
- 电池连续工作时间: 4.5小时 • 充电时间: 2小时

**Bluetooth®** The Bluetooth® (Wireless) function is applicable in Russia / Hong Kong / Australia / Taiwan / Korea / Singapore / Philippines / Lebanon / Qatar / Thailand



**MDR-AS800AP(E)**

Open Price **Coming Soon**

- Light weight, water proof (IPX5/8)
- Recommended for fast movement and high-impact workouts
- 重量轻, 具备防水性能 (IPX5/8)
- 建议用于快速运动或高冲击性活动中



**MDR-AS400EX(JE)**

Open Price

**MDR-AS400IP(JE)**

Open Price ※(B) Black Only 只提供黑色

Made for


- Recommended for fast movement and high-impact workouts
- 建议用于快速运动或高冲击性活动中



**MDR-AS200(JE)**

Open Price

- The vertical and soft loop-hangers are great for intense workouts
- 直立的软环挂架非常适合于从事较为激烈的活动



**MDR-XB70AP(JE)**

Open Price

- Powerful Bass Sound with Bass Boost • Aluminum Housings • In-line microphone for hands-free phone calls
- 低音增强带来强劲低音 • 铝合金外壳 • 带有有线麦克风, 适合免提通话



**MDR-XB50AP(JE)**

Open Price

- Powerful Bass Sound with Bass Boost • In-line microphone for hands-free phone calls
- 低音增强带来强劲低音 • 带有有线麦克风, 适合免提通话



**MDR-EX31BN(JE)**

Open Price

- Hand-free set Function\*3 • Reduce up to 98% ambient noise
- Removable earphone • Music controller\*4
- 手机免提功能\*3 • 最高降低98%环境噪音 • 可拆卸耳机 • 配有音乐控制键\*4

**Bluetooth®** The Bluetooth® (Wireless) function is applicable in Hong Kong / Korea



**MDR-EX110LP(JE)**

Open Price

**MDR-EX110AP(JE)**

Open Price

- Enjoy, high-resolution treble and midrange with powerful bass sound
- 欣赏高分辨率的高音和中音以及强劲的低音



**MDR-EX15LP(JE)**

Open Price

- Hybrid silicone earbuds supplied for secure fitting and long-term wearing comfort
- 配有混合硅胶耳塞确保长时间稳固舒适佩戴

Instruction Manual 使用说明书	<b>XBA-A3 / A2 / A1AP, MDR-AS800AP:</b> English / Russian / Chinese (Traditional Chinese) 中文 (繁体中文) / Korean / Ukrainian	<b>MDR-AS800BT:</b> English / Russian / Chinese (Simplified Chinese, Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean	<b>XBA-100 / C10 / C10IP, MDR-XB70AP / XB50AP / EX31BN / AS400EX / AS400IP / EX110LP / EX110AP / AS200 / EX15LP:</b> English / Chinese (Traditional Chinese) 中文 (繁体中文) / Korean

\*1 Sony's Balanced Armature Driver is made in Japan. (Driver Only) 索尼的平衡电枢驱动器为日本制造。(仅限驱动器) \*2 XBA-C10IP only 仅限XBA-C10IP \*3 The Mobile Phone need support HFP(Hands-free Profile) / HSP(Headset Profile) 所连接的手机设备需要支持(HFP免提配置协议) / HSP(耳机配置协议)协议 \*4 The player need support AVRCP(Audio Video Remote Control Profile) 所连接的播放器设备需要支持AVRCP协议 \*5 MDR-AS400IP only 仅限MDR-AS400IP \*6 MDR-EX110AP only 仅限MDR-EX110AP

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。 \*Please refer to page 29 for product specifications. 关于本产品的规格, 请参阅第29页。

**Sony High Quality Sound Headphones**

索尼高音质耳机



**MDR-Z7(E)**  
Open Price **Coming Soon**

70mm HD driver units **Closed** Balance connection

70mm Driver Unit with Aluminum-coated Liquid Crystal Polymer diaphragm  
附有镀铝液晶高分子振膜的70mm驱动单元

**MADE IN JAPAN**  
日本制造(主机)

- Premium quality headband-type headphones, adopt a new 70mm HD driver unit for faithful sound reproduction in High-Resolution audio. A new evolution in audio quality is realized by full range reproduction from low frequencies to ultrahigh 100kHz frequencies.
- 高品质头戴式耳机采用新型70mm高清驱动单元，以高分辨率音频忠实再现声音。通过再现从低频到100kHz特高频的全频段范围，给音频品质带来了新的演进。



**MDR-1A(E)**  
Open Price **Coming Soon**

Android iPad,iPod iPhone BlackBerry®

40mm HD driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call

40mm Driver Unit with Aluminum-coated Liquid Crystal Polymer diaphragm  
附有镀铝液晶高分子振膜的40mm驱动单元

- Adopt a new 40mm HD driver unit for faithful sound reproduction as mastering Studio
- 采用新型40mm高清驱动单元，忠实再现母带录音室般的声音



**MDR-1ADAC(E)**  
Open Price **Coming Soon**

40mm HD driver units **Closed** Swivel Built-in Amplifier

USB Charging

Sony World Model

Supports digital connection to smartphones, Walkman, etc. and plays high quality sound  
可以数码形式连接智能手机、随身听等设备并以高音质进行播放

**S-master HX**  
Hi-Res Audio Amplifier

- Built-in Amplifier upgrades all the sound input from any digital music player
- Continuous battery life: Approx.7.5hours
- Charging time: Approx.4hours
- 内置功率放大器可提升从任何数码音乐播放器传输过来的所有声音的音质
- 电池连续工作时间: 约7.5小时 \*充电时间: 约4小时



**MDR-10RNC(JE)**  
Open Price

Android iPad,iPod iPhone BlackBerry®

40mm driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call

DIGITAL NOISE CANCELING

Sony World Model

In-flight plug adaptor supplied

- Sony's unique DNC software engine with Dual Noise Sensor Technology
- S-Master Digital Amplifier
- Continuous battery life: Approx.20hours
- 索尼独特的采用双噪声传感器技术的DNC(数字降噪)软件引擎
- S-Master数码功放
- 电池连续工作时间: 约20小时



**MDR-1RNCMK2(JE)**  
Open Price

Android iPad,iPod iPhone BlackBerry®

50mm driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call USB Charging

DIGITAL NOISE CANCELING

Sony World Model

In-flight plug adaptor supplied

- Dual Noise Sensor Technology uses dual microphones to block out external noise, while you enjoy unparalleled sound quality in comfort.
- Continuous battery life: Approx.22hours
- 双噪声传感器技术采用两个麦克风消除外部噪音，让您舒适地尽情欣赏无以伦比的音质。
- 电池连续工作时间: 约22小时



**MDR-10RBT(JE)**  
Open Price

Wireless Stereo Headset 40mm HD driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call USB Charging

Bluetooth®

Hi-Res Audio

- One Touch Connect (NFC)
- Continuous battery life: MAX.17Hours
- Charging time: Approx.2.5hours
- 一触连接(NFC)功能
- 电池连续工作时间: 最大17小时
- 充电时间: 约2.5小时



**MDR-1RBTMK2(JE)**  
Open Price

Wireless Stereo Headset 40mm HD driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call USB Charging

Bluetooth®

Hi-Res Audio

- One Touch Connect (NFC)
- S-Master Digital Amplifier
- Continuous battery life: Approx.30Hours
- Charging time: Approx.6hours
- 一触连接(NFC)功能
- S-Master数码功放
- 电池连续工作时间: 约30小时
- 充电时间: 约6小时



**MDR-10RC(JE)**  
Open Price

Android iPad,iPod iPhone BlackBerry®

40mm driver units **Closed** L shaped stereo mini plug Serration Cord Foldable Call

Hi-Res Audio

- 40mm drive units with Hi-Resolution Audio correspondence
- Lightweight for long listening comfort
- Foldable design for easy carrying
- 40毫米驱动单元对应高分辨率音频播放
- 轻量设计，佩戴舒适，适合长时间使用
- 可折叠机身，便于携带

**Over Head Band**

头戴式



**MDR-XB950BT(E)**  
Open Price **Coming Soon**

40mm driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call USB Charging

- Delivers an overwhelming deep bass in a simple wireless design
- One Touch Connect (NFC)
- Continuous battery life: Approx.20hours
- Charging time: Approx.4hours
- 采用简便的无线设计，可播放富有震撼力的重低音
- 一触连接(NFC)功能
- 电池连续工作时间: 约20小时
- 充电时间: 约4小时

Bluetooth® The Bluetooth® (Wireless) function is applicable in Belarus / Russia / Ukraine / Lebanon / Qatar / Singapore / Thailand / Hong Kong / Korea / Taiwan / Australia / New Zealand

Bluetooth DIGITAL NOISE CANCELING



**MDR-XB950AP(E)**  
Open Price **Coming Soon**

Android iPad,iPod iPhone BlackBerry®

40mm driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call

- Delivers a formidable deep bass
- In-line microphone for hands-free phone calls
- 可播放气势恢宏的重低音
- 带有线控麦克风，适合免提通话



**MDR-XB450BV(E)**  
Open Price **Coming Soon**

30mm driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord

※Battery sold separately (Dry Battery: Size AAA x 2)  
电池另售(干电池: 尺寸 AAA x 2)

- Delivers a resonating deep bass
- Continuous battery life: Approx.60hours (1kHz 0.1mW+0.1mW output)
- 可播放具有临场感的重低音
- 电池连续工作时间: 约60小时 (1kHz 0.1mW+0.1mW output)



**MDR-XB450AP(E)**  
Open Price **Coming Soon**

Android iPad,iPod iPhone BlackBerry®

30mm driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord Call

- Deep lows with Advanced Vibe Structure
- In-line microphone for hands-free phone calls
- 采用高级振动结构，产生深沉的低音
- 带有线控麦克风，适合免提通话



**MDR-XB250(E)**  
Open Price **Coming Soon**

30mm driver units **Closed** L shaped stereo mini plug Swivel

Serration Cord

- Hear rich, balanced bass for all music styles
- Deep lows with Advanced Vibe Structure
- 聆听丰富的、均衡的低音，适合所有音乐风格
- 采用高级振动结构，产生深沉的低音



**MDR-ZX750BN(JE)**  
Open Price

Wireless Stereo Headset 40mm driver units **Closed** L shaped stereo mini plug Swivel

Digital Noise Canceling Serration Cord Call

USB Charging

Reduces up to 98%\*1 Ambient noise  
最高降低98%环境噪声

- Delivers an overwhelming deep bass in a simple wireless design
- Continuous battery life: NC on 13Hours NC off 19Hours
- Charging time: Approx.2.5hours
- 采用简便的无线设计，可播放富有震撼力的重低音
- 电池连续工作时间: 使用降噪功能时 13小时 关闭降噪功能时 19小时
- 充电时间: 约2.5小时

Bluetooth® The Bluetooth® (Wireless) function is applicable in Singapore / Hong Kong / Australia / New Zealand

Bluetooth DIGITAL NOISE CANCELING



**MDR-ZX310(JE)**  
Open Price

30mm driver units **Closed** L shaped stereo mini plug Quick Folding Call

※(B) Black Only 只提供黑色

- High quality and powerful sound
- Enjoy clear mid and deep bass
- 高品质强劲声音
- 欣赏清晰的中音和深沉的低音



**MDR-ZX110NC(JE)**  
Open Price **Coming Soon**

30mm driver units **Closed** L shaped stereo mini plug Quick Folding

Reduces up to 95%\*1 Ambient noise  
最高降低95%环境噪声

- Easy to carry with the ability to reduce unwanted ambient noise
- Continuous battery life: Approx.80hours
- 便于携带，可降低多余的环境噪声
- 电池连续工作时间: 约80小时



**MDR-ZX110(JE)**  
Open Price

30mm driver units **Closed** L shaped stereo mini plug Quick Folding

- High quality and powerful sound
- Lightweight for maximum comfort
- Easily connect to your music player
- 高品质强劲声音
- 重量轻，配戴极为舒适
- 可轻松连接音乐播放器



**MDR-S40(JE)**  
Open Price

30mm driver units **Open** L shaped stereo mini plug Foldable


- Hybrid head band for wearing comfort
- Slim & foldable
- Breathable ear pads for long lasting wearing comfort
- 配戴舒适的混合材料头带
- 纤细、可折叠
- 具透气性耳垫，可长时间舒适配戴

\*1 Under the Sony measurement standard. The noise canceling effect may not be pronounced in a very quiet environment, or some noise may be heard. Ambient noise is not reduced to zero. 根据索尼测试标准，在非常安静的环境中，降噪功能的效果也许并不显著，或者有可能听到某些噪音。环境噪音不会被降低至零。 \*2 MDR-ZX310AP only 仅限MDR-ZX310AP

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★如需了解关于"Open Price(价格未定)"产品的价格信息，请就近向索尼产品零售商联系咨询。



### Bass Sound for Compact Size 小巧机身再现重低音



(W) White

(B) Black

(R) Red

Tap to link with "NFC"  
具备"NFC"功能,点触即可连接

### SRS-X3(JE)

Open Price **NEW**

ClearAudio+ Bluetooth

Power output <b>20w</b> 输出功率20W	Max. Playback Time <b>7Hrs</b> 最长播放时间7小时	Bluetooth® (Wireless)function Bluetooth® (无线)功能	Easy Portability 易于携带	USB Charging USB 充电
---------------------------------------	------------------------------------------------	-------------------------------------------------------	--------------------------	------------------------

**Hands free** 免提  
**Bluetooth** Bluetooth® function designed for this product is applicable in Bahrain / Hong Kong / Indonesia / Lebanon / Malaysia / Philippines / Qatar / Singapore / South Africa / Taiwan / Tunisia / UAE



(B) Black



(R) Red

### ICD-SX1000(JE)

Open Price

Stereo Recording

Built-in Memory <b>16GB</b> 内置记忆体16GB	Max. Recording Time MP3 48kbps <b>636Hrs</b> 最长录音时间 (MP3 48kbps)636小时	Recording Formats <b>Linear PCM/MP3</b> 录音格式
---------------------------------------------	-----------------------------------------------------------------------------------	----------------------------------------------------

Direct USB  
USB 直连

- 3 Directional Microphones (Zoom/Stereo)
- 96kHz/24bit Over CD Quality Recording
- 192kHz/24bit High Definition Playback
- 3个定向麦克风 (变焦/立体声)
- 96kHz/24bit超CD品质录音
- 192kHz/24bit高清晰播放

S-master  
Digital Amplifier  
S-miC  
RECORDING SYSTEM

Windows  
Macintosh

INTELLIGENT  
NOISE CUT  
MICRO  
S  
H  
G



### ICD-SX734(JE)

Open Price

Stereo Recording

Built-in Memory <b>8GB</b> 内置记忆体8GB	Max. Recording Time MP3 48kbps <b>318Hrs</b> 最长录音时间 (MP3 48kbps)318小时	Recording Formats <b>Linear PCM/MP3</b> 录音格式
-------------------------------------------	-----------------------------------------------------------------------------------	----------------------------------------------------

Direct USB  
USB 直连

- 3 Directional Microphones (Zoom/Stereo)
- Linear PCM (CD Quality) Recording
- 3个定向麦克风 (变焦/立体声)
- 线性PCM (CD品质) 录音

S-miC  
RECORDING SYSTEM

Windows  
Macintosh

INTELLIGENT  
NOISE CUT  
MICRO  
S  
H  
G



### Water Proof Wireless Mobile Speaker 防水无线便携式扬声器



(W) White

(V) Purple

(B) Black

Tap to link with "NFC"  
具备"NFC"功能,点触即可连接

### SRS-X1(E)

Open Price **NEW**

Bluetooth

Power output <b>5w</b> 输出功率5W	Max. Playback Time <b>12Hrs</b> 最长播放时间12小时	Bluetooth® (Wireless)function Bluetooth® (无线)功能	Water Resistance 防水	Easy Portability 易于携带
-------------------------------------	--------------------------------------------------	-------------------------------------------------------	------------------------	--------------------------

**USB Charging** USB 充电  
**Hands free** 免提  
**Bluetooth** Bluetooth® function designed for this product is applicable in Hong Kong / Korea / Thailand / Fiji / Malaysia / Philippines / Singapore / Taiwan

SRS-X1 **Water Resistance** 防水 **Applicable** • fresh water, tap water, perspiration, pool water **Not applicable** • liquids other than those above (examples: soapy water, detergent water, water with bath agents, shampoo, hot spring water, seawater, etc.) 适用于 • 淡水、自来水、汗水、池水 不适用于 • 上述之外的其他液体 (例如: 肥皂水、清洁剂水、含沐浴剂、洗发精的水、温泉水、海水等)



### ICD-TX650(E)

Open Price **Coming Soon**

Stereo Recording

Built-in Memory <b>16GB</b> 内置记忆体16GB	Max. Recording Time MP3 48kbps <b>715Hrs</b> 最长录音时间 (MP3 48kbps)715小时	Recording Formats <b>Linear PCM/MP3</b> 录音格式
---------------------------------------------	-----------------------------------------------------------------------------------	----------------------------------------------------

- Easy to read Bright Organic EL Display
- Stylish Thin & Clip Style Design
- Easy Recording Setting with Scene Select Function
- 易于阅读的明亮有机EL显示屏
- 时尚轻薄的背夹式设计
- 简易录制设定, 具备场景选择功能

Windows  
Macintosh



(B) Black

(S) Silver

### ICD-UX543F(JE)

Open Price

Stereo Recording

Built-in Memory <b>4GB</b> 内置记忆体4GB	Max. Recording Time MP3 8kbps <b>1073Hrs</b> 最长录音时间 (MP3 8kbps)1073小时	Recording Formats <b>Linear PCM/MP3</b> 录音格式
-------------------------------------------	-----------------------------------------------------------------------------------	----------------------------------------------------

Direct USB  
USB 直连

- All-in-1 Recording with Direct USB
- High Sensitivity and Low Noise
- OLED Display
- 采用直连USB的一体化数码录音棒
- 高敏感度, 低噪音
- OLED有机发光显示屏

S-miC  
RECORDING SYSTEM

Windows  
Macintosh

INTELLIGENT  
NOISE CUT  
MICRO  
S  
H  
G

### Wireless Mobile Speaker 无限便携式扬声器



(W) White

(L) Blue

(P) Vivid Pink

(B) Black

Tap to link with "NFC"  
具备"NFC"功能,点触即可连接

### SRS-BTV5(JE)

Open Price

Bluetooth

Max. Playback Time <b>5Hrs</b> 最长播放时间5小时	Bluetooth® (Wireless)function Bluetooth® (无线)功能	360° Circle Sound Technology 360° 环形声音技术	Easy Portability 易于携带	USB Charging USB 充电
------------------------------------------------	-------------------------------------------------------	---------------------------------------------	--------------------------	------------------------

**Hands free** 免提  
**Bluetooth** Bluetooth® function designed for this product is applicable in India / Hong Kong / Australia / New Zealand / Algeria / Angola / Egypt / Ethiopia / Kenya / Morocco / Nigeria / Tanzania / Tunisia / Bahrain / Jordan / Kuwait / Lebanon / Oman / Pakistan / Qatar / Saudi Arabia / Syria / UAE / Yemen / Korea / Thailand / South Africa / Indonesia / Malaysia / Philippines / Singapore / Taiwan / Vietnam



### ICD-BX140(JE)

Open Price

Monaural Recording

Built-in Memory <b>4GB</b> 内置记忆体4GB	Max. Recording Time HVXC 2kbps <b>4175Hrs</b> 最长录音时间 (HVXC 2kbps)4175小时	Recording Formats <b>HVXC/MP3</b> 录音格式
-------------------------------------------	----------------------------------------------------------------------------------------	----------------------------------------------

- Noise Cut Function
- Easy and Large Buttons
- 降噪功能
- 大按钮易于使用

<b>Multilingual Menu Display</b> 多语言菜单显示	ICD-SX1000 / SX734 / TX650 / UX543F: English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Thai / Spanish / French / German / Italian / Russian	ICD-BX140: English
---------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------

<b>Instruction Manual</b> 使用说明书	ICD-SX1000 / SX734 / TX650: English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Arabic / Persian	ICD-UX543F / BX140: English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Arabic / Persian
------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------








\*Please refer to page 31 for rec time. 关于拍摄时间, 请参阅第31页。  
\*For information about the prices of "Open Price" products, please contact your nearest Sony product retailer.  
★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。











## Interchangeable Lens Digital Camera Specifications 数码相机规格

Model Name 机型名称	SLT-A99KIT(JE)  P9	ILCE-7RKIT(JE)  P9	ILCE-7K(JE)  P9	ILCE-6000L(JE) / 6000Y(JE)  P10	ILCE-5100L(JE) / 5100Y(JE)  P10	ILCE-5000L(JE)  P10	ILCE-3000K(JE)  P11
<b>System</b> 系统	Camera type 相机类型 Lens compatibility 镜头兼容性	Interchangeable lens digital camera			Interchangeable lens digital camera with built-in flash		
<b>Image Sensor</b> 影像传感器	Type 类型 No. of pixels (Approx.) 像素数 (约) Anti-Dust system 防尘系统	Sony E-mount lenses		Sony E-mount lenses			
<b>Recording System (still image)</b> 录制系统 (静态影像)	Recording format 录制格式 Image size (pixels) 图像尺寸 (像素) Aspect ratio 3:2 纵横比3:2 Aspect ratio 16:9 纵横比16:9 Sweep Panorama 扫描全景	JPEG (DCF Ver. 2.0, Exif Ver. 2.3, MPF Baseline compliant), RAW (Sony ARW 2.3 format), RAW & JPEG		JPEG (DCF Ver. 2.0, Exif Ver.2.3, MPF Baseline compliant), RAW (Sony ARW 2.3 format)		JPEG (DCF Ver. 2.0, Exif Ver.2.3, MPF Baseline compliant), RAW (Sony ARW 2.3 format)	
<b>Recording System (movie)</b> 录制系统 (动态影像)	Recording format 录制格式 Image size (pixels) 图像尺寸 (像素)	AVCHD, MP4 selectable			AVCHD format Ver. 2.0 compliant / MP4		AVCHD, MP4
<b>Media</b> 媒体		Memory Stick PRO Duo / Memory Stick PRO-HG Duo / SD Memory Card / SDHC Memory Card / SDXC Memory Card <sup>2</sup>		Memory Stick PRO Duo / Memory Stick PRO-HG Duo / Memory Stick XC-HG Duo / SD Memory Card / SDHC Memory Card (UHS-I compliant) / SDXC Memory Card (UHS-I compliant) <sup>2</sup>			
<b>Focus System</b> 对焦系统	Type 类型 Focus mode 对焦模式 AF mode 自动对焦模式 Focus area 对焦区域	TTL Phase-detection DMF (Direct Manual Focus), Manual Focus Single-shot AF (AF-S), Automatic AF (AF-A), Continuous AF (AF-C), Depth Map Assist Continuous AF (AF-D)		Contrast-detection AF Fast Hybrid AF (phase-detection AF / contrast-detection AF)			Contrast-detection AF Autofocus, DMF (Direct Manual Focus), Manual Focus
<b>Finder</b> 取景器	Type 类型 Total no. of dots 总点数 Field coverage (Approx.) 视场 (约)	0.5 type Electronic viewfinder (color), XGA OLED 2,359,296 dots 100%		0.5 type Electronic viewfinder (color) 2,359,296 dots 100%			0.39 type Electronic viewfinder (color) 1,440,000 dots 100%
<b>Monitor</b> 显示屏	Type 类型 Total no. of dots 总点数 Adjustable angle (Approx.) 可调整角度 (约)	3.0-type wide type TFT 1,228,800 dots Tilt angle: 140 degrees upward and 180 degrees downward. Rotation angle: 180 degrees clockwise and 90 degrees counterclockwise.		3.0-type TFT 921,600 dots Up by 90 degrees, down by 45 degrees		3.0-type wide type TFT 921,600 dots Up by 90 degrees, down by 45 degrees	
<b>Interface</b> 接口	PC interface 电脑接口 HD output 高清输出	miniB, Hi-speed USB (USB2.0) (Mass-storage, MTP, PC remote)		Mass-storage, MTP, PC remote			
<b>Flash</b> 闪光灯	Type 类型 Guide No. 指数	—		Built-in flash 4 (in meters at ISO100)			
<b>Power</b> 电源	Battery 电池 Battery life (Approx.) 电池寿命 (约)	One rechargeable battery pack NP-FM500H		One rechargeable battery pack NP-FW50			
<b>Mass (Body only) (Approx.) 重量 (仅机身) (约)</b>		728g		416g			
<b>Dimensions (WxHxD) (Body only) (Approx.) 尺寸 (宽x高x深) (仅机身) (约)</b>		147 x 111.2 x 78.4 mm (without protrusions)		126.9 x 94.4 x 48.2 mm (without protrusions)			

## International shortwave broadcast receivable radio Specifications 可接收国际短波广播的收音机规格

Model Name 机型名称	ICF-SW7600GR(JE)  P15	ICF-SW35(JE)  P15	ICF-SW22(JE)  P15	ICF-SW11(JE)  P15
<b>Circuitry</b> 电路	FM super heterodyne AM dual conversion	FM super heterodyne LW / SW / MW dual conversion	FM / MW super heterodyne SW dual conversion	FM / LW / SW / MW super heterodyne single conversion
<b>Reception Frequency</b> 接收频率	LW 长波 MW 中波 SW 短波 FM 调频	150kHz ? 29,999kHz 76 to 108MHz	150 to 285kHz 530 to 1,710kHz 2,250 to 26,100kHz 76 to 108MHz	141 to 290kHz 525 to 1,620kHz Refer to below table 76 to 108MHz
<b>Antenna</b> 天线	LW / MW ferrite bar antenna FM / SW rod antenna	MW ferrite bar antenna FM / SW rod antenna	MW ferrite bar antenna FM / SW rod antenna	MW ferrite bar antenna FM / SW rod antenna
<b>Synch. Detection</b> 同步检测	●	—	—	—
<b>SSB</b> ssb	●	—	—	—
<b>Memories</b> 存储	102*3	52*3	—	—
<b>Rec. / out. Terminals</b> 录音 / 输出端子	● Stereo	—	—	—
<b>Ext. Antenna Terminal</b> 外接天线端子	●	—	—	—
<b>Earphone Jack</b> 耳机插孔	Stereo mini	Stereo mini	Monaural	Stereo mini
<b>Dimensions (WxHxD) (Approx.) max. 尺寸 (宽x高x深) (约) 最大值</b>	190 x 118.8 x 35.3mm	168 x 106 x 35mm	116.5 x 72.5 x 28mm	162 x 93.8 x 34.8mm
<b>Mass (with batteries) (Approx.) 重量 (含电池) (约)</b>	608g	405g	200g	340g
<b>Power Supply</b> 电源	Batteries 电池 AC Adaptor AC适配器	AA x 4 supplied	AA x 3 —	AA x 2 —
<b>Power Output</b> 功率输出	380mW	240mW	100mW	140mW
<b>Speaker</b> 扬声器	7.7cm	6.6cm	4.0cm	5.7cm
<b>Supplied Accessories</b> 随机配件	Wave handbook, Compact antenna, AC adaptor	Wave handbook, Compact antenna	Shortwave guide, Compact antenna	Shotwave guide

\*1 Sony recommends using an SDXC memory card (Class 10), when shooting movies in the XAVC S format. 拍摄XAVC S格式的动态影像时，索尼推荐使用SDXC存储卡 (Class 10)。\*2 Class 4 or higher. Class 4或更高。\*3 Includes standby memory. 包括备用存储。

## Shortwave Reception frequencies for each model 各个机型的短波接收频率

Meter band (broadcasting band) 米波段 (广播波段)	120m	90m	75m	60m	49m	41m	31m	25m	22m	19m	16m	13m	11m
<b>Frequency (kHz) 频率 (kHz)</b>	2,300 to 2,945	3,200 to 3,400	3,900 to 4,000	4,750 to 6,050	5,950 to 6,200	7,100 to 7,300	9,500 to 9,900	11,650 to 12,050	13,600 to 13,800	15,100 to 15,600	17,550 to 17,900	21,450 to 21,850	25,670 to 26,100
<b>Principal stations 主要电台</b>	Local stations in tropics	Local stations in tropics	Radio NIKKEI (J)	Local stations in tropics	Radio NIKKEI (J) Radio Korea (J) VOA (E)	Radio Japan (J) BBC (E) Moscow (J/E)	Radio Japan (J) Radio NIKKEI (J) BBC (E), VOA (E) China International (J)	Radio Japan (J) BBC (E), VOA (E) Germany (J)	Switzerland (J/E) Radio Korea (E/F/G) The Netherlands (E)	Radio Japan (J) BBC (E), VOA (E) Radio France (F)	Radio Japan (J) BBC (E), VOA (E) Radio Australia (E) Switzerland (J/E/G)	Radio Japan (J) Radio Australia (E) Germany (E/G)	Radio France (F) Germany (G)
<b>ICF-SW7600GR(JE)</b>	←												
<b>ICF-SW35(JE)</b>	←												
<b>ICF-SW22(JE)</b>	—	—	—	—	5,775 to 6,425	6,875 to 7,525	9,375 to 10,025	11,615 to 12,265	—	15,000 to 15,650	17,500 to 18,150	21,325 to 21,975	—
<b>ICF-SW11(JE)</b>	—	—	3,850 to 4,050	—	5,900 to 6,200	7,100 to 7,350	9,400 to 9,900	11,600 to 12,100	13,570 to 13,800	15,100 to 15,600	17,480 to 17,900	21,450 to 21,750	—

\*1 The ICF-SW7600GR(JE) can also pick up many stations throughout the world, such as ones in China, that are not members of international agreements and that broadcast at frequencies outside the meter band. \*1 ICF-SW7600GR(JE) 还可在全世界范围内接收许多电台，例如非国际协议成员国中国的电台，广播频率处于米波段以外的电台。\*2 •NHK Radio Japan is responsible for NHK broadcasts to countries overseas and can not be received within Japan. •Radio NIKKEI is a domestic Japanese broadcaster. •VOA, BBC and other such international stations are comparatively easily to pick up in Japan. (J): Japanese, (E): English, (F): French, (G): German. \* Broadcasting band (meter band): The radio signals of shortwave stations are not randomly broadcast within the shortwave bandwidth, but are assigned to a total of 13 broadcast station bands. The meter lengths shown in each of these "meter bands" represents the wavelength of the principle broadcasting frequency within each band. \*2 •日本 NHK 电台负责海外国家或地区的 NHK 广播，无法在日本国内接收。•NIKKIEI 电台为日本国内的日语广播公司。•VOA、BBC 及其他类似国际电台在日本的接收相对较为容易。(J)：日语、(E)：英语、(F)：法语、(G)：德语。\* 广播波段 (米波段)：短波电台的广播信号并非在短波带宽上随机广播，而是分配到共计 13 个广播电台波段。每个“米波段”中显示的米长度代表各个波段内的主广播频率的波长。

## IC Recorder Rec Time (Approx.) 数码录音棒录音时长 (约)

Frequency / Bit rate 频率 / 比特率	LPCM 96.1kHz, 24bit	LPCM 44.1kHz, 16bit	MP3 320kbps	MP3 192kbps	MP3 128kbps	MP3 48kbps (monaural)	MP3 8kbps (monaural)	HVXC 2kbps (monaural)
<b>ICD-SX1000(JE)</b>	6h, 35min.	21h, 35min.	95h, 25min.	159h.	238h.	636h.	—	—
<b>ICD-SX734(JE)</b>	—	10h, 45min.	47h, 40min.	79h, 30min.	119h.	318h.	—	—
<b>ICD-TX650(E)</b>	—	24h, 15min.	—	178h.	268h.	715h.	—	—
<b>ICD-UX543F(JE)</b>	—	6h.	—	44h, 40min.	67h, 5min.	178h.	1073h.	—
<b>ICD-BX140(JE)</b>	—	—	—	43h, 25min.	65h, 10min.	—	1043h.	4175h.



# Striving to achieve a zero environmental footprint

## Sony Road to Zero Environmental Plan

The zero in Road to Zero means a zero environmental footprint. This is the ultimate goal of our environmental plan, which inspires innovative thinking and technology. To put Sony firmly on the road to zero, environmental goals are based on these four perspectives.

### Promoting biodiversity

Respecting the natural environment

### Controlling chemical substances


Careful management, beginning with raw materials

### Conserving resources

Eliminating use of virgin materials

### Curbing climate change

Toward zero-emission products



Visit Sony Overseas Models Website 访问索尼海外规格产品网站

[sony.jp/overseas/](http://sony.jp/overseas/)



Please access to Sony Overseas Models website for product information, shop locations, and support & service for products purchased.

如需了解更多产品信息、商铺位置以及所购产品的技术支持与服务，请浏览索尼海外规格产品网站。



### Safety Cautions 安全注意事项

To ensure correct use of this product, read the "Instruction Manual" prior to use. Failure to follow all safeguards can result in fire, electric shock, or other accidents. Do not use headphones while driving and cycling, etc.

为确保正确使用本产品，使用前请仔细阅读“使用说明书”。如果未能遵守所有安全防护事项，可能会导致火灾、电击或其他事故的发生。在从事车辆驾驶或骑自行车等活动时，请勿使用耳机。

•**Sony Corporation**  
**Sony Marketing (Japan) Inc.**  
 1-7-1 Konan Minato-ku, Tokyo, 108-0075 Japan

### •Sony Customer Information Center Japan

© For information about how to purchase or use our products, and for other assistance, please call our Customer Hotline.

#### Free Dial 0120-777-886

(Toll-free number available only in Japan. Assistance available in Japanese language only.)

- Mobile/PHS phone callers please dial **050-3754-9555**
- Service available  
 Mon. to Fri. .... 9:00-18:00  
 Sat., Sun. and Holidays ... 9:00-17:00

•**Showroom** 样品陈列室  
 Tokyo: Sony Bldg., 3-1 Ginza 5-chome, Chuo-ku, (03)3573-2563  
 东京都：中央区銀座5丁目3-1 索尼大厦 (03)3573-2563

Come see the Showroom to find wide range of Sony products and selected items listed in this catalog.

You can experience leading technology and design, all in one place.

欢迎莅临索尼样品陈列室，包括本目录精选产品在内，您可浏览更多、更丰富的索尼产品。在这里，即可体验当今世界上最先进的科技和设计理念。

- SONY is a trademark of Sony Corporation.
- Cyber-shot, **Cyber-shot**, **α**, Handycam, **HANDYCAM**, InfoLITHIUM, ActiFORCE, **ActiFORCE**™, Walkman, **WALKMAN**, **W** are registered trademarks of Sony Corporation.
- XAVC S, **XAVC S**, G Lens, **G**, Exmor, Exmor R, BIONZ, BIONZ X, **BIONZ X**, Memory Stick, Memory Stick Duo, Memory Stick PRO, Memory Stick PRO Duo, Memory Stick PRO-HG Duo, Memory Stick Micro, **MEMORY STICK DUO**™, **MEMORY STICK PRO**™, **MEMORY STICK PRO DUO**™, **MEMORY STICK PRO-HG DUO**™, MagicGate and **MAGIC GATE**™ are trademarks of Sony Corporation.
- ZEISS Tessar and **ZEISS** are trademarks of Carl Zeiss AG.
- AVCHD and **AVCHD** are trademarks of Panasonic Corporation and Sony Corporation.
- HDMI, **HDMI** and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.
- The Wi-Fi Protected Setup Identifier Mark is a mark of the Wi-Fi Alliance.
- N-Mark is a registered trademark of the NFC Forum.
- Microsoft, Windows, Windows Vista, Windows Media are trademarks or registered trademarks of Microsoft Corporation.
- Macintosh, Mac OS, the Mac OS logo, iMac, iBook, PowerBook, Power Mac and eMac are trademarks or registered trademarks of Apple Inc.
- The Bluetooth word mark, figure mark, and combination mark are all trademarks that are owned by the Bluetooth SIG and licensed out for use to companies that are incorporating Bluetooth wireless technology into their products.
- SD and SDHC Logo are trademarks of SD-3C, LLC.
- All other product and company names are trademarks or registered trademarks of their respective companies.
- Design and specifications are subject to change without notice. 产品设计及参数可能会发生变更，恕不事先通知。
- M.S.R.P.: Manufacturer's Suggested Retail Price. M.S.R.P.: 制造商建议零售价。
- For more information on the products listed in this catalog, see the catalogs of the individual products or ask a retailer. 关于此综合目录中产品的详情，请参考每个品目的产品目录，或与销售店联系咨询。

Contents of this catalog are valid as of December 2014

### Sony Showroom

Sony Building / Sukiyabashi,  
 Ginza, Chuo-ku, Tokyo  
 URL: [sonybuilding.jp/e/](http://sonybuilding.jp/e/)

