

# SONY

make.believe

2012.11

## Sony Overseas Models Products Catalog

索尼海外规格产品目录  
オーバーシーズモデル総合カタログ

The latest Sony products you can enjoy around the world

您在全球范围内可享受到的最新索尼产品



### Sony Overseas Models

索尼海外规格产品



DSC-TX200(JE)



HDR-PJ760(JE)



NWZ-W262(JE)

[sony.jp/overseas/](http://sony.jp/overseas/)

## Warranty service covering 53 countries and regions 在53个国家和地区均可享受保修服务

- Latin America**  
Puerto Rico / Chile / Panama / Venezuela / Mexico / Costa Rica / Ecuador / El Salvador / Guatemala / Honduras / Nicaragua
- North America**  
U.S.A. / Canada
- Middle East<sup>\*1</sup>**  
U.A.E. / Qatar / Bahrain / Lebanon / Tunisia
- Africa<sup>\*1</sup>**  
South Africa
- Asia<sup>\*1</sup>**  
Singapore / Malaysia / Hong Kong / Korea / Philippines / Maldives / Thailand / Taiwan / India / Indonesia / Japan / China<sup>\*2</sup>
- Oceania<sup>\*1</sup>**  
Australia / New Zealand / Fiji / Tahiti / New Caledonia
- Europe<sup>\*3</sup>**  
Belgium / Switzerland / Germany / Denmark / Spain / Portugal / Austria / Greece / France / Finland / Italy / Norway / Netherlands / Sweden / U.K. / Russia / Ukraine

※Recording Media products target different countries and areas, please refer to page 28 for detailed specifications. 有关针对不同国家和地区的媒体产品的详细规格, 请参阅第28页。

## Multi-lingual menus and instruction manuals 多国语言菜单和使用说明书

Multi-lingual menus and instruction manuals are also available for Sony Overseas Models  
索尼海外规格产品还会提供多国语言菜单和使用说明书

Sony Overseas Models product instructions come in various languages, such as English, Chinese, Korean, German, French, Spanish, Portuguese and Russian. (Available languages depend on the model) The menu display on the products of certain "Handycam," "Cyber-shot," etc. are able to display several languages besides English. (Available languages depend on the model)  
索尼海外规格产品的使用说明书提供英语、中文、韩语、德语、法语、西班牙语、葡萄牙语和俄语等多种语言。(提供的语言取决于机型)部分"Handycam"数码相机、"Cyber-shot"数码相机等产品的菜单显示能够显示英语等多国语言。(提供的语言取决于机型)

## After-sales service<sup>\*4</sup> 售后服务<sup>\*4</sup>

The Overseas Models are covered by a common warranty in a wide range of countries/regions  
海外规格产品在许多国家/地区均可享受保修服务

◎ Common warranty service is offered in 53 countries/regions. 53个国家/地区享受保修服务。

In case you should experience problems with Japanese version products, you may face a number of difficulties when trying to resolve these outside of Japan. For example, there may be no spare parts available, or it may take long repair time or additional fees. However, with Sony Overseas Models, you automatically receive a common 1 year warranty, which is valid in 53 countries/regions around the world. This ensures you free 1 year coverage on your purchased products.

如果遇到日语版本产品方面的问题, 尝试在日本以外的地区解决可能会面临许多困难。例如, 可能没有备件, 维修时间过长或产生额外费用。但是对于索尼海外规格产品, 可自动获得在全球53个国家/地区有效的1年保修服务, 确保您所购买产品享受1年免费保修。

<sup>\*1</sup> For Middle Eastern, African, Asian or Oceanian countries and regions not listed above, please Email us from the "Contact Us" section at: <http://www.css.ap.sony.com> 有关上述未列的中东、非洲、亚洲或大洋洲国家和地区, 请在下列网址的"联系我们"网页中发送电子邮件给我们: <http://www.css.ap.sony.com> <sup>\*2</sup> China Limited Warranty sticker should be attached on the warranty card. 保修卡上须附有中国保修贴条。 <sup>\*3</sup> For European countries not listed above, please contact: The European Sony Customer Care Center in Belgium. 有关上述未列的欧洲国家, 请联系: 位于比利时的欧洲索尼客服中心。 <sup>\*4</sup> Warranty services for some products may not be provided, or differ in some countries and regions. For more details, please consult your nearest Sony Overseas Models dealers in Japan. 部分产品可能无法提供保修服务, 或者因国家和地区而异。如需了解详情, 请就近向日本的索尼海外规格产品经销商联系咨询。

## How about Sony Overseas Models sold only in Japan as a souvenir? 买个限定在日本销售的索尼海外规格产品作为礼物吧?

买个限定在日本销售的索尼海外规格产品作为礼物吧?



Digital Still Camera 数码相机  
DSC-TX66(JE) P25



Digital Still Camera 数码相机  
DSC-WX170(JE) P26



Card size radio 卡片收音机  
SRF-220(JE) P29



## Color system, Voltage & Frequency 彩色制式, 电压与频率

Country / Region 国家/地区	Color system 彩色制式	Voltage 电压	Frequency 频率
Puerto Rico	NTSC	120V	60Hz
Chile	NTSC	220V	50Hz
Panama	NTSC	110/220V	60Hz
Venezuela	NTSC	120V	60Hz
Mexico	NTSC	120/127V	60Hz
Costa Rica	NTSC	110V	60Hz
Ecuador	NTSC	110V	60Hz
El Salvador	NTSC	110V	60Hz
Guatemala	NTSC	120V	60Hz
Honduras	NTSC	110V	60Hz
Nicaragua	NTSC	120/240V	60Hz
U.S.A.	NTSC	120V	60Hz
Canada	NTSC	120V	60Hz
U.A.E.	PAL	240V	50Hz
Qatar	PAL	240V	50Hz
Bahrain	PAL	220/240V	50/60Hz
Lebanon	SECAM	110/220V	50Hz
Tunisia	SECAM	220V	50Hz
South Africa	PAL	220/230V	50Hz
Singapore	PAL	230V	50Hz
Malaysia	PAL	240V	50Hz
Hong Kong	PAL	200/220V	50Hz
Korea	NTSC	220V	60Hz
Philippines	NTSC	220/230V	60Hz
Maldives	PAL	220-240V	50Hz
Thailand	PAL	220V	50Hz
Taiwan	NTSC	110V	60Hz
India	PAL	230/240V	50Hz
Indonesia	PAL	127/230V	50Hz
Japan	NTSC	100V	50/60Hz
China	PAL	220V	50Hz
Australia	PAL	240V	50Hz
New Zealand	PAL	230/240V	50Hz
Fiji	PAL	240V	50Hz
Tahiti	SECAM	220V	60Hz
New Caledonia	SECAM	220V	50Hz
Belgium	PAL	230V	50Hz
Switzerland	PAL	230V	50Hz
Germany	PAL	230V	50Hz
Denmark	PAL	230V	50Hz
Spain	PAL	127/230V	50Hz
Portugal	PAL	230V	50Hz
Austria	PAL	230V	50Hz
Greece	SECAM	220V	50Hz
France	SECAM	230V	50Hz
Finland	PAL	230V	50Hz
Italy	PAL	220V	50Hz
Norway	PAL	230V	50Hz
Netherlands	PAL	230V	50Hz
Sweden	PAL	230V	50Hz
U.K.	PAL	240V	50Hz
Russia	SECAM	220V	50Hz
Ukraine	SECAM	220V	50Hz

●The power supply situation and broadcasting system of each country may be changed without a preliminary announcement. You may obtain reconfirmation by yourself before purchase.  
●每个国家的供电情况和广播系统均有可能在未事先通知的情况下发生变更。请在购买产品之前, 自行重新确认。

- P4 Digital Camcorder  
数码摄像机
- P27 Digital Camcorder Accessories  
数码摄像机配件
- P13 Digital Recording Binoculars  
摄录望远镜
- P14 Interchangeable Lens Digital Camera  
数码微单相机 / 数码单电相机
- P20 Digital Still Camera  
数码相机
- P27 Digital Still Camera Accessories  
数码相机配件
- P28 Digital Photo Frame  
数码相框
- P28 Recording Media  
索尼存储卡
- P29 Radio  
收音机
- P30 Walkman®  
MP3播放器
- P31 Compact Cassette Recorder  
小型盒带录音机
- P31 CD Walkman®  
CD播放器
- P32 Headphones  
耳机
- P36 Speaker  
扬声器
- P37 IC Recorder  
数码录音棒
- P38 Specifications  
规格表

# HANDYCAM®

Digital Camcorder

数码摄像机

## Give Joy. Share with "Handycam"

用“Handycam”数码摄像机展现乐趣、分享欢乐。

Capture the moments, true to life, in HD (High Definition). With "Handycam," 1920 x 1080 recording — finely detailed HD video is in your hands.

高清捕捉真实瞬间。“Handycam”数码摄像机成就1920x1080录制——精致高清视频在握。

Full HD  
1080

1920x1080  
Recording



"Full HD 1080" refers to consumer electronics products designed, manufactured, and sold by the Sony Corporation that have the capability of recording, display and/or playback of HD (High Definition) images with more than 1080 vertical scanning lines.

"全高清1080"是指具有录制、显示和/或播放1080以上垂直扫描线高清影像功能的消费类电子产品。由索尼公司设计、制造和销售。

### Built-in Projector

内置投影机

HDR-PJ760 / PJ720 / PJ600 / PJ580 / PJ260 / PJ200

#### Share Anywhere with the Built-in Projector and High Quality Speaker

利用内置投影机和高品质立体扬声器随时随地分享

Watching your favorite memories on a big screen is no longer limited to your living room. Packed with a built-in projector and a pair of high quality stereo speakers<sup>\*1</sup>, Our projector model allows you to easily and instantly share your latest adventure with your friends and family at a bar, in a camp, and many other locations. In a dark environment, you can even project your videos up to 100-inch diagonally. With the concept of a personal mobile theater in mind, the built-in projector is accompanied by a pair of Clear Phase stereo speakers<sup>\*1</sup> that pumps out true-to-life sound that makes your stories come alive.

在大屏幕上观赏您最美的回忆从此不再受限于您的客厅。我们的投影机内置投影机 and 一对高品质的立体扬声器，能让您方便的与朋友和家人在酒吧、营地和众多其他场所即时分享您最新的独特经历。在昏暗的环境中，您甚至可以将您的视频对角投影到最大100英寸。内置投影机嵌入了个人移动影院的概念，附有一对Clear Phase立体扬声器，能够迸发出栩栩如生的声音，使您的经历跃然于荧幕之上。

\*1 PJ200: monaural speaker  
PJ200: 单声道扬声器



#### Projector Specifications

	HDR-PJ760 / PJ720	HDR-PJ600 / PJ580 / PJ260	HDR-PJ200
Light Output 光输出	Up to 20 lumen	Up to 13 lumen	Up to 10 lumen
Resolution Output 分辨率输出	640 x 360		
Screen Coverage 屏幕范围	10 type - 100 type		
Throw Distance 投射距离	Approx. 0.5m - 5m		
Endurance (Battery Life) (Approx.) 连续使用时间 (电池寿命) (约)	1h. 40min. (Max)(Supplied Battery)	1h. 25min. (Max)(Supplied Battery)	1h. 10min. (Max)(Supplied Battery)

360 degrees speaker offers more powerful sound when enjoying projector movie!  
360度扬声器在欣赏投影机的动态影像时提供更为强劲的声音!

Portable Speaker  
便携式扬声器  
RDP-CA1 (JE)  
Open Price



Please refer to page 27 for RDP-CA1. 关于RDP-CA1, 请参阅第27页。

### "Exmor R" CMOS Sensor

"Exmor R" CMOS影像传感器

HDR-PJ760 / PJ720 / PJ600 / PJ580 / PJ260 / PJ200 / TD20 / GW77


#### Capture Stunning Video Even in Low Light 即使在低照度下亦能捕捉精彩视频

The "Exmor R" CMOS Sensor is capable of producing superb image quality even in low light conditions. Having twice the sensitivity compared to conventional CMOS sensors, "Exmor R" CMOS Sensor enables users to record their precious moments even in low light situations such as indoor birthday parties, fireworks, night sceneries, etc.

即使在低光照条件下，“Exmor R” CMOS影像传感器也能再现卓越的影像品质。

相对于传统CMOS影像传感器，“Exmor R” CMOS影像传感器具有两倍的感光度，在室内生日聚会、烟火或夜景等低光照条件下也能拍摄珍贵的瞬间。

\*2 Comparison between our conventional model and the model with "Exmor R" CMOS Sensor. 索尼传统产品与搭载了“Exmor R” CMOS影像传感器的产品对比。



Conventional CMOS Sensor  
传统CMOS影像传感器

"Exmor R" CMOS Sensor  
"Exmor R" CMOS影像传感器

### Extended Zoom

延伸变焦

HDR-PJ760 / PJ720 / PJ600 / PJ580 / PJ260 / PJ200 / TD20 / GW77

#### Reach Further with Extended Zoom 利用延伸变焦达到更远的距离

Extended Zoom enables users to zoom in beyond the zoom range of optical zoom for an even further reach. When Optical SteadyShot Active Mode is in use, Extended Zoom will be enabled automatically. "Handycam" camcorder with optical zoom of 10x, 12x, 25x, 30x, will have Extended Zoom of 17x, 20x, 30x and 55x respectively.

延伸变焦能让您在光学变焦的变焦范围之外进行放大，达到更远的距离。使用光学防抖增强模式时，延伸变焦将会自动启用。配备10倍、12倍、25倍、30倍光学变焦的“Handycam”数码摄像机将会分别具备17倍、20倍、30倍和55倍的延伸变焦。

- HDR-PJ760E/PJ720E/GW77E---17x
- HDR-PJ600E/PJ580E---20x
- HDR-PJ260E---55x
- HDR-PJ200E/PJ200---30x
- HDR-TD20E---17x (2D), 12x (3D)



55x  
Extended Zoom  
55倍延伸变焦

\*3 HDR-PJ260

### Advanced Sound Processor

高级声音处理器

HDR-PJ760 / PJ720 / PJ600 / PJ580 / PJ260 / TD20

#### Sound Quality Enhancement 音质增强

A new "Advanced Sound Processor" provides the essential audio noise reduction processing for the Auto Wind Noise Reduction and Closer Voice features. Recording clear, high-intelligibility audio is now easier than ever.

全新的“高级声音处理器”为自动风噪减弱和Closer Voice功能提供必不可少的音频降噪处理。现在录制高度清晰易懂的音质比以往更加容易。



Wind Noise Reduction OFF  
风噪减弱 关

Wind Noise Reduction ON  
风噪减弱 开

\*All insets contained here in are simulated pictures only. \*此处包含的所有插图均为模拟图片，仅供参考。

Full HD 1080i  
AVCHD Progressive

# Flagship "Handycam" with revolutionary Balanced Optical SteadyShot and a Built-in Projector

旗舰级“Handycam”数码摄像机，  
具备革命性的平稳光学防抖功能，并内置投影机




## Balanced Optical SteadyShot; Up to 13x\*1 more stable from wide to telephoto

平稳光学防抖：从广角到远距的稳定性最多提高13倍\*1

By controlling the entire optical path including the image sensor as one floating unit, image stabilization is improved by as much as 13 times\*1 compared to previous Image Stabilization technology. That applies to the full zoom range from wide to telephoto. Beautiful image quality with minimum blur is assured whether you're shooting scenery on vacation, or zooming in to catch an expression on a child's face.

相对于原先的影像稳定技术，该技术通过将包括影像传感器在内的完整光路作为一个浮动单元加以控制，影像稳定性提高了13倍\*1之多。适用于广角到远距的全程变焦范围。无论是拍摄度假美景还是放大捕捉儿童脸部表情，均能确保美丽的影像品质以及最低程度的模糊。

\*1 Compared to standard-mode image stabilization angle on the HDR-CX700 相对于HDR-CX700的标准模式影像稳定性视角



## Catch everything you want in the frame

在取景框中捕捉任何想要的事物

HDR-PJ760E / PJ720E can now shoot at a focal length of at least 26.0mm (35mm equiv, 16:9 video mode), making it possible to pack a large building or a big group of friends in the frame even in tight spaces. The lens itself is high-performance Carl Zeiss type that delivers outstanding resolution, contrast, and color rendition for first-class overall image quality.

HDR-PJ760E / PJ720E现在能够以最短26.0mm的焦距拍摄（相当于35mm，16:9视频模式），即使拍摄空间狭小，也能将大型建筑物或一大群朋友收入取景框中。采用高性能的卡尔·蔡司镜头，具备出色的分辨率、对比度和色彩渲染力，造就一流的整体影像品质。




## By Pixel Super Resolution increases the number of pixels recorded by up to 4x for high-resolution images

高分辨率像素将录制的像素值最大提高4倍，获得高分辨率影像

Here's an advanced featured that provides outstanding image quality for both video and stills. By Pixel Super Resolution technology analyzes and processes not only the pixels to be directly affected, but also the surrounding pixels as well, and then combines the resultant data with that from a database that contains hundreds of variations to achieve optimum processing for each individual pixel. The end result is significantly improved image resolution.

此项高级功能可以为视频和静态图像提供出色的影像品质。高分辨率像素技术不仅可以分析并处理直接受影响的像素，还可以分析并处理周边像素，然后将所得数据与含有数以百计变量的数据库中的数据相结合，达到单个像素的最佳处理状态。从而使影像分辨率得到显著提高。



## 96GB Flagship Full HD Camcorder with Projector

- Balanced Optical SteadyShot
- 24.1M still picture
- 26mm wide angle Carl Zeiss Lens
- Electronic Viewfinder
- 平稳光学防抖
- 2410万像素静态图像
- 26mm广角卡尔·蔡司镜头
- 电子取景器

**Internal Memory** 96GB 内存

Recording Time Up to Approx. **39h. 55min.**

AVCHD 5M (LP) mode (2 channels sound)

最长记录时间 约 39小时55分钟

26.0mm Wide-angle | Balanced Optical SteadyShot (Active Mode) | Progressive Mode 50p/25p | 10x Optical Zoom | 17x Extended Zoom | 5.1ch / 2ch MIC | Lens hood | Built-in USB Cable for charge update | AUTO WIND NOISE REDUCTION

Multilingual Menu Display | English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay | Instruction Manual | English / Russian / Chinese (Simplified Chinese) 中文 (简体中文)



MADE IN JAPAN 日本制造 (主机)

PAL **HDR-PJ760E(JE)** Open Price

Exmor R CMOS Sensor

Battery continuous recording duration (Approx.) 电池连续工作时间 (约)

LCD ON Viewfinder OFF 开启液晶显示屏 关闭取景器	NP-FV100	NP-FV70	NP-FV50 (Supplied) 配备	Video compression (5.1 channels sound) 视频压缩 (5.1声道)	96GB Internal Memory 96GB内存
HDR-PJ760E ※AVCHD 9M (HD-HQ)	7h. 25min.	3h. 50min.	1h. 50min.	AVCHD 28M (PS) 7h. 55min. AVCHD 24M (FX) 9h. 20min. AVCHD 17M (FH) 12h. 40min. AVCHD 9M (HQ) 22h. 20min. AVCHD 5M (LP) 38h. 35min.	

## 64GB Flagship Full HD Camcorder with Projector

- Balanced Optical SteadyShot
- 24.1M still picture
- 26mm wide angle Carl Zeiss Lens
- 平稳光学防抖
- 2410万像素静态图像
- 26mm广角卡尔·蔡司镜头

**Internal Memory** 64GB 内存

Recording Time Up to Approx. **26h. 05min.**

AVCHD 5M (LP) mode (2 channels sound)

最长记录时间 约 26小时05分钟

26.0mm Wide-angle | Balanced Optical SteadyShot (Active Mode) | Progressive Mode 50p/25p | 10x Optical Zoom | 17x Extended Zoom | 5.1ch / 2ch MIC | Lens hood | Built-in USB Cable for charge update | AUTO WIND NOISE REDUCTION

Multilingual Menu Display | English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay | Instruction Manual | English / Russian / Chinese (Simplified Chinese) 中文 (简体中文)



MADE IN JAPAN 日本制造 (主机)

PAL **HDR-PJ720E(JE)** Open Price

Exmor R CMOS Sensor

Battery continuous recording duration (Approx.) 电池连续工作时间 (约)

LCD ON 开启液晶显示屏	NP-FV100	NP-FV70	NP-FV50 (Supplied) 配备	Video compression (5.1 channels sound) 视频压缩 (5.1声道)	64GB Internal Memory 64GB内存
HDR-PJ720E ※AVCHD 9M (HD-HQ)	7h. 25min.	3h. 50min.	1h. 50min.	AVCHD 28M (PS) 5h. 10min. AVCHD 24M (FX) 6h. 05min. AVCHD 17M (FH) 8h. 15min. AVCHD 9M (HQ) 14h. 35min. AVCHD 5M (LP) 25h. 15min.	

\*Please refer to page 38 for product specifications and page 27 for accessories. 关于本产品的规格，请参阅第38页；配件请参阅第27页。  
★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only.  
★如需了解关于"Open Price(价格未定)"产品的价格信息，请就近向索尼产品零售商联系咨询。★此处包含的所有插图均为模拟图片，仅供参考。

**Full HD 1080i** AVCHD Progressive

### 220GB Advanced Full HD Camcorder with Projector

配备投影机功能的220GB高级全高清摄像机

- Optical SteadyShot
- 20.4M still picture
- 26.8mm wide angle Sony "G Lens"
- 光学防抖
- 2040万像素静态图像
- 26.8mm广角索尼"G镜头"

Still Image Size **20.4** Megapixels  
2040万像素静态图像尺寸



Built-In PROJECTOR

**MADE IN JAPAN** 日本制造(主机)

PAL **HDR-PJ600E(JE)** Open Price

3.0 type [Touch Panel] **921K dots**

**Exmor R™** CMOS Sensor

**HDD 220GB** 内置硬盘

Recording Time Up to Approx. AVCHD 5M (LP) mode (2 channels sound) **91h. 50min.**  
最长记录时间约 **91小时50分钟**  
在AVCHD 5M(LP)模式下(2声道)

<b>26.8mm Wide-angle</b> 26.8mm广角焦距	<b>Optical SteadyShot (Active Mode)</b> 光学防抖(增强模式)	<b>Progressive Mode 50p/25p</b> 逐行扫描模式	<b>12x Optical Zoom</b> 12倍光学变焦	<b>20x Extended Zoom</b> 20倍延伸变焦
<b>5.1ch / 2ch MIC</b> 5.1 / 2声道麦克风	<b>Lens hood</b>	<b>Built-in USB Cable</b> for charge/updates	<b>AUTO WIND NOISE REDUCTION</b>	

**Battery continuous recording duration (Approx.)** 电池连续工作时间(约)

LCD ON 开启液晶显示屏	NP-FV100	NP-FV70	NP-FV50 [Supplied] [配备]	Video compression (5.1 channels sound) 视频压缩(5.1声道)	220GB HDD 220GB硬盘
HDR-PJ600E ※AVCHD 9M (HD-HQ)	6h. 35min.	3h. 15min.	<b>1h. 35min.</b>	AVCHD 28M (PS) 18h. 10min. AVCHD 24M (FX) 21h. 30min. AVCHD 17M (FH) 29h. 10min. AVCHD 9M (HQ) 51h. 20min. AVCHD 5M (LP) 88h. 40min.	

**Movie recording [High-Definition] (Approx.)** 动态影像录制时间[高清](约)

**Full HD 1080i** AVCHD Progressive

### 16GB Stylish Full HD Camcorder with Projector

配备投影机功能的16GB时尚全高清摄像机

- Optical SteadyShot
- 55x Extended Zoom (30x optical)
- 29.8mm wide angle Sony "G Lens"
- 光学防抖
- 55倍延伸变焦(30倍光学)
- 29.8mm广角索尼"G镜头"

Still Image Size **8.9** Megapixels  
890万像素静态图像尺寸



Built-In PROJECTOR

**MADE IN JAPAN** 日本制造(主机)

PAL **HDR-PJ260E(JE)** Open Price

3.0 type [Touch Panel] **230K dots**

**Exmor R™** CMOS Sensor

**Internal Memory 16GB** 内存

Recording Time Up to Approx. AVCHD 5M (LP) mode (2 channels sound) **6h. 30min.**  
最长记录时间约 **6小时30分钟**  
在AVCHD 5M(LP)模式下(2声道)

<b>29.8mm Wide-angle</b> 29.8mm广角焦距	<b>Optical SteadyShot (Active Mode)</b> 光学防抖(增强模式)	<b>Progressive Mode 50p</b> 逐行扫描模式	<b>30x Optical Zoom</b> 30倍光学变焦	<b>55x Extended Zoom</b> 55倍延伸变焦
<b>5.1ch / 2ch MIC</b> 5.1 / 2声道麦克风	<b>Lens hood</b>	<b>Built-in USB Cable</b> for charge/updates	<b>AUTO WIND NOISE REDUCTION</b>	

**Battery continuous recording duration (Approx.)** 电池连续工作时间(约)

LCD ON 开启液晶显示屏	NP-FV100	NP-FV70	NP-FV50 [Supplied] [配备]	Video compression (5.1 channels sound) 视频压缩(5.1声道)	16GB Internal Memory 16GB内存
HDR-PJ260E ※AVCHD 9M (HD-HQ)	9h. 40min.	4h. 50min.	<b>2h. 20min.</b>	AVCHD 28M (PS) 1h. 15min. AVCHD 24M (FX) 1h. 30min. AVCHD 17M (FH) 2h. 05min. AVCHD 9M (HQ) 3h. 40min. AVCHD 5M (LP) 6h. 20min.	

**Movie recording [High-Definition] (Approx.)** 动态影像录制时间[高清](约)

**Full HD 1080i** AVCHD Progressive

### 32GB Advanced Full HD Camcorder with Projector

配备投影机功能的32GB高级全高清摄像机

- Optical SteadyShot
- 20.4M still picture
- 26.8mm wide angle Sony "G Lens"
- 光学防抖
- 2040万像素静态图像
- 26.8mm广角索尼"G镜头"

Still Image Size **20.4** Megapixels  
2040万像素静态图像尺寸



Built-In PROJECTOR

**MADE IN JAPAN** 日本制造(主机)

PAL **HDR-PJ580E(JE)** Open Price

3.0 type [Touch Panel] **921K dots**

**Exmor R™** CMOS Sensor

**Internal Memory 32GB** 内存

Recording Time Up to Approx. AVCHD 5M (LP) mode (2 channels sound) **13h. 15min.**  
最长记录时间约 **13小时15分钟**  
在AVCHD 5M(LP)模式下(2声道)

<b>26.8mm Wide-angle</b> 26.8mm广角焦距	<b>Optical SteadyShot (Active Mode)</b> 光学防抖(增强模式)	<b>Progressive Mode 50p/25p</b> 逐行扫描模式	<b>12x Optical Zoom</b> 12倍光学变焦	<b>20x Extended Zoom</b> 20倍延伸变焦
<b>5.1ch / 2ch MIC</b> 5.1 / 2声道麦克风	<b>Lens hood</b>	<b>Built-in USB Cable</b> for charge/updates	<b>AUTO WIND NOISE REDUCTION</b>	

**Battery continuous recording duration (Approx.)** 电池连续工作时间(约)

LCD ON 开启液晶显示屏	NP-FV100	NP-FV70	NP-FV50 [Supplied] [配备]	Video compression (5.1 channels sound) 视频压缩(5.1声道)	32GB Internal Memory 32GB内存
HDR-PJ580E ※AVCHD 9M (HD-HQ)	8h. 20min.	4h. 10min.	<b>2h. 00min.</b>	AVCHD 28M (PS) 2h. 35min. AVCHD 24M (FX) 3h. 05min. AVCHD 17M (FH) 4h. 10min. AVCHD 9M (HQ) 7h. 25min. AVCHD 5M (LP) 12h. 45min.	

**Movie recording [High-Definition] (Approx.)** 动态影像录制时间[高清](约)

**Full HD 1080i** AVCHD Progressive

### Compact Full HD Camcorder with Projector

配备投影机功能的紧凑型全高清摄像机

- Built-in Projector
- SteadyShot
- 30x Extended Zoom (25x optical)
- 内置投影机
- 电子防抖
- 30倍延伸变焦(25倍光学)

Still Image Size **5.3** Megapixels  
530万像素静态图像尺寸



Built-In PROJECTOR

**MADE IN JAPAN** 日本制造(主机) ※HDR-PJ200E(JE) only. 仅限HDR-PJ200E(JE)。

PAL **HDR-PJ200E(JE)** Open Price

2.7 type [Touch Panel] **230K dots**

**Exmor R™** CMOS Sensor

**NTSC HDR-PJ200(JE)** Open Price

2.7 type [Touch Panel] **230K dots**

**36.0mm Wide-angle**  
36.0mm广角焦距

**SteadyShot (Active Mode)**  
电子防抖(增强模式)

**25x Optical Zoom**  
25倍光学变焦

**30x Extended Zoom**  
30倍延伸变焦

**Built-in USB Cable**  
for charge/updates

**Battery continuous recording duration (Approx.)** 电池连续工作时间(约)

LCD ON 开启液晶显示屏	NP-FV100	NP-FV70	NP-FV50	NP-FV30 [Supplied] [配备]	Video compression (2 channels sound) 视频压缩(2声道)	16GB "Memory Stick" / SD Memory Card <sup>2</sup>
HDR-PJ200 HDR-PJ200E ※AVCHD 9M (HD-HQ)	12h. 25min.	6h. 15min.	3h. 00min.	<b>1h. 35min.</b>	AVCHD 28M (PS) — AVCHD 24M (FX) 1h. 30min. AVCHD 17M (FH) 2h. 00min. AVCHD 9M (HQ) 3h. 35min. AVCHD 5M (LP) 6h. 20min.	

**Movie recording [High-Definition] (Approx.)** 动态影像录制时间[高清](约)

**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay

**Instruction Manual** 使用说明书  
English / Russian / Chinese (Simplified Chinese) 中文(简体中文)

※Please refer to page 38-39 for product specifications and page 27 for accessories. 关于本产品的规格, 请参阅第38-39页; 配件请参阅第27页。

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄动态影像和静态图像。

**Multilingual Menu Display** 多语言菜单显示  
NTSC: English / Chinese (Traditional Chinese) 中文(繁体中文) / Portuguese / French / Spanish / Korean  
PAL: English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay

**Instruction Manual** 使用说明书  
NTSC: English / Portuguese / Spanish / Korean  
PAL: English / Russian / Chinese (Simplified Chinese) 中文(简体中文)

※Please refer to page 39 for product specifications and page 27 for accessories. 关于本产品的规格, 请参阅第39页; 配件请参阅第27页。

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only. ★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。★此处包含的所有插图均为模拟图片, 仅供参考。

Full HD 1080  
AVCHD Progressive

## Brand New Interchangeable Lens Full HD Camcorder with 35mm full size "Exmor" CMOS Sensor

配备35mm全画幅 "Exmor" CMOS影像传感器的全新可更换镜头全高清摄像机

Still Image Size  
**24.3** Megapixels  
2430万像素静态图像尺寸



24.3 megapixel "Exmor" 35mm full-frame CMOS Sensor 2430万像素"Exmor" 35mm全画幅CMOS影像传感器

Exmor CMOS Sensor

From highly resolved detail to smoothly defocused backgrounds, nothing matches a full-frame sensor for quality. This new 24.3 megapixel full-frame sensor offers superior resolution and 2.35 times the surface area of APS-C size sensors, for beautiful low-noise imagery and gorgeous defocusing effects.

从高分辨率的细节到平滑散焦的背景,只有全画幅影像传感器才能满足如此之高的品质要求。这款全新的2430万像素全画幅影像传感器可提供优越的分辨率和APS-C画幅影像传感器2.35倍的面面积,实现优美的低噪点图像和绚丽的散焦效果。

Choose from some of the finest lenses available  
精选最优良的镜头

The NEX-VG900EH comes supplied with Carl Zeiss Vario-Sonnar T\*24 - 70mm F2.8 zoom lens and LA-EA3 adaptor that accepts A-mount lenses

※Autofocus not available with STF or teleconverter lenses.  
NEX-VG900EH随机附带卡尔·蔡司Vario-Sonnar T\* 24-70mm F2.8变焦镜头和转接A卡口镜头的LA-EA3适配器。※STF或增距镜头无法进行自动对焦。



You can also take advantage of the entire Sony E-mount and A-mount lens lineup for even further creative freedom

另可利用所有索尼E卡口和A卡口镜头系列,进一步展现创意自由



Smooth electronic zoom with fingertip control  
平滑电子变焦尽在指尖控制

Up to 2x electronic zoom with 32-step variable speed can be conveniently controlled via a zoom seesaw lever located on the camera grip. The result is smooth, pro-class zoom effects that are extremely difficult to achieve when zooming manually.



高达2倍的电子变焦,拥有32级可变速速度,可通过位于摄像机手柄部的变焦杆方便地进行控制。实现了通过手动变焦难以获得的平滑且专业级的变焦效果。

Microphone 麦克风

NEX-VG900EH features a unique Quad Capsule Spatial Array Microphone high directivity and clear, low-noise stereo / 5.1ch surround sound recording.

NEX-VG900EH采用独特的四胶囊空间阵列麦克风,确保高定向性且清晰的低噪立体声/5.1声道环绕声录制。



Microphone capsule structure 麦克风胶囊结构

Full HD 1080  
AVCHD Progressive

## Interchangeable Lens Full HD Camcorder with High-magnification power zoom lens

配备高倍电动变焦镜头的可更换镜头全高清摄像机

Still Image Size  
**16.1** Megapixels  
1610万像素静态图像尺寸



16.1 Megapixels "Exmor" APS HD CMOS Sensor 1610万像素"Exmor" APS HD CMOS影像传感器

Exmor APS HD CMOS Sensor

"Exmor" APS HD CMOS Sensor "Exmor" APS HD CMOS 影像传感器

1/2.88-type compact camcorder image sensor 1/2.88"型小型摄像机影像传感器

With an image sensor that is approximately 19.5 times larger than those used in conventional camcorders, you can capture dramatic defocusing effects and use the shallow depth of field to focus the audience's attention on different subjects at will.

新影像传感器约为旧影像传感器的19.5倍大,可捕捉富有表现力的散焦效果,并可自由地采用浅景深使观众关注不同拍摄主体。



Superb wide-range powered zoom lens supplied  
附带超广范围的电动变焦镜头

The NEX-VG30EH comes supplied with superb 18-200mm (F3.5-6.3) wide-range 11x powered-zoom lens. Powered zoom allows zoom speed to be varied in more than 8 steps for exceptionally smooth constant-speed zoom effects. You can also take advantage of the entire Sony E-mount and A-mount\*2 lens lineup for even further creative freedom.

\*2 An optional mount adaptor (LA-EA2, LA-EA1) is required. Autofocus not available with STF or teleconverter lenses.

NEX-VG30EH附带18-200mm (F3.5-6.3) 超广范围的11倍电动变焦镜头。电动变焦能够让变焦速度进行8级以上的变化,获得极其平滑的定速变焦效果。另可利用所有索尼E卡口和A卡口\*2镜头系列,进一步展现创意自由。

\*2 需选配卡口适配器(LA-EA2, LA-EA1),STF或增距镜头无法进行自动对焦。



Smooth electronic zoom with fingertip control  
平滑电子变焦尽在指尖控制

Up to 2x electronic zoom with 32-step variable speed can be conveniently controlled via a zoom seesaw lever located on the camera grip. The result is smooth, pro-class zoom effects that are extremely difficult to achieve when zooming manually.



高达2倍的电子变焦,拥有32级可变速速度,可通过位于摄像机手柄部的变焦杆方便地进行控制。实现了通过手动变焦难以获得的平滑且专业级的变焦效果。

Microphone 麦克风

NEX-VG30EH features a unique Quad Capsule Spatial Array Microphone high directivity and clear, low-noise stereo / 5.1ch surround sound recording.

NEX-VG30EH采用独特的四胶囊空间阵列麦克风,确保高定向性且清晰的低噪立体声/5.1声道环绕声录制。



Microphone capsule structure 麦克风胶囊结构

MADE IN JAPAN  
日本制造(主机)

PAL NEX-VG900EH(JE)  
Open Price **NEW**

JAPAN Limited KIT  
日本限定套装

Kit lens: SAL2470Z  
Vario-Sonnar T\* 24-70mm  
F2.8 ZA SSM

3.0 type  
[Touch Panel]

921K dots



FULL FRAME

Exmor CMOS Sensor  
XGA OLED Tru-Finder

Battery continuous recording duration (Approx.)  
电池连续工作时间(约)

LCD ON Viewfinder OFF 开启液晶显示屏 关闭取景器	NP-FV100	NP-FV70 [Supplied] [配备]
NEX-VG900EH ※AVCHD 9M (HD-HQ)	5h. 25min.	2h. 40min.

Movie recording [High-Definition] (Approx.)  
动态影像录制时间 [高清] (约)

Video compression (5.1 channels sound) 视频压缩 (5.1声道)	32GB "Memory Stick" / SD Memory Card*3
AVCHD 28M (PS)	2h. 30min.
AVCHD 24M (FX)	3h. 00min.
AVCHD 17M (FH)	4h. 05min.
AVCHD 9M (HQ)	7h. 10min.
AVCHD 5M (LP)	12h. 20min.

Optical SteadyShot 光学防抖	Progressive Mode 50p/25p/24p 逐行扫描模式	5.1ch / 2ch MIC 5.1 / 2声道麦克风
----------------------------	---	---------------------------------

\*3 Sold separately 另售

Multilingual Menu Display  
多语言菜单显示

English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Thai / Polish / Czech / Hungarian

Instruction Manual  
使用说明书

English / Russian / Chinese (Simplified Chinese) 中文(简体中文)

MADE IN JAPAN  
日本制造(主机)

PAL NEX-VG30EH(JE)  
Open Price **NEW**

Kit lens: SELP18200  
E PZ 18-200mm F3.5-6.3 OSS

3.0 type  
[Touch Panel]

921K dots



Exmor APS HD CMOS  
XGA OLED Tru-Finder

Battery continuous recording duration (Approx.)  
电池连续工作时间(约)

LCD ON Viewfinder OFF 开启液晶显示屏 关闭取景器	NP-FV100	NP-FV70 [Supplied] [配备]
NEX-VG30EH ※AVCHD 9M (HD-HQ)	6h. 10min.	3h. 05min.

Movie recording [High-Definition] (Approx.)  
动态影像录制时间 [高清] (约)

Video compression (5.1 channels sound) 视频压缩 (5.1声道)	32GB "Memory Stick" / SD Memory Card*3
AVCHD 28M (PS)	2h. 30min.
AVCHD 24M (FX)	3h. 00min.
AVCHD 17M (FH)	4h. 05min.
AVCHD 9M (HQ)	7h. 10min.
AVCHD 5M (LP)	12h. 20min.

Optical SteadyShot 光学防抖	Progressive Mode 50p/25p/24p 逐行扫描模式	5.1ch / 2ch MIC 5.1 / 2声道麦克风
----------------------------	---	---------------------------------

\*3 Sold separately 另售

Multilingual Menu Display  
多语言菜单显示

English / Chinese (Simplified Chinese / Traditional Chinese) 中文(简体中文 / 繁体中文) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Thai / Polish / Czech / Hungarian

Instruction Manual  
使用说明书

English / Russian / Chinese (Simplified Chinese) 中文(简体中文)

※ CMOS Sensor photo is an image. CMOS影像传感器是图像。 ※Please refer to page 40 for product specifications and page 27 for accessories. 关于本产品的规格,请参阅第40页;配件请参阅第27页。  
★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only.  
★如需了解关于"Open Price(价格未定)"产品的价格信息,请就近向索尼产品零售商联系咨询。★此处包含的所有插图均为模拟图片,仅供参考。

1920 x 1080  
Full HD 3D  
AVCHD  
3D/Progressive

## Relive your fondest memories in 3D! The smaller, lighter "Double Full HD" 3D "Handycam"

以3D形式再现您最钟情的记忆!  
更小更轻的“两倍全高清”  
3D "Handycam" 数码摄像机

Still Image Size  
**20.4** Megapixels  
2040万像素静态  
图像尺寸



Shot with two lenses and processed with two image processors 双镜头拍摄, 双影像处理器处理

Driven by not one but two Wide Angle Sony "G Lenses," two "Exmor R" CMOS Sensors, and two powerful "BIONZ" image processors, HDR-TD20 is able to shoot 3D images in "Double Full HD." You can enjoy 3D images in Full HD quality just as you can with conventional 2D "Handycam" HD camcorders.

采用双重系统驱动! HDR-TD20凭借两个广角索尼"G镜头", 两个"Exmor R" CMOS影像传感器, 以及两个功能强大的"BIONZ"影像处理器, 实现"两倍全高清"3D影像的拍摄。如同欣赏传统2D "Handycam" 高清数码相机拍摄的影像一样, 可以尽情欣赏全高清品质的3D影像。

Shoot 3D using 10x optical zoom  
采用10倍光学变焦拍摄3D影像



10x  
optical zoom  
10倍光学变焦

Dynamic 3D images without 3D glasses  
无需3D眼镜即可观赏动态3D影像



3D depth adjustment delivers natural 3D images in any situation  
3D深度调整可在任何情形下再现自然3D影像

MADE IN JAPAN  
日本制造 (主机)

PAL **HDR-TD20E(JE)**  
Open Price

3.5 type  
[Touch Panel]  
1,229k dots



Exmor R™  
CMOS Sensor

Internal Memory <b>64GB</b> 内存	Recording Time Up to Approx. AVCHD 28M (3D) mode (5.1 channels sound) <b>4h. 55min.</b>	Recording Time Up to Approx. AVCHD 5M (LP) mode (2 channels sound) <b>24h. 50min.</b>
	最长记录时间 约 在AVCHD 28M(3D)模式下(5.1声道) <b>4小时55分钟</b>	最长记录时间 约 在AVCHD 5M(LP)模式下(2声道) <b>24小时50分钟</b>

33.4mm(3D)/29.8mm(2D) Wide-angle	Optical SteadyShot (Active Mode)	Progressive Mode 50p/25p (2D only)	10x Optical Zoom	12x(3D)/17x(2D) Extended Zoom	5.1ch / 2ch MIC	Built-in USB Cable for charge updates	AUTO WIND/NOISE REDUCTION
-------------------------------------	-------------------------------------	---------------------------------------	---------------------	----------------------------------	-----------------	---	---------------------------------

Multilingual Menu Display | English / Chinese (Simplified Chinese / Traditional Chinese) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay | Instruction Manual | English / Russian / Chinese (Simplified Chinese) / 中文 (简体中文)

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄的动态影像和静态图像 \*2 JIS / IEC International Protection Rating equivalent (Based on Sony Testing standards) 相当于JIS / IEC国际防护等级 (基于索尼测试标准) Note: Protection against damage and leakage are not guaranteed. Temperature and drop data results were internally determined by Sony. 注: 不能保证不会发生损坏及漏水。温度及跌落数据结果由索尼内部测定。 \*3 As for dust-proof / shock-proof performance, there is no guarantee that the camcorder will not become scratched or dented. 关于防尘/防震性能, 并不保证摄像机不会出现刮伤或凹痕。 \*4 Meeting MIL-STD 810F Method 516.5-Shock standards, this product has passed the required tests when dropped from a height of 1.5m above a 5cm-thick plywood board (with the LCD screen closed, facing toward the camcorder body) \*5 该产品符合MIL-STD 810F Method 516.5-Shock标准, 通过了从5cm厚度胶合板上1.5m高度跌落时所需的测试 (液晶屏幕朝摄像机机身关闭的状态下)。 \*6 Depending on use conditions and circumstances, no guarantee is made regarding damage to, malfunction of, or the water-proof performance of this camcorder. As for dust-proof / shock-proof performance, there is no guarantee that the camcorder will not become scratched or dented. \*7 根据使用状况和条件的不同, 对于本摄像机的损坏、故障或防水性能不作保证。对于防尘/防震性能, 并不保证摄像机不会出现刮伤或凹痕。 \*8 Some zooming binoculars are available. 部分变焦双筒望远镜提供。 \*9 Some image stabilized binoculars are available. 部分影像稳定双筒望远镜提供。

Full HD  
1080  
AVCHD  
Progressive

## 16GB Stylish and Waterproof Full HD Camcorder 16GB时尚防水型全高清摄像机

- Optical SteadyShot
- 20.4M still picture
- 29.8mm wide angle Sony "G Lens"
- 光学防抖
- 2040万像素静态图像
- 29.8mm广角索尼"G镜头"

Still Image Size  
**20.4** Megapixels  
2040万像素静态  
图像尺寸



Multilingual Menu Display | English / Chinese (Simplified Chinese / Traditional Chinese) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay | Instruction Manual | English / Russian / Chinese (Simplified Chinese) / 中文 (简体中文)

\*Please refer to page 39 for product specifications and page 27 for accessories. 关于本产品的规格, 请参阅第39页; 配件请参阅第27页。 \*Please refer to page 43 for "Battery, memory card and multi connector cover," "Maintenance after using the camera in wet environments" and "Shock Resistance 1.5 m (5 ft) \*4". 关于"电池/存储卡和多用途接口盖"、"潮湿环境下使用摄像机后的保养"以及"1.5m防震能力\*4", 请参阅第43页。

## Digital Recording Binoculars | 摄录望远镜

1920 x 1080  
Full HD 3D  
AVCHD  
3D/Progressive

3D  
world  
Created by Sony

## Share the thrill of discovery 分享激动人心的发现

- Digital binoculars with HD video recording
- Optical SteadyShot
- 10x Seamless Zoom in 3D mode with AutoFocus
- 7.1M still picture
- 带有高清视频录制功能的数码双筒望远镜
- 光学防抖
- 具备自动对焦功能的3D模式10倍无缝变焦
- 710万像素静态图像

Still Image Size  
**7.1** Megapixels  
710万像素静态  
图像尺寸



Multilingual Menu Display | Japanese / English / Chinese (Simplified Chinese / Traditional Chinese) / French / Italian / German / Spanish / Dutch / Russian / Romanian / Portuguese / Greek / Arabic / Persian / Thai / Korean / Turkish / Polish / Czech / Hungarian / Indonesian / Malay | Instruction Manual | Japanese / English / Chinese (Simplified Chinese / Traditional Chinese) / 中文 (简体中文) / 繁体中文 / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Korean / Arabic / Persian

\*Please refer to page 45 for product specifications. 关于本产品的规格, 请参阅第45页。 \*For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. \*All insets contained here in are simulated pictures only. \*如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。 \*此处包含的所有插图均为模拟图片, 仅供参考。

MADE IN JAPAN  
日本制造 (主机)

PAL **HDR-GW77E(JE)**  
Open Price

(W) White



Internal Memory <b>16GB</b> 内存	Recording Time Up to Approx. AVCHD 5M (LP) mode (2 channels sound) <b>6h. 30min.</b>
最长记录时间 约 在AVCHD 5M(LP)模式下(2声道) <b>6小时30分钟</b>	

29.8mm Wide-angle	Optical SteadyShot (Active Mode)	Progressive Mode 50p	Waterproof 防水	5.0m / 16ft. for 60min. IEC 60529 IPX8 *2 compliant 符合5.0m水深60分钟时长的 IEC 60529 IPX8 *2标准
29.8mm广角焦距	光学防抖(增强模式)	逐行扫描模式	Dustproof 防尘	IEC 60529 IP5X *2 compliant 符合IEC 60529 IP5X *2标准
10x Optical Zoom	17x Extended Zoom	2ch MIC	Shockproof 防震 *3 *4	1.5m MIL-STD810F Method 516.5-Shock

Battery continuous recording duration (Approx.) 电池连续工作时间 (约)	NP-FG1	NP-BG1 [Supplied 配备]	Video compression (2 channels sound) 视频压缩 (2声道)	16GB Internal Memory 16GB内存
LCD ON 开启液晶显示屏			AVCHD 28M (PS)	1h. 15min.
HDR-GW77E *AVCHD 9M (HD-HQ)	1h. 30min.	1h. 30min.	AVCHD 24M (FX)	1h. 30min.
			AVCHD 17M (FH)	2h. 05min.
			AVCHD 9M (HQ)	3h. 45min.
			AVCHD 5M (LP)	6h. 30min.

Multilingual Menu Display | English / Chinese (Simplified Chinese / Traditional Chinese) / French / Italian / German / Spanish / Dutch / Russian / Portuguese / Greek / Arabic / Persian / Thai / Turkish / Polish / Czech / Hungarian / Romanian / Indonesian / Malay | Instruction Manual | English / Russian / Chinese (Simplified Chinese) / 中文 (简体中文)

DEV-3(JE)  
Open Price

Exmor R™  
CMOS Sensor



Recording / Playback time (Approx.) 拍摄/播放时间 (约)	(fully charged batt.) (完全充电的电池)	
	NP-FV100	NP-FV70 [Supplied 配备]
Continuous Recording Time 连续拍摄时间	2D: 6h. 00min. 3D: 5h. 05min.	2D: 3h. 00min. 3D: 2h. 30min.
Continuous Monitoring Time 连续监控时间	2D: 6h. 35min. 3D: 6h. 10min.	2D: 3h. 15min. 3D: 3h. 05min.
Continuous Playback Time 连续播放时间	2D: 9h. 40min. 3D: 8h. 20min.	2D: 4h. 50min. 3D: 4h. 10min.

Stable viewing and blur-free recording with Optical SteadyShot (Active mode)  
采用光学防抖 (增强模式) 稳定观赏并清晰拍摄

Locate, close in, capture. Unprecedented binocular functionality  
定位、拉近、捕捉。前所未有的双筒望远镜功能

	Zoom 变焦	AF AF	image stabilization 影像稳定性
Optical Binoculars 光学双筒望远镜	Some*5 部分*5	—	Some*6 部分*6
DEV-3	●	●	●

\*Please refer to page 45 for product specifications. 关于本产品的规格, 请参阅第45页。 \*For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. \*All insets contained here in are simulated pictures only. \*如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。 \*此处包含的所有插图均为模拟图片, 仅供参考。



Interchangeable Lens Digital Camera

数码微单相机 数码单电相机

A-Mount  
A卡口

Never miss the moment

绝不错失良机



Translucent Mirror Technology for Full-time Continuous AF

半透镜技术实现, 全时连续AF



SLT-A99 / A77 / A65 / A57

Exclusive Sony Translucent Mirror Technology eliminates the need for mechanical mirror movement and enables continuous precision phase-detection autofocus whether you're shooting stills or movies, or viewing via the viewfinder or LCD monitor. Another advantage is that the subject stays in view at the moment of capture.

无论是拍摄静态图像或动态影像, 还是通过取景器或液晶屏浏览, 索尼独特的半透镜技术实现均可以免除机械反光镜的移动, 并且能够进行连续精确的相位检测自动对焦。另外一个优势是在拍摄时拍摄主体总能处于视线之内。

Ultra high-speed response

超高速响应

SLT-A99 / A77 / A65 / A57



Sony's mirror-drive-free Translucent Mirror Technology enables professional level performance — 12 fps continuous shooting with Full-time Continuous AF at 24.3-megapixel resolution. (SLT-A77V)

无需反光镜升降动作的索尼半透镜技术实现能够实现专业级性能 — 2430万像素分辨率和全时自动对焦, 连拍最高可达每秒12张。(SLT-A77V)



1 second 1秒

Quick AF movie

快速AF动态影像

SLT-A99 / A77 / A65 / A57

Translucent Mirror Technology enables Full-time Continuous AF during movie shooting while face detection maintains fast, high-precision subject focus at all times.

半透镜技术实现能够在拍摄动态影像时全时连续对焦, 同时通过人脸检测始终维持对拍摄主体的快速、高精度的对焦。



Viewfinder

取景器

SLT-A99 / A77 / A65 / A57

The XGA OLED Tru-Finder helps users monitor the results of their settings by faithfully displaying images as they will appear after they are recorded. It also reliably supports photographers' intentions through functions previously unavailable on conventional optical viewfinders.

通过忠实地显示拍摄后影像将会呈现的状态XGA OLED Tru-Finder帮助用户监控设置效果。此外, 还可借助传统光学取景器原先不具备的功能为实现摄影师的意图提供可靠的支持。



E-Mount  
E卡口

Professional quality in your pocket

掌中专业品质





"Exmor" APS HD CMOS Sensor for SLR-class photographic quality

"Exmor" APS高清CMOS影像传感器, 实现单反相机级别的摄影品质

NEX-7 / 6 / 5R / F3

Amazing beauty can be captured anywhere with a large, high-performance internal "Exmor" APS HD CMOS Sensor and powerful "BIONZ" processor in a stylish and compact body.

小巧时尚机身, 内置大型高性能的"Exmor"APS HD CMOS影像传感器和高处理能力"BIONZ"影像处理器, 迷人美景尽可随处捕捉。



Background Defocus Control brings foreground subjects to life

背景虚化控制, 令前景拍摄主体栩栩如生

NEX-7 / 6 / 5R / F3

More background defocusing

更多背景虚化



Less background defocusing

更少背景虚化




Picture Effect

照片效果

NEX-7 / 6 / 5R / F3

Amazing new Picture Effect function for artistic expression  
惊艳的照片效果功能, 完美诠释艺术表现力







# Translucent Mirror Technology with Full size CMOS Sensor

采用全画幅CMOS影像传感器的半透镜技术

MADE IN JAPAN  
日本制造 (主机)

PAL **SLT-A99KIT(JE)** JAPAN Limited KIT  
Open Price **NEW** 日本限定套装

Single lens kit  
Kit lens: SAL2470Z Vario-Sonnar T\* 24-70mm F2.8 ZA SSM

35mm Full size "Exmor" CMOS Sensor 35mm全画幅 "Exmor" CMOS影像传感器	<b>24.3</b> Megapixels 2430万有效像素	ISO 100-25600 ISO 100-25600	Full HD Movie 50p / 50i / 25p 全高清动态影像 50p / 50i / 25p	Continuous shooting Up to 7fps 最高每秒7帧的连拍
---	-------------------------------------	--------------------------------	--	---

- Sony's originally developed full-frame image sensor and image processing system
- Dual AF System features 19 + 102 AF points including 11 cross sensors
- Auto Portrait Framing for professional-looking photos
- Clear Image Zoom for clear, high-resolution telephoto shots

- 索尼独创的全画幅影像传感器和影像处理系统
- 双重自动对焦系统具备包括11个十字传感器在内的19+102个自动对焦点
- 自动肖像构图, 可拍摄专业水准照片
- 清晰影像缩放, 实现清晰的高分辨率远摄



1,228K dots Xtra Fine LCD monitor

Translucent Mirror Technology XGA OLED Tru-Finder


Exmor RPS HD CMOS Full HD 1080

AVCHD Progressive Sweep Panorama

FULL FRAME

## 24.3-megapixel 35mm full-frame "Exmor" CMOS Sensor 2430万像素35mm全画幅 "Exmor" CMOS影像传感器

The new 24.3-megapixel 35mm full-frame "Exmor" CMOS Sensor delivers beautiful, finely detailed images from corner to corner with a wide dynamic range and low noise. Thanks to innovations that only Sony — one of the world's leading image sensor developers — could achieve, the sensor is 1.5x more sensitive and 2x more effective at eliminating random noise than the acclaimed α900. This wide and high ISO sensitivity combines with extremely low noise to make the α99 a brilliant performer in dim lighting. Photographers and cinematographers will also welcome the gorgeous bokeh and full compatibility with full-frame wide-angle lenses. 新款2430万像素35mm全画幅"Exmor" CMOS影像传感器能以宽广的动态范围和低噪点精细地再现影像的每一个角落。得益于只有全球领先的影像传感器开发商之一索尼能够取得的创新成果, 与受到众多好评的α900相比, 这款传感器具有1.5倍的灵敏度和2倍的消除随机噪点能力。将这种宽而高的ISO感光度与极低的噪点配合在一起, 使α99成为暗光环境下的闪亮明星。照相摄影师和电影摄影师也会欣赏其绚丽的散景及与全幅广角镜头的完全兼容性。



## Dual AF System 双重自动对焦系统

Dual AF System is the new AF system to employ two phase detection sensors. By maximizing the strengths of both sensors, it vastly improves subject tracking performance as well as focusing precision. The 19-point (11 cross-point) phase detection AF sensor mounted above the translucent mirror provides high-precision focusing performance and depth detection, while the 102-point focal plane phase detection AF sensor overlaying the image sensor offers the advantages of wider depth and width (object plane) coverage. Together, these sensors deliver a new level of AF performance and functionality.


双重自动对焦系统是一种采用两个相位检测传感器的全新自动对焦系统。通过最大限度利用两个传感器的优势, 该系统大大改善了拍摄对象跟踪性能以及对焦精确度。安装在半透镜上的19点(11个十字对焦点)相位检测自动对焦传感器提供高精度的对焦性能和深度检测的同时, 覆盖在影像传感器上的102点焦平面相位检测自动对焦传感器也提供更大深度和宽度(物体平面)的覆盖范围。这些传感器一同将自动对焦性能和功能提升到新的层次。



## Light concentration technology 聚光技术

Sony compressed the height of circuitry within the image sensor via newly developed proprietary processing technology to dramatically increase the amount of light collected by each pixel. This vastly improved light-gathering efficiency results in significantly higher sensor sensitivity, much lower noise, an impressive signal-to-noise ratio and outstanding image quality in virtually any shooting conditions.


索尼利用最新研发的专有处理技术压缩影像传感器内的电路高度, 显著提高了每个像素收集的光量。通过大幅提高的集光效率, 可在几乎所有拍摄条件下获得明显提高的传感器灵敏度、大为降低的噪点、不俗的信噪比和出色的影像品质。



## Photo diode expansion technology 光电二极管扩展技术

By taking full advantage of optimized image sensor circuitry, Sony significantly increased the size of the photo diode at every pixel. These larger photo diode dimensions more than doubled the sensor's dynamic range in comparison with the α900 — a major breakthrough in performance that delivers smoother, richer image gradation. The larger dimensions also improved the signal-to-noise ratio by further increasing sensitivity and lowering noise.


通过充分利用优化的影像传感器电路, 索尼在每个像素上大大增加了光电二极管的尺寸。与α900相比, 这些更大的光电二极管尺寸具有两倍以上传感器动态范围, 在提供更加平滑丰富的影像层次表现方面获得重大突破。通过进一步提高灵敏度和降低噪点, 更大的尺寸同时改善了信噪比。



## Multi-segment optical low-pass filter 多段光学低通滤镜

Unlike conventional optical low-pass filters that degrade image resolution when suppressing moiré, Sony's new multi-segment optical low-pass filter effectively maintains high-resolution detail. This achievement was made possible by proprietary multi-segment technology from Sony's professional broadcasting equipment that subtly controls the distribution of image points.

与抑制莫尔效应时降低影像分辨率的传统光学低通滤镜不同, 索尼最新的多段光学低通滤镜能够有效地保持高分辨率细节。这一成果得益于源自索尼专业广播设备的专有多段技术, 该技术巧妙地控制了影像点的分布。



PAL **SLT-A77VQ(JE)** Single lens kit  
Open Price Kit lens: DT 16-50mm F2.8 SSM

<b>24.3</b> Megapixels 2430万有效像素	ISO 100-16000 ISO 100-16000	Full HD Movie 50p / 50i / 25p 全高清动态影像 50p / 50i / 25p	Continuous shooting Up to 12fps 最高每秒12帧的连拍
-------------------------------------	--------------------------------	--	---

- 19-point AF system with 11 cross sensors
- 11个十字传感器, 19点自动对焦系统

921K dots Xtra Fine LCD monitor

Translucent Mirror Technology XGA OLED Tru-Finder

Exmor RPS HD CMOS Full HD 1080

AVCHD Progressive 3D world Created by Sony 3D Sweep Panorama



PAL **SLT-A65VK(JE)** Single lens kit  
Open Price Kit lens: DT 18-55mm F3.5-5.6 SAM

<b>24.3</b> Megapixels 2430万有效像素	ISO 100-16000 ISO 100-16000	Full HD Movie 50p / 50i / 25p 全高清动态影像 50p / 50i / 25p	Continuous shooting Up to 10fps 最高每秒10帧的连拍
-------------------------------------	--------------------------------	--	---

- 15-point AF system with 3 cross sensors for pinpoint focus
- 3个十字传感器, 15点自动对焦系统

921K dots Xtra Fine LCD monitor

Translucent Mirror Technology XGA OLED Tru-Finder

Exmor RPS HD CMOS Full HD 1080

AVCHD Progressive 3D world Created by Sony 3D Sweep Panorama



PAL **SLT-A57M(JE)** Single lens kit  
Open Price Kit lens: DT 18-135mm F3.5-5.6 SAM

<b>16.1</b> Megapixels 1610万有效像素	ISO 100-16000 ISO 100-16000	Full HD Movie 50p / 50i / 25p 全高清动态影像 50p / 50i / 25p	Continuous shooting Up to 12fps 最高每秒12帧的连拍
-------------------------------------	--------------------------------	--	---

- 15-point AF system with 3 cross sensors for pinpoint focus
- 3个十字传感器, 15点自动对焦系统

921K dots Xtra Fine LCD monitor

Translucent Mirror Technology XGA OLED Tru-Finder

Exmor RPS HD CMOS Full HD 1080

AVCHD Progressive 3D world Created by Sony 3D Sweep Panorama

Multilingual Menu Display 多语言菜单显示

English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

Instruction Manual 使用说明书

English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Portuguese / Spanish

## Interchangeable Lens Digital Camera Battery 数码单反相机电池

[ For SLT-A99 / SLT-A77 / SLT-A65 / SLT-A57 ]

Rechargeable Battery Pack 可重复充电电池

**NP-FM500H(JE)** Open Price

- Voltage 电压: 7.2V
- Capacity 容量: 11.8Wh (1650mAh)
- Mass 重量: 78g

MADE IN JAPAN 日本制造 (主机)

※ CMOS Sensor photo is an image. CMOS影像传感器是图像。 ※ Please refer to page 44 for product specifications and page 17 for battery. 关于本产品的规格, 请参阅第44页; 电池请参阅第17页。  
★ For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★ 如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。★ 此处包含的所有插图均为模拟图片, 仅供参考。



### Professional quality in a compact body with 24.3MP "Exmor" APS HD CMOS Sensor

专业品质, 小巧机身, 采用 2430万像素 "Exmor" APS HD CMOS 影像传感器

XGA OLED Tru-Finder

### PAL NEX-7K(JE)

Open Price

Single lens kit  
Kit lens: E 18-55mm F3.5-5.6 OSS (B)

<b>24.3</b> Megapixels 2430万有效像素	<b>ISO 100-16000</b> ISO 100-16000	<b>Full HD Movie 50p / 50i / 25p</b> 全高清动态影像 50p / 50i / 25p
--	---------------------------------------	---

Continuous shooting  
**Up to 10 fps**  
最高每秒10帧的连拍

- Quick response, including Hi-speed AF and release time lag of only 0.02 sec.
- Customizable, intuitive new TRINAVI operation for freer expression
- Speed Priority Continuous shooting at up to 10 fps
- Lightweight and robust magnesium-alloy body

- 配合自动对焦功能, 可实现最快约0.02秒的快门速度
- 可定制的直观全新TRINAVI操作, 任您自由表现
- 速度优先连续拍摄, 连拍最高可达每秒10张
- 轻便耐用的镁合金机身

2012 AWARDS TIPA BEST CSC EXPERT

921K dots Xtra Fine LCD monitor

Exmor APS HD CMOS AVCHD Progressive

XGA OLED Tru-Finder

Full HD 1080

3D world Created by Sony

3D Sweep Panorama

### Fast Hybrid AF, Self-portraits in compact body with 16.1MP "Exmor" APS HD CMOS Sensor

采用1610万像素 "Exmor" APS HD CMOS 影像传感器的小巧机身具备快速混合自动对焦、自拍功能

(B) Black (S) Silver

### PAL NEX-5RL(JE)

Open Price **NEW**

Single lens Kit  
Kit lens: E 16-50mm F3.5-5.6 OSS

<b>16.1</b> Megapixels 1610万有效像素	<b>ISO 100-25600</b> ISO 100-25600	<b>Full HD Movie 50p / 50i / 25p</b> 全高清动态影像 50p / 50i / 25p	<b>Continuous shooting Up to 10 fps</b> 最高每秒10帧的连拍
--	---------------------------------------	---	---

- Newly developed Fast Hybrid AF, which includes phase-detection AF to deliver highly responsive, DSLR-like AF tracking for shooting at up to 10 fps
- 180° Tiltable 3.0 type Xtra Fine LCD screen for Self-portraits
- Auto Portrait Framing for professional-looking photos
- Clear Image Zoom for clear, high-resolution telephoto shots

- 最新研发的快速混合自动对焦, 包括提供快速响应的相位检测自动对焦, 最高速度每秒10帧的数码单反相机级自动对焦跟踪能力
- 适合自拍的180°可翻转3.0型Xtra Fine液晶显示屏
- 自动肖像构图, 可拍摄专业水准照片
- 清晰影像缩放, 实现清晰的高分辨率远摄

180° Tiltable 3.0 type Xtra Fine LCD screen for Self-portraits  
适合自拍的180°可翻转3.0型Xtra Fine液晶显示屏

921K dots Xtra Fine LCD monitor Touch Panel

Exmor APS HD CMOS AVCHD Progressive

Full HD 1080

3D Sweep Panorama

3.0 type Touch Panel

### Fast Hybrid AF and DSLR-like operation with Two-Dials and Electronic viewfinder in compact body

小巧机身具备快速混合自动对焦及类似数码单反相机操作的双拨盘和电子取景器

NEX-6L(E)

NEX-6Y(E)

### PAL NEX-6L(JE)

Open Price **NEW**

Single lens kit  
Kit lens: E 16-50mm F3.5-5.6 OSS

<b>16.1</b> Megapixels 1610万有效像素	<b>ISO 100-25600</b> ISO 100-25600	<b>Full HD Movie 50p / 50i / 25p</b> 全高清动态影像 50p / 50i / 25p	<b>Continuous shooting Up to 10 fps</b> 最高每秒10帧的连拍
--	---------------------------------------	---	---

### PAL NEX-6Y(JE)

Open Price **NEW**

Double lens kit  
Kit lens: E 16-50mm F3.5-5.6 OSS  
E 55-210mm F4.5-6.3 OSS

<b>16.1</b> Megapixels 1610万有效像素	<b>ISO 100-25600</b> ISO 100-25600	<b>Full HD Movie 50p / 50i / 25p</b> 全高清动态影像 50p / 50i / 25p	<b>Continuous shooting Up to 10 fps</b> 最高每秒10帧的连拍
--	---------------------------------------	---	---

- Newly developed Fast Hybrid AF, which includes phase-detection AF to deliver highly responsive, DSLR-like AF tracking for shooting at up to 10 fps
- Two-Dials for DSLR-like operation
- XGA OLED Tru-Finder
- Auto Portrait Framing for professional-looking photos
- Clear Image Zoom for clear, high-resolution telephoto shots

- 最新研发的快速混合自动对焦, 包括提供快速响应的相位检测自动对焦, 最高速度每秒10帧的数码单反相机级自动对焦跟踪能力
- 类似数码单反相机操作的双拨盘
- XGA OLED Tru-Finder
- 自动肖像构图, 可拍摄专业水准照片
- 清晰影像缩放, 实现清晰的高分辨率远摄

921K dots Xtra Fine LCD monitor

Exmor APS HD CMOS AVCHD Progressive

Full HD 1080

XGA OLED Tru-Finder

3D Sweep Panorama

### 180° Tiltable monitor for Self-portraits in compact body with 16.1MP "Exmor" APS HD CMOS Sensor

采用1610万像素 "Exmor" APS HD CMOS 影像传感器的小巧机身具备方便自拍的180°旋转屏幕

(B) Black (P) Pink (W) White

### PAL NEX-F3K(JE)

Open Price

Single lens Kit  
Kit lens: E 18-55mm F3.5-5.6 OSS

<b>16.1</b> Megapixels 1610万有效像素	<b>ISO 200-16000</b> ISO 200-16000	<b>Full HD Movie 50i / 25p</b> 全高清动态影像 50i / 25p	<b>Continuous shooting Up to 5.5 fps</b> 最高每秒5.5帧的连拍
--	---------------------------------------	---	---

- Auto Portrait Framing for professional-looking photos
- Clear Image Zoom for clear, high-resolution telephoto shots
- 180° Tiltable LCD screen for easy Self-portraits

- 自动肖像构图可拍摄出专业级的照片
- 清晰影像缩放造就清晰的高分辨率远摄拍照
- 方便自拍的180°可翻转液晶显示屏

180° tiltable LCD screen for easy self-portraits  
方便自拍的180°可翻转液晶显示屏

921K dots Xtra Fine LCD monitor Touch Panel

Exmor APS HD CMOS AVCHD Progressive

Full HD 1080

3D world Created by Sony

3D Sweep Panorama

3.0 type Touch Panel

Multilingual Menu Display 多语言菜单显示

English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

Instruction Manual 使用说明书

English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Spanish / Portuguese

Multilingual Menu Display 多语言菜单显示

English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

Instruction Manual 使用说明书

English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Spanish / Portuguese

### Interchangeable Lens Digital Camera Accessories 数码微单相机配件 [ For NEX-7 / NEX-6 / NEX-5R / NEX-F3 ]

<h4>Rechargeable Battery Pack 可重复充电电池</h4> <p><b>NP-FW50(JE)</b> Open Price</p> <p>MADE IN JAPAN 日本制造 (主机)</p> <ul style="list-style-type: none"> <li>Voltage 电压: 7.2V</li> <li>Capacity 容量: 7.7Wh (1080mAh)</li> <li>Mass 重量: 57g</li> </ul> <p>InfoLITHIUM</p>	<h4>Accessory Kit 配件套装</h4> <p><b>ACC-FWCA(JE)</b> Open Price</p> <p>MADE IN JAPAN 日本制造 (主机)</p> <p>*Battery only 仅电池</p> <ul style="list-style-type: none"> <li>Bundled Accessories 随机配件: Rechargeable Battery: NP-FW50 / Wrapping Cloth: LCS-WR1AM / Shoulder Strap: STP-XS2AM / Lens Cap Holder: LCS-LC1AM</li> </ul>	<h4>Accessory Kit 配件套装</h4> <p><b>ACC-HDFW(JE)</b> Open Price</p> <p>MADE IN JAPAN 日本制造 (主机)</p> <p>*Battery only 仅电池</p> <ul style="list-style-type: none"> <li>Bundled Accessories 随机配件: Rechargeable Battery: NP-FW50 / HDMI mini cable 2.0m: DLC-HEM20</li> </ul>
--	--	---

\*For activating the Fast Hybrid AF when using the lenses that are NOT supplied in the box of NEX-6/NEX-5RL, firmware update on the camera body and/or lens is required. 使用NEX-6/NEX-5RL套装非附带的镜头启动快速混合自动对焦时, 需要对相机机身和/或镜头进行固件升级。  
★The maximum length of time you can shoot continuously is approx. 29 minutes. The size of a movie file is limited to approx. 2GB. ★最长连续拍摄时间约为29分钟。动态影像档案大小上限约为2GB。  
\*Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄动态影像和静态图像。

# Cyber-shot


Digital Still Camera  
数码相机

## Imaging Technology — Excellence on the Inside

成像技术 — 内部卓越

Sony is one of the few manufacturers that develops all key components used in digital still cameras, such as lenses, image sensors and imaging processors.

索尼是少数自行开发镜头、影像传感器和影像处理器等用于数码相机内部所有关键组件的厂商之一。



### Always Great Shots with Sony!

索尼始终成就精彩拍摄!

#### Clear Image Zoom 清晰影像缩放

DSC-RX100 / HX200 / HX10 / TX200 / TX66 / WX170

Sony introduces brand-new "Clear Image Zoom" that boosts magnification without lowering pixel count in the final image. Exclusive to Sony, "By Pixel Super Resolution" processing further extends the camera's Optical Zoom range, allowing full-resolution images with a maximum zoom.

索尼引入崭新的“清晰影像缩放”，在不降低最终影像像素数的情况下提升放大倍率。索尼独一无二的“高分辨率像素技术”处理进一步扩展了相机的光学变焦范围，可以使用最大变焦拍摄全分辨率影像。




10x Clear Image Zoom 10倍清晰影像缩放

#### Extra High Sensitivity 超高感光度

DSC-RX100 / HX200 / HX10 / TX200 / TX66 / WX170

"Exmor R," Pixel Binning, Superimposing and "By Pixel Super Resolution" together reduce noise drastically down to 1/6. You can shoot object more clearly even in night with "Superior Auto."

"Exmor R"、像素组合、叠加和“高分辨率像素技术”的结合运用，将噪点大幅度减少至1/6。使用增强自动功能，即使在夜晚也能拍摄更加清晰的物体。



Conventional Model 传统机型

New Model 全新机型

#### Optical SteadyShot (Active Mode) 光学防抖(增强模式)

DSC-RX100 / HX200 / HX10 / TX200 / TX66 / WX170 / W630

Shaky, wobbly movements now have remarkably lesser impact on your videos, thanks to Optical SteadyShot with Active Mode. Whether you're shooting while you walk or zooming in, the anti-shake technology compensates for camera shake to help you get sharper videos.

Now you can create steadier videos and smoother footage that you'd love to share.

凭借增强模式的光学防抖，抖动及摇摆动作对于视频的影响现已显著降低。无论是行走时拍摄还是放大拍摄，防抖技术都会对相机抖动进行补偿，帮助您获得更加清晰的视频。

现在您可以为想分享的影像创建更加稳定的视频和更流畅的素材。

#### "Exmor R" CMOS Sensor "Exmor R" CMOS影像传感器

DSC-HX200 / HX10 / TX200 / TX66 / WX170

For low light moments, the back-illuminated "Exmor R" CMOS Sensor captures the mood and reduces the noise. The high-speed throughput of CMOS Sensors contribute to higher quality images even in low light and new shooting functions.

对于低光照条件，背照式"Exmor R" CMOS影像传感器可捕捉气氛、减少噪点。凭借CMOS影像传感器的高速处理能力，即使在低光照条件下也能助您实现出众的图像质量，尽享全新拍摄功能乐趣。



### New Excellent Shooting Experience!

卓越的全新拍摄体验!

#### HD Movie in AVCHD AVCHD格式高清动态影像

DSC-RX100 / HX200 / HX10 / TX200 / TX66 / WX170

"Cyber-shot" can now shoot Full HD movie in AVCHD (1920 x 1080, 50i/50p) format, Adding new dimension to the camera's existing video capability.

You can take great movies as well as pictures.

"Cyber-shot"数码相机现已能够拍摄AVCHD (1920 x 1080, 50i / 50p) 格式的全高清动态影像。您可以像拍照片一样拍摄卓越的动态影像。

#### Sweep Panorama 扫描全景模式

DSC-RX100 / HX200 / HX10 / TX200 / TX66 / WX170 / W630 / W610

From beautiful views to group photos, get the whole scene into one wide-angle shot.

Just press the shutter button, sweep the camera over the scene...left to right or up and down, and let "Cyber-shot" stitch the scene together with beautifully natural results. In case DSC-W630 and DSC-W610, you can shoot 360° Panorama.

从优美的风景到集体合影，将整个场景融入一个广角拍摄画面。只需按下快门按钮，扫描整个场景……从左往右或从上到下，让"Cyber-shot"数码相机拼接成一张美丽自然的场景。DSC-W630和DSC-W610可以拍摄360度全景。



Recording functions of the "Handycam" camcorder in a compact design  
融汇"Handycam"数码摄像机的摄像功能精髓



#### Picture Effect 照片效果

DSC-RX100 / HX200 / HX10 / TX200 / TX66 / WX170 / W630

Express your imagination and choose from a wide range of artistic effects like Toy Camera, High Monochrome and Partial Color — a unique effect that lets you capture one particular color in an otherwise black-and-white image.


像玩具相机一样展现您的想象力、各种艺术效果任您选择。强反差色调、局部彩色-在原本黑白色的影像中捕捉一种特定色彩的独特效果。



HDR Painting  
HDR绘画

Richtone Monochrome  
丰富色调黑白

Partial Color  
局部彩色



Toy Camera  
玩具相机

Illustration  
插图

Soft High-key  
柔光亮调



Pop Color  
流行色彩

Miniature  
微缩景观

Watercolor  
水彩




# Brand New "R" Series with Enormous 1.0 type "Exmor" CMOS Sensor

全新的“R”系列，配备大型1.0型“Exmor”CMOS影像传感器

MADE IN JAPAN  
日本制造(主机)

PAL DSC-RX100(JE)  
Open Price

<b>20.2</b> Megapixels 2020万有效像素	<b>1.0 type "Exmor"</b> CMOS Sensor 1.0型"Exmor" CMOS影像传感器	<b>3.6x</b> Optical Zoom 3.6倍光学变焦	<b>Up to 7.2x</b> Clear Image Zoom 最高7.2倍清晰影像变焦	<b>28mm</b> Wide-angle 28mm广角焦距
<b>Optical *2</b> SteadyShot 光学防抖	<b>AVCHD</b> Full HD Movie AVCHD格式全高清动态影像	<b>Hi-speed AF</b> 自动对焦功能	<b>13</b> Picture Effect 13种照片效果	<b>Background</b> Defocus 背景虚化
<b>Superior Auto iA+</b> 增强自动	<b>360</b> Sweep Panorama 扫描全景	<b>Smile Shutter</b> 笑脸快门	1,229K dots Xtra Fine	



## Leave the world of compromise behind 精益求精

### Enormous 1.0 type "Exmor" CMOS Sensor 大型1.0型“Exmor”CMOS影像传感器

The huge dimensions of this specially developed "Exmor" CMOS Sensor capture more light from your scene and reproduce every stunning detail with greater fidelity. Original dual noise reduction and column A/D conversion also decrease noise to ensure smooth, clear reproduction even in low-light conditions at approx. 20.2-megapixel effective resolution.

这款专门开发的“Exmor”CMOS影像传感器尺寸庞大，能从场景中捕捉更多光线，以更高的保真度完美地再现每处细节。另外，独创的双重降噪技术和A/D转换技术可以减少噪点，即使在低光照条件下，也能确保以大约2020万像素的有效分辨率平稳、清晰地再现影像。

### High-performance Carl Zeiss Vario-Sonnar T\* lens 高性能卡尔·蔡司Vario-Sonnar T\*镜头



卡尔·蔡司传奇性的光学技术和索尼无与伦比的成像技术相结合，造就了这款非凡的镜头。尽管体积较小，但它具有极为精确的性能、强大的3.6倍光学变焦能力、以及大型F1.8圆形光圈，可以通过精美的焦外成像实现完美的背景虚化。

### Sophisticated high-speed "BIONZ" image processor 精密的高速“BIONZ”影像处理器

Sony's blazing-fast "BIONZ" imaging engine employs powerful algorithms to transform data captured by the CMOS Sensor into stunningly beautiful images with accurate color, rich tonal gradations and minimal noise. Its advanced design also handles demanding tasks like 10 fps continuous shooting and Multi Frame NR with utmost precision.

索尼的超快“BIONZ”成像引擎采用强大的算法将CMOS影像传感器采集的数据转换成非同寻常的精美影像，色彩准确、色调丰富而且噪点极少。此外，它的先进设计可以应对苛刻的任务，例如，每秒10张连拍和以极高的精度进行多帧降噪。




Multilingual Menu Display  
多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay

Instruction Manual  
使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Spanish / Portuguese

## Full HD movie & 3D in one body 30x ultra high zoom with Hi-speed AF 集全高清动态影像和3D影像拍摄于一体， 30倍超高变焦，自动对焦功能



Digital Level Gauge  
电子水平导航  
You can keep perfect horizon.  
可以保持完美水平构图。



MADE IN JAPAN  
日本制造(主机)

PAL DSC-HX200(JE)  
Open Price

<b>18.2</b> Megapixels 1820万有效像素	<b>"Exmor R"</b> CMOS Sensor "Exmor R" CMOS影像传感器	<b>30x</b> Optical Zoom 30倍光学变焦	<b>Up to 60x</b> Clear Image Zoom 最高60倍清晰影像变焦	<b>27mm</b> Wide-angle 27mm广角焦距
<b>Optical *2</b> SteadyShot 光学防抖	<b>AVCHD</b> Full HD Movie AVCHD格式全高清动态影像	<b>Hi-speed AF</b> 自动对焦功能	<b>9</b> Picture Effect 9种照片效果	<b>Background</b> Defocus 背景虚化
<b>Superior Auto iA+</b> 增强自动	<b>3D</b> Sweep Panorama 3D扫描全景	<b>Smile Shutter</b> 笑脸快门	921K dots Xtra Fine	



## Full HD movie & 3D in one body 16x high zoom with Hi-speed AF 集全高清动态影像和3D影像拍摄于一体， 16倍高变焦，自动对焦功能



Photo Creativity  
照片创作  
You can easily change color, Brightness, Vividness, picture effects of the scene with intuitive operation.  
通过直观操作便可轻松更改场景的色彩、亮度、鲜明度、照片效果。



PAL DSC-HX10(JE)  
Open Price

<b>18.2</b> Megapixels 1820万有效像素	<b>"Exmor R"</b> CMOS Sensor "Exmor R" CMOS影像传感器	<b>16x</b> Optical Zoom 16倍光学变焦	<b>Up to 32x</b> Clear Image Zoom 最高32倍清晰影像变焦	<b>24mm</b> Wide-angle 24mm广角焦距
<b>Optical *2</b> SteadyShot 光学防抖	<b>AVCHD</b> Full HD Movie AVCHD格式全高清动态影像	<b>Hi-speed AF</b> 自动对焦功能	<b>9</b> Picture Effect 9种照片效果	<b>Background</b> Defocus 背景虚化
<b>Superior Auto iA+</b> 增强自动	<b>3D</b> Sweep Panorama 3D扫描全景	<b>Smile Shutter</b> 笑脸快门	921K dots Xtra Fine TFT LCD	



Multilingual Menu Display  
多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay / Indonesian / Vietnamese / Brazilian Portuguese

Instruction Manual  
使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Brazilian Portuguese / Spanish

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄的动态影像和静态图像。 \*2 The SteadyShot function may not work with excessive camera shake or extremely slow shutter speeds. 幅度过大的相机震动或反应过慢的快门速度均有可能使防抖功能失效。 \*3 Depending on the shooting environment, there may be times when faces cannot be detected and the shutter does not function. Faces may be indistinguishable because of the shooting environment or individual subject traits. 由于拍摄环境的不同，有时人脸未能被检测出来，此时快门不起作用。因拍摄环境或拍摄主体的某些特性不同，均有可能导致人脸未能被识别出来。

※ CMOS Sensor photo is an image. CMOS影像传感器是图像。 ※Please refer to page 41 for product specifications and page 27 for accessories. 关于本产品的规格，请参阅第41页；配件请参阅第27页。  
★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only.  
★如需了解关于“Open Price”(价格未定)产品的价格信息，请就近向索尼产品零售商进行咨询。★此处包含的所有插图均为模拟图片，仅供参考。



## Full HD movie & 3D in one Waterproof body with 3.3" Wide & Touch OLED panel

防水机身, 集全高清动态影像和3D影像拍摄于一体, 具备3.3"宽屏触摸OLED (有机发光显示屏) 面板



MADE IN JAPAN  
日本制造(主机)

PAL **DSC-TX200(JE)**  
Open Price

<b>18.2</b> Megapixels 1820万有效像素	<b>"Exmor R" CMOS Sensor</b> "Exmor R" CMOS影像传感器	<b>5x</b> Optical Zoom 5倍光学变焦	<b>Up to 10x</b> Clear Image Zoom 最高10倍清晰影像变焦	<b>26mm</b> Wide-angle 26mm广角焦距
<b>Optical *2 SteadyShot</b> 光学防抖	<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>Hi-speed AF</b> 自动对焦功能	<b>9</b> Picture Effect 9种照片效果	<b>Background Defocus</b> 背景虚化
<b>Superior Auto</b> 增强自动	<b>3D</b> 3D Sweep Panorama 3D扫描全景	<b>Smile Shutter</b> 笑脸快门		

1,229K dots equivalent Xtra Fine OLED

3.3 type Touch Panel

ZEISS Full HD 1080 3D world Created by Sony

Exmor R CMOS Sensor AVCHD Progressive

### Waterproof / Dustproof 防水 / 防尘

Designed to fit seamlessly into your active lifestyle, this innovative camera is certified waterproof and dustproof.

本款创新型相机的设计能完美融入您积极的生活方式, 经过了防水和防尘认证。



**5.0m / 16ft. for 60min.**  
符合IEC 60529 IPX8\*4标准  
符合5.0m水深60分钟时长的IEC 60529 IPX8\*4标准

**IEC 60529 IP5X\*4 compliant**  
符合IEC 60529 IP5X\*4标准

\*4 JIS / IEC International Protection Rating equivalent (Based on Sony Testing standards) 相当于JIS / IEC国际防护等级 (基于索尼测试标准) Note: Protection against damage and leakage are not guaranteed. Temperature and drop data results were internally determined by Sony. 注: 不能保证不会发生损坏及漏水。温度及跌落数据结果由索尼内部测定。

### Superior Auto 增强自动

It recognizes up to 36 patterns of scenes and automatically selects the optimal shooting mode. Its "Tracking Focus" function always keeps your subject in focus, while the enhanced "HDR Mode" recognizes backlit conditions.

可识别多达36种场景并自动选择最佳拍摄模式。其“焦点跟踪”功能自始至终将拍摄对象保持在对焦状态, 而增强的“HDR模式”可识别背光状态。

Condition × Scene

## Original "Mt. Fuji with cherry blossom" stamp for the DSC-TX66(JE)

DSC-TX66(JE) “富士山和樱花”原创印花



Exception: Original Stamp is not available for the DSC-TX66(JE) White  
例外: 白色款DSC-TX66(JE)无法使用原创印花

**Original Stamp Exclusively for Overseas Models**  
海外规格产品专享的原创印花

For your Commemoration of Japan  
亲历日本留念

(V) Violet

PAL **DSC-TX66(JE)**  
Open Price

<b>18.2</b> Megapixels 1820万有效像素	<b>"Exmor R" CMOS Sensor</b> "Exmor R" CMOS影像传感器	<b>5x</b> Optical Zoom 5倍光学变焦	<b>Up to 10x</b> Clear Image Zoom 最高10倍清晰影像变焦	<b>26mm</b> Wide-angle 26mm广角焦距
<b>Optical *2 SteadyShot</b> 光学防抖	<b>AVCHD Full HD Movie</b> AVCHD格式全高清动态影像	<b>Hi-speed AF</b> 自动对焦功能	<b>9</b> Picture Effect 9种照片效果	<b>Background Defocus</b> 背景虚化
<b>Superior Auto</b> 增强自动	<b>3D</b> 3D Sweep Panorama 3D扫描全景	<b>Smile Shutter</b> 笑脸快门		

※ Image only; may differ in appearance from the actual stamp.  
图片仅供参考, 可能与实际印花有所不同。

1,229K dots equivalent Xtra Fine OLED

3.3 type Touch Panel

ZEISS Full HD 1080 3D world Created by Sony

Exmor R CMOS Sensor AVCHD Progressive

### Touch Panel 触摸屏

Navigate easily with a simple touch on the touch panel by swiping on the display to scroll through your images. Along with a simple drag-and-drop operation, you can customize your screen to suit your style. Additionally, the high quality color reproduction on the 3.3" OLED Touch Panel produces breathtaking images in lifelike colors, you may forget that you're looking at a camera display.

为您提供直观操作, 只需滑动或轻击触摸屏即可进行轻松浏览。配合简单的拖放操作, 可以根据自己的风格定制屏幕。此外, 3.3" OLED (有机发光显示屏) 触摸屏面板具备高品质色彩再现能力, 以逼真的色彩再现令人惊叹的影像, 您或许都会忘记了自己观看的是相机屏幕。



### Easy 3D Shooting 轻松3D拍摄

A wide range of subjects can now be shot in 3D, including close-ups of flowers, food shots, portraits and other objects. Creating 3D photos of everyday objects is now easy.

包括花朵特写、美食摄影、人像及其他景物在内的各种各样拍摄主体, 现均可采用3D模式进行拍摄。每日轻松创作景物的3D照片。



**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay / Indonesian / Vietnamese / Brazilian Portuguese

**Instruction Manual** 使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Brazilian Portuguese / Spanish

**Multilingual Menu Display** 多语言菜单显示  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay / Indonesian / Vietnamese / Brazilian Portuguese

**Instruction Manual** 使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Brazilian Portuguese / Spanish

**DSC-TX200 Usage Notes**

- **Precautions regarding covers Battery/memory card cover and multi connector cover** • Be sure to keep the cover areas free from sand, hair, dust and other small particles. • Before using "Cyber-shot" in wet environments, make sure the gaskets on the covers are not damaged and that nothing is lodged between them and the covers since even minor damage and small particles can cause leaks. Remove sand, hair, dust and other particles adhering to the camera with a soft, lint-free cloth. In order to prevent damage to the gaskets and covers, do not clean the camera with sharp items. • Never open either cover when using "Cyber-shot" in wet environments. **Lens cover** • Do not open or close the cover in sandy water since sand may get inside the cover. Once inside, it may be difficult to remove. • **Maintenance after using the camera in wet environments** • Water or sand may enter "Cyber-shot" when opening the battery/memory card cover or multi connector cover. Before opening or closing either cover, make sure hands and camera are clean and dry. • After using "Cyber-shot" in wet environments, soak it in tap water for at least 5 minutes within 1 hour of use. While soaking, lightly shake the camera to remove any salt, sand or other particles that may adhere to it. • Opening and closing the battery/memory cover and multi connector cover may eventually cause deterioration of the gaskets. We recommend bringing the camera to the store where purchased or a Sony Service Center once a year to replace the gaskets (fee required).

**DSC-TX200 使用注意事项**

- **盖子相关注意事项 电池/存储卡盖及多用连接口盖** • 请确保盖子区域避免接触沙粒、头发、灰尘及其他微小杂质。• 在潮湿环境下使用"Cyber-shot"数码相机之前, 请确保盖子上的垫圈没有破损且垫圈与盖子之间没有嵌入任何杂质, 否则即使轻微的破损或微小的杂质都可能造成漏水。请用柔软的无纺布清除黏附在相机上的沙粒、头发、灰尘及其他杂质。为了避免垫圈和盖子的破损, 请勿使用锐利的物品清洁相机。• 在潮湿环境下使用"Cyber-shot"数码相机的过程中, 切勿开启盖子。 **镜头盖** • 请勿在混有沙粒的水中开启或关闭盖子, 否则沙粒可能进入盖子内部。一旦进入则很难清除。 • **潮湿环境下使用相机后的保养** 开启电池/存储卡盖或多用连接口盖时, 水或沙粒可能会进入"Cyber-shot"数码相机。开启或关闭电池/存储卡盖之前, 请确保手和相机清洁干燥。• 在潮湿环境下使用"Cyber-shot"数码相机之后, 需在使用后的1小时以内于自来水中浸泡至少5分钟。浸泡过程中, 请轻轻晃动相机清除所有可能黏附的盐分、沙粒或其他杂质。• 开启和关闭电池/存储卡盖及多用连接口盖可能会最终导致垫圈性能下降。建议将相机每年一次送至购买商店或索尼服务中心进行垫圈更换 (需要收费)。

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL System. 支持PAL制式的电视可输出本相机拍摄动态影像和静态图像。 \*2 The SteadyShot function may not work with excessive camera shake or extremely slow shutter speeds. 幅度过大的相机震动或反应过慢的快门速度均有可能使防抖功能失效。 \*3 Depending on the shooting environment, there may be times when faces cannot be detected and the shutter does not function. Faces may be indistinguishable because of the shooting environment or individual subject traits. 由于拍摄环境的不同, 有时人脸未能被检测出来, 此时快门不起作用。因拍摄环境或拍摄主体的某些特性不同, 均有可能导致人脸未能被识别出来。

※Please refer to page 41-42 for product specifications and page 27 for accessories. 关于本产品的规格, 请参阅第41-42页; 配件请参阅第27页。  
★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only.  
★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售店联系咨询。★此处包含的所有插图均为模拟图片, 仅供参考。



Full HD movie & 3D in one compact body with 10x optical zoom

机身小巧, 集全高清影像和3D影像拍摄于一体, 10倍光学变焦

Original Stamp Exclusively for Overseas Models



For your Commemoration of Japan

DSC-WX170(JE) Open Price

Specifications table for DSC-WX170(JE) including 18.2 Megapixels, 10x Optical Zoom, and AVCHD Full HD Movie.

\*Image only; may differ in appearance from the actual stamp.



16.1 Megapixels CCD and 25mm wide-angle Carl Zeiss lens with 5x zoom

1610万像素CCD及5倍变焦的25mm广角卡尔·蔡司镜头



DSC-W630(JE) Open Price

Specifications table for DSC-W630(JE) including 16.1 Megapixels, 5x Optical Zoom, and 25mm Wide-angle lens.

14.1 Megapixels CCD and 26mm wide-angle lens with 4x zoom

1410万像素CCD及4倍变焦的26mm广角镜头



DSC-W610(JE) Open Price

Specifications table for DSC-W610(JE) including 14.1 Megapixels, 4x Optical Zoom, and 26mm Wide-angle lens.

Multilingual Menu Display: English / Chinese (Simplified Chinese / Traditional Chinese) / French / Korean / Portuguese / Spanish / Arabic / Persian / Thai / Malay / Indonesian / Vietnamese / Brazilian Portuguese

Instruction Manual: English / Chinese (Simplified Chinese / Traditional Chinese) / Korean / Brazilian Portuguese / Spanish

\*Please refer to page 42-43 for product specifications and page 27 for accessories.

\*1 Movies and still images recorded with this camera can be output by TV that supports PAL System. \*2 The SteadyShot function may not work with excessive camera shake or extremely slow shutter speeds.

Digital Camcorder Accessories 数码摄像机配件

Please refer to page 43 for compatibility.

Overseas Models section containing Rechargeable Battery Pack, Portable Speaker, and Accessory Kit details.

Other Accessories Available in Japan section containing Carrying Case details for various models.

ActiFORCE™: "ActiFORCE" is a new generation power system. Battery capacity, boost charge, and the speed and accuracy of battery time remaining calculations have been improved when compared with previous "InfoLITHIUM" P-series batteries.

Digital Still Camera Accessories 数码相机配件

Please refer to page 43 for compatibility.

Overseas Models section containing Rechargeable Battery Pack, Accessory Kit, and Carrying Case details for still cameras.

\*4 The mass of the soft carrying case.

\*For information about the prices of "Open Price" products, please contact your nearest Sony product retailer.



## A fantastic way of displaying your digital photos. It allows you to expand your enjoyment of photos after taking them

数码照片的梦幻显示方式。延展照片拍摄之后的乐趣




※Photo shown is image. 所示照片仅供参考。

### High Quality LCD widescreen and Full HD playback

高品质宽屏液晶屏和全高清播放

Internal Memory

**2GB** DPF-HD1000(JE)  
Open Price




(B) Black

### Stylish, contemporary looks and a clear view of your photos

时尚潮流外观，清晰欣赏照片

No Internal Memory DPF-C800(JE)  
Open Price



(B) Black

(N) Gold

### Come with Overseas Model original exchangeable panel

海外规格特别产品，附送可更换面板



Original exchangeable panel 原厂可更换面板

Internal Memory


**128MB** DPF-E710(JE)  
Open Price



### Simple function, Easy to use

功能简单，使用方便

No Internal Memory DPF-C70A(JE)  
Open Price



(B) Black

### It's a photo frame and printer all-in-one

数码相框照片打印一体机

Internal Memory

**256MB** DPP-F800(JE)  
Open Price



(W) White



4 x 6 inch Color Print Pack  
4x6英寸彩色打印套装  
SVM-F120P(JE)  
Open Price

**Multilingual Menu Display** 多语言菜单显示  
Japanese / English / French / German / Spanish / Italian / Russian / Korean / Chinese (Simplified Chinese / Traditional Chinese)  
中文 (简体中文 / 繁体中文) / Dutch / Portuguese / Arabic / Persian / Swedish / Norwegian / Danish / Finnish / Polish / Hungarian / Czech / Greek / Turkish / Thai / Malay

**Instruction Manual** 使用说明书  
Japanese / English / Chinese (Simplified Chinese) 中文 (简体中文) / Korean

※Please refer to page 44-45 for product specifications. 关于本产品的规格，请参阅第44-45页。

### Recording Media 索尼存储卡

<p><b>"Memory Stick PRO Duo"</b></p> <p>4GB <b>MS-MT4G(JE)</b> Open Price</p> <p>2GB <b>MS-MT2G(JE)</b> Open Price</p> <p>MAGICGATE™</p>	<p><b>"Memory Stick PRO-HG Duo HX"</b></p> <p>8GB <b>MS-HX8B(JE)</b> Open Price</p>	<p><b>SDHC Memory Card</b></p> <p>32GB <b>SF-32N4(JE)</b> Open Price</p> <p>16GB <b>SF-16N4(JE)</b> Open Price</p> <p>8GB <b>SF-8N4(JE)</b> Open Price</p> <p>4GB <b>SF-4N4(JE)</b> Open Price</p>	<p><b>SD Memory Card</b></p> <p>2GB <b>SF-2N1(JE)</b> Open Price</p>	<p><b>microSDHC Memory Card</b></p> <p>16GB <b>SR-16A4(JE)</b> Open Price</p> <p>8GB <b>SR-8A4(JE)</b> Open Price</p> <p>4GB <b>SR-4A4(JE)</b> Open Price</p> <p>SD Memory Card conversion adaptor supplied. 附带SD存储卡转换适配器。</p>
--	---	--	--	--

※ Recording Media's warranty service covering 27 countries and regions. Australia / New Zealand / HongKong / Indonesia / India / Korea / Malaysia / Thailand / Phillipine / Singapore / Taiwan / Vietnam / U.A.E. / Kuwait / Pakistan / Jordan / Egypt / Saudi Arabia / Tunisia / Algeria / Syria / Lebanon / Nigeria / Morocco / Iraq / Libya / South Africa ※索尼存储卡的保修服务遍布27个国家和地区。澳大利亚 / 新西兰 / 香港 / 印度尼西亚 / 印度 / 韩国 / 马来西亚 / 泰国 / 菲律宾 / 新加坡 / 台湾 / 越南 / 阿联酋 / 科威特 / 巴基斯坦 / 约旦 / 埃及 / 沙特阿拉伯 / 突尼斯 / 阿尔及利亚 / 叙利亚 / 黎巴嫩 / 尼日利亚 / 摩洛哥 / 伊拉克 / 利比亚 / 南非



### Card size radio [Traditional Japanese design]

卡片收音机 [传统日本设计]



MADE IN JAPAN 日本制造 (主机)

**SRF-220(JE)**

M.S.R.P. 6,300 yen (tax excluded 6,000 yen)



(L) Mt. Fuji



(V) Night Scene



(R1) Bidoro wo fuku musume



(L1) Namiura



(W) Shinkansen



(B1) Sumou Wrestling



### International shortwave broadcast receivable radio

可接收国际短波广播的收音机

MADE IN JAPAN 日本制造 (主机)

**ICF-SW7600GR(JE)**

M.S.R.P. 42,000 yen (tax excluded 40,000 yen)



Stereo



**ICF-SW35(JE)**

M.S.R.P. 20,790 yen (tax excluded 19,800 yen)



Stereo



MADE IN JAPAN 日本制造 (主机)

**ICF-SW22(JE)**

M.S.R.P. 13,650 yen (tax excluded 13,000 yen)



Monaural



**ICF-SW11(JE)**

M.S.R.P. 8,190 yen (tax excluded 7,800 yen)



Stereo



※Please refer to page 46 for product specifications. 关于本产品的规格，请参阅第46页。

### Compact size radio

小型收音机

MADE IN JAPAN 日本制造 (主机)

**SRF-T615(JE)**

M.S.R.P. 9,870 yen (tax excluded 9,400 yen)



- FM stereo / AM / PLL synthesizer radio
- FM立体声/AM/PLL 合成器收音机



**SRF-M97(JE)**

M.S.R.P. 8,190 yen (tax excluded 7,800 yen)



- Clip (on back side) for carrying convenience
- 夹子位于背面携带更方便

MEGA BASS

**SRF-S84(JE)**

M.S.R.P. 5,040 yen (tax excluded 4,800 yen)



- Compact, cigarette-lighter-sized body
- 小巧的机身，大小如同打火机

MEGA BASS

**ICF-R46(JE)**

M.S.R.P. 6,825 yen (tax excluded 6,500 yen)



- Only 12.4mm slimness and slips easily into your breast pocket
- 仅12.4mm的纤薄机身，可轻易置于胸袋内



**ICF-T46(JE)**

M.S.R.P. 4,725 yen (tax excluded 4,500 yen)



- Only 12.4mm slimness and slips easily into your breast pocket
- 仅12.4mm的纤薄机身，可轻易置于胸袋内



**Instruction Manual** 使用说明书 ICF-SW22: English / Korean / Japanese

**Others:** English / Chinese (Simplified Chinese) 中文 (简体中文) / Korean / Japanese

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only. ★如需了解关于“Open Price(价格未定)”产品的价格信息，请就近向索尼产品零售商联系咨询。★此处包含的所有插图均为模拟图片，仅供参考。

**A series**

NWZ-A866(JE)  
● (B) Black

NWZ-A865(JE)  
● (W) White ● (B) Black

**Hybrid Operation with touch panel, and Wireless Streaming with superior sound experience**  
采用触摸屏混合操作 超高音质无线世界体验

**Built-in Memory**  
**32GB** **NWZ-A866(JE)**  
Open Price

**Built-in Memory**  
**16GB** **NWZ-A865(JE)**  
Open Price

**Bluetooth®**  
The Bluetooth® (Wireless) function is applicable in Bahrain / Iran / Kuwait / Lebanon / Qatar / Saudi Arabia / UAE / Bangladesh / Bhutan / Brunei / Cambodia / Indonesia / Malaysia / Maldives / Myanmar / Nepal / Philippines / Singapore / Sri Lanka / Thailand / Vietnam / Hong Kong / Korea / Taiwan / Australia / New Zealand

**FMtuner** FM调谐器  
87.5 >>>> 108.0 MHz

**Music** 音乐  
Continuous Playback 23 h.  
连续播放23小时

**Video** 视频  
Continuous Playback 5 h.  
连续播放5小时

**12 TONE ANALYSIS**  
**Audio Formats (Codec)** 音频格式(编解码器)  
MP3 / WMA<sup>3</sup> / AAC-LC<sup>3</sup> / Linear PCM

※Please refer to the feature icons below.  
关于功能图标, 请参阅本页以下部分。

**W series**

**Built-in Memory**  
**2GB** **NWZ-W262(JE)**  
Open Price

**Music** 音乐  
Continuous Playback 8 h.  
连续播放8小时

**Water Resistance**  
防水

**12 TONE ANALYSIS**  
**ZAPPIN®**  
**Audio Formats (Codec)** 音频格式(编解码器)  
MP3 / WMA / AAC-LC<sup>3</sup> / Linear PCM

● (P) Pink ● (W) White  
● (L) Blue ● (B) Black

**Instruction Manual** \*6  
使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Arabic / French / German / Spanish / Dutch / Italian / Portuguese / Swedish / Danish / Finnish / Russian / Hungarian / Czech / Turkish / Polish / Greek / Slovak / Norwegian / Ukrainian / Brazilian Portuguese / Romanian / Bulgarian / Slovene

**Wire-free and Water-resistant Compact and light desing for comfortable fit**  
无线且防水 佩戴舒适的小巧轻便设计

**Water Resistance** 防水  
Washing under running water • Place under running tap (low/medium flow) and wash with hand. • Do not use brush, sponge, soap or detergent. **Taking a shower** • Do not immerse in water. • Avoid contact with use of shampoo, conditioner, face wash and soap. • Do not use with high pressure showers.  
流水清洗 • 置于(低速/中速)流动的自来水下并用清水清洗。 • 请勿使用刷子、海绵、肥皂或洗涤剂。 • 请勿浸入水中。 • 避免接触使用洗发液、护发剂、洁面乳和肥皂。 • 请勿使用高压喷头。

※Please refer to page 47 for product specifications. 关于本产品的规格, 请参阅第47页。

**S series**

(W) White

**Wireless listening Experience and File sharing with premium sound and long battery life**  
无线收听体验和文件共享 高品质音质和长寿命电池

**Built-in Memory**  
**8GB** **NWZ-S774BT(JE)**  
Open Price **NEW**

**Bluetooth® (Wireless) headphones supplied**  
附带Bluetooth® (无线)耳机

**Bluetooth®**  
The Bluetooth® (Wireless) function is applicable in Australia / New Zealand / Taiwan / Indonesia / Malaysia / Philippines / Singapore / Thailand / Vietnam / Bangladesh / Bhutan / Brunei / Cambodia / Maldives / Myanmar / Nepal / Sri Lanka

**Bluetooth® OFF**  
Music 音乐  
Continuous Playback 36 h.  
连续播放36小时

**Bluetooth® ON**  
Music 音乐  
Continuous Playback 8 h.  
连续播放8小时

**Video 视频**  
Continuous Playback 6 h.  
连续播放6小时

**Video 视频**  
Continuous Playback 4 h.  
连续播放4小时

**12 TONE ANALYSIS**  
**Audio Formats (Codec)** 音频格式(编解码器)  
MP3 / WMA<sup>3</sup> / AAC-LC<sup>3</sup> / Linear PCM

※Please refer to the feature icons below.  
关于功能图标, 请参阅本页以下部分。

**B series**

● (B) Black ● (P) Pink  
● (R) Red ● (N) Gold  
● (L) Blue

**Built-in Memory**  
**2GB** **NWZ-B172F(JE)**  
Open Price

**FMtuner** FM调谐器  
87.5 >>>> 108.0 MHz

**Music** 音乐  
Continuous Playback 18 h.  
连续播放18小时

**ZAPPIN®**  
**Audio Formats (Codec)** 音频格式(编解码器)  
MP3 / WMA<sup>3</sup>

**Multilingual Menu Display**  
多语言菜单显示  
English / French / Spanish / Russian / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Portuguese / German

**Simple & Easy function. Pushing the "ZAP / BASS" button, you can enjoy powerful bass sound**  
功能简单易用。只需按下"ZAP/BASS"按钮便可欣赏强劲的低音

**Instruction Manual** \*6  
使用说明书  
English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Arabic

※Please refer to page 47 for product specifications. 关于本产品的规格, 请参阅第47页。

**E series**

NWZ-E473(JE)  
● (R) Red ● (N) Gold ● (G) Green ● (L) Blue ● (P) Vivid Pink ● (B) Black

NWZ-E473K(JE)  
● (B) Black

**Fun and Fresh colors and unique attractive design, with an enriched user interface**  
愉快鲜艳的色彩, 独具魅力的设计, 丰富的用户界面

**Built-in Memory**  
**4GB** **NWZ-E473(JE)**  
Open Price **NEW**

**Built-in Memory**  
**4GB** **NWZ-E473K(JE)**  
Open Price **NEW**

**Stereo speaker supplied**  
附带立体声扬声器

**Games pre-installed**  
已预装游戏  
Puyo POP FEVER 魔法气泡狂热版  
Number Place 九宫数独

**FMtuner** FM调谐器  
87.5 >>>> 108.0 MHz

**Music** 音乐  
Continuous Playback 36 h.  
连续播放36小时

**Video** 视频  
Continuous Playback 6 h.  
连续播放6小时

**12 TONE ANALYSIS**  
**Audio Formats (Codec)** 音频格式(编解码器)  
MP3 / WMA<sup>3</sup> / AAC-LC<sup>3</sup> / Linear PCM

※Please refer to the feature icons below.  
关于功能图标, 请参阅本页以下部分。

**Compact Cassette Recorder / CD Walkman®** 小型盒带录音机 / CD播放器

**TCM-400DV(JE)**  
M.S.R.P. 5,250 yen (tax excluded 5,000 yen)

- V.O.R feature automatically starts recording when sound is detected
- Double-recording-time mode, doubles the recording time
- V.O.R声控录音功能, 能够在检测到声音时自动开始进行录音
- 在Double-recording-time(录音时长加倍)模式下, 可获得双倍录音时长

**Instruction Manual** \*6  
使用说明书  
TCM-400DV:  
English / Russian / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Japanese

**D-NE241(JE)**  
Open Price

- Playback of CD-R and CD-RW is enabled
- Incorporates G-Protection, a powerful anti-skip feature
- 可以进行CD-R和CD-RW的重放
- 搭载了永不跳音的G-Protection防止声音跳读

**D-NE241:**  
English / Chinese (Simplified Chinese) 中文 (简体中文)

**23h. of Playback**  
MP3 when using 2 AA alkaline batteries.

**Feature Icons** 功能图标

**Touch Panel** 触摸屏

**Digital Amplifier** 数字放大器

**Bluetooth®** 蓝牙

**Karaoke Mode** 卡拉OK模式

**Synchronized Lyrics** 歌词同步

**Language Study** 语言学习

**Multilingual Menu Display** 多语言菜单显示  
German / English / Spanish / French / Italian / Polish / Portuguese / Russian / Turkish / Japanese / Korean / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文)

**Instruction Manual** \*6  
使用说明书

**NWZ-A866 / A865:** English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Korean / Arabic / Spanish / Russian / Turkish / Ukrainian

**NWZ-E473 / E473K / S774BT:** English / Chinese (Simplified Chinese / Traditional Chinese) 中文 (简体中文 / 繁体中文) / Arabic

※Please refer to page 46-47 for product specifications. 关于本产品的规格, 请参阅第46-47页。

\*1 When playing MP3 128kbps. The time is approximated when "Bluetooth", "DSEE", "Clear Stereo", "Equalizer", "VPT", "Dynamic Normalizer", "DPC (speed control)", "Display Lyrics", "Karaoke/Language Study", "Battery Care" are deactivated, the Brightness of the Common Setting is set to "3", and "Screen Off Timer" is set to "30 seconds". 当播放MP3 128kbps时, 对于所估算的大致时长, 其估算条件为: "Bluetooth (蓝牙)", "DSEE (数码音效提升引擎)", "Clear Stereo (高保真立体声)", "Equalizer (均衡器)", "VPT (虚拟环绕立体声技术)", "Dynamic Normalizer (音量动态平衡器)", "DPC (数码播放速度控制)", "Display Lyrics (歌词显示)", "Karaoke/Language Study (卡拉OK/语言学习)", "Battery Care (电池保养)"功能均被取消, 并将Common Setting (一般设定) 选项中的Brightness (亮度) 设置为"3", "Screen Off Timer (屏幕关闭定时器)"设置为"30 seconds (30秒)". \*2 When playing MPEG-4 384kbps. The time is approximated when "Bluetooth", "DSEE", "Clear Stereo", "Equalizer", "VPT", "Dynamic Normalizer", "DPC (speed control)", "Display Lyrics", "Karaoke/Language Study", "Battery Care" are deactivated, the Brightness of the Common Setting is set to "3", and "Screen Off Timer" is set to "30 seconds". 当播放MPEG-4 384kbps时, 对于所估算的大致时长, 其估算条件为: "Bluetooth (蓝牙)", "DSEE (数码音效提升引擎)", "Clear Stereo (高保真立体声)", "Equalizer (均衡器)", "VPT (虚拟环绕立体声技术)", "Dynamic Normalizer (音量动态平衡器)", "DPC (数码播放速度控制)", "Display Lyrics (歌词显示)", "Karaoke/Language Study (卡拉OK/语言学习)", "Battery Care (电池保养)"功能均被取消, 并将Common Setting (一般设定) 选项中的Brightness (亮度) 设置为"3", "Screen Off Timer (屏幕关闭定时器)"设置为"30 seconds (30秒)". \*3 Copyright protected files cannot be played back. 不会播放受版权保护的文件。 \*4 When playing MP3 128kbps. The time is approximated when "DSEE", "Clear Stereo", "Equalizer", "VPT", "Dynamic Normalizer", "DPC (speed control)", "Display Lyrics", "Karaoke/Language Study", "Battery Care" are deactivated, the Brightness of the Common Setting is set to "3", and "Screen Off Timer" is set to "30 seconds". 当播放MP3 128kbps时, 对于所估算的大致时长, 其估算条件为: "DSEE (数码音效提升引擎)", "Clear Stereo (高保真立体声)", "Equalizer (均衡器)", "VPT (虚拟环绕立体声技术)", "Dynamic Normalizer (音量动态平衡器)", "DPC (数码播放速度控制)", "Display Lyrics (歌词显示)", "Karaoke/Language Study (卡拉OK/语言学习)", "Battery Care (电池保养)"功能均被取消, 并将Common Setting (一般设定) 选项中的Brightness (亮度) 设置为"3", "Screen Off Timer (屏幕关闭定时器)"设置为"30 seconds (30秒)". \*5 When playing MPEG-4 384kbps. The time is approximated when "DSEE", "Clear Stereo", "Equalizer", "VPT", "Dynamic Normalizer", "DPC (speed control)", "Display Lyrics", "Karaoke/Language Study", "Battery Care" are deactivated, the Brightness of the Common Setting is set to "3", and "Screen Off Timer" is set to "30 seconds". 当播放MPEG-4 384kbps时, 对于所估算的大致时长, 其估算条件为: "DSEE (数码音效提升引擎)", "Clear Stereo (高保真立体声)", "Equalizer (均衡器)", "VPT (虚拟环绕立体声技术)", "Dynamic Normalizer (音量动态平衡器)", "DPC (数码播放速度控制)", "Display Lyrics (歌词显示)", "Karaoke/Language Study (卡拉OK/语言学习)", "Battery Care (电池保养)"功能均被取消, 并将Common Setting (一般设定) 选项中的Brightness (亮度) 设置为"3", "Screen Off Timer (屏幕关闭定时器)"设置为"30 seconds (30秒)". \*6 In the built-in memory. 内置记忆体中。 \*7 Support LRC file format. 支持LRC文件格式。 \*8 The time may differ depending on ambient temperature or the status of use. 时长会因环境温度或使用状态而异。 \*9 During continuous playback in MP3 128kbps at power save mode "Super" when "LED" is set to "Off", "Equalizer", "Bass" are not in use. Actual battery life may vary based on usage patterns, environment and battery condition. 在节能模式设置为"Super (超级)", "LED (发光二极管)"设置为"Off (关闭)", "Equalizer (均衡器)"和"Bass (重低音)"均未启用的状态下, 以MP3 128kbps连续播放时, 电池的实际使用寿命可能会因使用方式、环境条件和电池本身的不同而异。

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★All insets contained here in are simulated pictures only. ★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商家联系咨询。★此处包含的所有插图均为模拟图片, 仅供参考。





XBA Series

XBA 系列

Sony's BA Premium Headphones

索尼BA高品质耳机

Common Features 共同特性

Compact Size Driver 精简尺寸驱动单元

Sony's Balanced Armature Drivers are 40% smaller than the traditional 9mm Dynamic Driver Units. This allows you to enjoy a lighter, more comfortable fit without compromising on high quality sound.

相对于传统的9mm动态驱动单元，索尼的平衡电枢驱动尺寸小40%。因而能够让您在不失高品质声音的同时获得重量更轻、佩戴更舒适的享受。



Noise Isolation 噪声隔离

The sealed housing structure of Sony Balanced Armature Headphones is designed to isolate noise and prevent sound leakage to and from your environment. So you'll be able to immerse yourself in your favourite tracks without any disturbance.

索尼平衡电枢耳机采用密封外壳结构设计，能够隔离外界环境噪声并防止声音向外界环境泄漏。因此您能够沉浸在自己喜欢的音乐中，而不会受到任何干扰。

Noise / Water

Balanced Armature  
L shaped stereo mini plug BA Driver \*1 MADE IN JAPAN

Remote control / Microphone  
遥控器和麦克风部分

XBA-10IP  
Volume control (+/- buttons)  
Call / End call  
Play music  
音量控制 (+/- 按钮)  
接听/结束通话  
播放音乐

Single Balanced Armature Full Range Headphones  
单平衡电枢全音域耳机

XBA-10(JE)  
Open Price NEW

XBA-10IP(JE)  
Open Price NEW

Made for iPod iPhone iPad

Full Range

- Micro-size Balanced Armature driver unit (full-range) reproduces smooth and clear vocal sound
- PCOCC cord to minimise sound transmission loss and reproduce a clear high quality sound
- Liquid Crystal Polymer inner housing and special ABS outer housing reproduces clear, distortion-free mid-high range
- Noise-Blocking design, with 10 sets of ear-buds to choose from, for optimum attenuation of ambient noise and minimum sound leakage
- Balanced Armature driver unit allows for a super small body, and ultimate wearing comfort
- Serrated cord and cord slider for tangle-free use

- 微型平衡电枢驱动单元 (全音域) 重现圆滑清晰的人声
- PCOCC导线将声音传输损失降到最低，重现清晰的高品质声音
- 液晶聚合物内壳和特殊ABS外壳重现清晰不失真的中高频
- 阻噪设计，可选10套耳塞，实现环境噪音的最佳缓解和声音的最小泄漏
- 平衡电枢驱动单元成就超小机体，配戴极为舒适
- 锯齿状耳机线及导线滑块，使用时避免缠结

\*1 Sony's Balanced Armature Driver is made in Japan. (Driver Only) 索尼的平衡电枢驱动器为日本制造。(仅限驱动器) \*2 It cannot be used with the following products. WALKMAN: NWD-B100 Series, NWZ-B170 / B160 / B160F / B150 / B150F / B140 / B140F / B130 / B100 / B370 / E360 / E340 / E440 / E430 / S540 Series 无法搭配下列产品使用: WALKMAN:NWD-B100系列、NWZ-B170 / B160 / B160F / B150 / B150F / B140 / B140F / B130 / B100 / B370 / E360 / E340 / E440 / E430 / S540系列 \*3 Under the Sony measurement standard. The noise canceling effect may not be pronounced in a very quiet environment, or some noise may be heard. Ambient noise is not reduced to zero. 根据索尼测试标准。在非常安静的环境中，降噪功能的效果也许并不显著，或者有可能会听到某些噪音。环境噪音不会被降低至零。

Balanced Armature  
L shaped stereo mini plug BA Driver \*1 MADE IN JAPAN

Remote control / Microphone  
遥控器和麦克风部分

XBA-20IP  
Volume control (+/- buttons)  
Call / End call  
Play music  
音量控制 (+/- 按钮)  
接听/结束通话  
播放音乐

Dual Balanced Armature Headphones  
双平衡电枢耳机

XBA-20(JE)<sup>2</sup>  
Open Price NEW

XBA-20IP(JE)  
Open Price NEW

Made for iPod iPhone iPad

Full Range  
Woofer

- Micro-size Balanced Armature driver unit (full-range + woofer) reproduces smooth and clear vocal sound
- PCOCC cord to minimise sound transmission loss and reproduce a clear high quality sound
- Magnesium inner housing holds the driver units rigidly for smooth sound response. Special ABS plastic outer housing prevents unwanted vibration for clear mid-high range.
- Noise-Blocking design, with 10 sets of ear-buds to choose from, for optimum attenuation of ambient noise and minimum sound leakage
- Balanced Armature driver unit allows for a super small body, and ultimate wearing comfort
- Serrated cord and cord slider for tangle-free use

- 微型平衡电枢驱动单元 (全音域+低音) 重现圆滑清晰的人声
- PCOCC导线将声音传输损失降到最低，重现清晰的高品质声音
- 镁制内壳牢牢地收纳驱动单元，造就平滑的声音响应。特殊ABS塑料外壳防止多余的振动，重现清晰的中高频
- 阻噪设计，可选10套耳塞，实现环境噪音的最佳缓解和声音的最小泄漏
- 平衡电枢驱动单元成就超小机体，配戴极为舒适
- 锯齿状耳机线及导线滑块，使用时避免缠结

Balanced Armature  
L shaped stereo mini plug BA Driver \*1 MADE IN JAPAN

Remote control / Microphone  
遥控器和麦克风部分

XBA-30IP  
Volume control (+/- buttons)  
Call / End call  
Play music  
音量控制 (+/- 按钮)  
接听/结束通话  
播放音乐

Triple Balanced Armature Headphones  
三平衡电枢耳机

XBA-30(JE)<sup>2</sup>  
Open Price NEW

XBA-30IP(JE)  
Open Price NEW

Made for iPod iPhone iPad

Full Range  
Tweeter  
Woofer

- Micro-size Balanced Armature driver unit (full-range + woofer + tweeter) reproduces smooth and clear vocal, with rich and powerful bass
- PCOCC cord to minimise sound transmission loss and reproduce a clear high quality sound
- Magnesium inner housing holds the driver units rigidly for smooth sound response. Special ABS plastic outer housing prevents unwanted vibration for clear mid-high range.
- Noise-Blocking design, with 10 sets of ear-buds to choose from, for optimum attenuation of ambient noise and minimum sound leakage
- Balanced Armature driver unit allows for a super small body, and ultimate wearing comfort
- Serrated cord and cord slider for tangle-free use

- 微型平衡电枢驱动单元 (全音域+低音+高音) 重现带有丰富强劲低音的圆滑清晰人声
- PCOCC导线将声音传输损失降到最低，重现清晰的高品质声音
- 镁制内壳牢牢地收纳驱动单元，造就平滑的声音响应。特殊ABS塑料外壳防止多余的振动，重现清晰的中高频
- 阻噪设计，可选10套耳塞，实现环境噪音的最佳缓解和声音的最小泄漏
- 平衡电枢驱动单元成就超小机体，配戴极为舒适
- 锯齿状耳机线及导线滑块，使用时避免缠结

Balanced Armature  
L shaped stereo mini plug BA Driver \*1 MADE IN JAPAN

Adjustable Ear Loop

Active Sports Style, Washable Headphones  
运动型防水耐洗耳机

XBA-S65(JE)  
Open Price

(B) Black (W) White

- Newly developed micro size driver unit reproduces powerful sound with high sensitivity and high resolution with small and easy to fit ears
- High sound transmission waterproof film, this makes the headphones more water and sweat resistant as well as easily washable
- Adjustable ear loop mechanism that easily wraps around ears for greater comfort and convenience

- 最新研发的微型驱动单元再现高灵敏度和高解析度的强劲声音，小巧且易于配戴
- 声音高穿透性防水膜，令耳机拥有更好的防水和防汗性能，并且容易清洗
- 可调节式耳圈结构，易于包围耳朵获得最佳的舒适性和便捷性

Instruction Manual 使用说明书  
XBA-10 / 20 / 30 / 40 / 10IP / 20IP / 30IP / 40IP / S65:  
English / Chinese (Traditional Chinese) 中文 (繁体中文) / Korean

Balanced Armature  
L shaped stereo mini plug BA Driver \*1 MADE IN JAPAN

Remote control / Microphone  
遥控器和麦克风部分

XBA-40IP  
Volume control (+/- buttons)  
Call / End call  
Play music  
音量控制 (+/- 按钮)  
接听/结束通话  
播放音乐

Quad Balanced Armature Headphones  
四平衡电枢耳机

XBA-40(JE)<sup>2</sup>  
Open Price NEW

XBA-40IP(JE)  
Open Price NEW

Made for iPod iPhone iPad

Woofer  
Tweeter  
Full Range  
Super Woofer

- Micro-size Balanced Armature driver unit (full-range + double woofer + tweeter) reproduces smooth and clear vocal, with rich and powerful bass
- PCOCC cord to minimise sound transmission loss and reproduce a clear high quality sound
- Magnesium inner housing holds the driver units rigidly for smooth sound response. Special ABS plastic outer housing prevents unwanted vibration for clear mid-high range.
- Noise-Blocking design, with 10 sets of ear-buds to choose from, for optimum attenuation of ambient noise and minimum sound leakage
- Balanced Armature driver unit allows for a super small body, and ultimate wearing comfort
- Serrated cord and cord slider for tangle-free use

- 微型平衡电枢驱动单元 (全音域+双重低音+高音) 重现带有丰富强劲低音的圆滑清晰人声
- PCOCC导线将声音传输损失降到最低，重现清晰的高品质声音
- 镁制内壳牢牢地收纳驱动单元，造就平滑的声音响应。特殊ABS塑料外壳防止多余的振动，重现清晰的中高频
- 阻噪设计，可选10套耳塞，实现环境噪音的最佳缓解和声音的最小泄漏
- 平衡电枢驱动单元成就超小机体，配戴极为舒适
- 锯齿状耳机线及导线滑块，使用时避免缠结

DIGITAL NOISE CANCELING  
Balanced Armature  
In-flight plug adaptor supplied  
L shaped stereo mini plug BA Driver \*1 MADE IN JAPAN

Reduces up to 97.5%<sup>3</sup> Ambient noise  
最高降低97.5%环境噪声

Control Box-Free Design, Digital Noise Canceling Headphones  
无控制盒设计数字降噪耳机

XBA-NC85D(JE)  
Open Price

MEMS Microphone  
Housing  
BA  
Rechargeable Battery  
Integrated DNC Processor

- Micro size Balanced Armature type driver unit and power-saving integrated DNC processor use miniaturized battery and circuit, which allow the control box-free design
- Newly developed Balanced Armature type driver unit and high efficiency MEMS microphone realized both small body and outstanding noise canceling performance
- Digital noise canceling headphones with Sony's unique DNC Software Engine
- 20 hour long battery life by newly developed powersaving
- Automatic AI (Artificial Intelligence) Noise Canceling function
- Digital equalizer delivers ideal frequency response and high-quality music reproduction

- 微型平衡电枢驱动单元和节能型集成DNC处理器采用小型电池和电路，促成无控制盒设计
- 最新研发的平衡电枢式驱动单元和高效能MEMS麦克风实现了小型机体和出色降噪性能
- 数字降噪耳机，拥有索尼独家DNC软件引擎
- 最新研发节能技术成就长达20小时的电池续航
- 自动AI (人工智能) 降噪功能
- 数字均衡器呈现完美的频率响应和高品质的音乐再现

XBA-NC85D:  
English / Japanese

★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer. ★如需了解关于"Open Price(价格未定)"产品的价格信息，请就近向索尼产品零售商联系咨询。



MDR-1 Series

MDR-1 系列

MDR-1 Series Common Features

MDR-1系列共同特性


3 factors crossing point at extremely high dimension and harmonized as a product. 3种因素高度交集，融合为完美产品



Liquid crystal polymer film diaphragm

Rigid, yet responsive liquid crystal polymer film diaphragms provide the needed rigidity and internal loss for balanced and highly accurate mid-high range sound reproduction.

坚固但反应灵敏的液晶聚合物振膜，为平衡和高精准的中高频声音再现提供了必要的刚度和内部损耗。



Enfolding structure

Pressure-relieving cushions, tailored for the ears, provide a wrap-around feel with acoustic sealing to deliver powerful lows.

按照耳朵形状定制的减压缓冲垫，通过声学密闭实现环绕的感觉再现强劲低频。



Silent joints

Minimizes mechanical rattling for immersive music experience.


将机械嘈杂响降至最小，获得身临其境的音乐体验。



Inward axis structure

Unique hanger structure axis in the headphone housings for optimum fitting.

令配戴舒适的耳机壳体内部的独特挂钩结构轴。



Advertisement for MDR-1R(JE) headphones, showing product images and features like swivels for flat and easy portability.

Advertisement for MDR-1RNC(JE) headphones, highlighting 99.7% noise reduction and dual noise sensor technology.

The MDR-1RNC combines the ultimate noise cancelling performance and dynamic sound, for a truly immersive audio experience.

MDR-1RNC结合了最强大的降噪性能和动态音频，实现真正身临其境的音频体验。

- Features list for MDR-1RNC including Digital Noise Cancelling with Dual Noise Sensor Technology, S-Master Amplifier, and various design elements.

MDR-1RNC / NC600D / NC300D / NC200D / NC100D / NC33 / NC8: English / Japanese

Noise Canceling Headphones

降噪耳机



Greatly enhanced digital noise canceling capability. 高效降噪功能

Reduces up to 99% Ambient noise. MDR-NC600D(JE) Open Price

Reduces up to 98.4% Ambient noise. MDR-NC300D(JE) Open Price

Large 16mm driver units with digital equalizer and Full Digital Amplifier. 16mm大驱动单元，带有数字均衡器和全数字放大器


Advertisement for MDR-NC200D(JE) headphones, featuring 40mm driver units and a full digital amplifier.

Advertisement for MDR-NC100D(JE) headphones, highlighting 13.5mm driver units and vertical in-the-ear design.

Advertisement for MDR-NC33(JE) headphones, emphasizing high sound quality and wearing comfort in three color variations.

Advertisement for MDR-NC8(JE) headphones, focusing on easy carrying and storage with a two-way folding design.

Principle of operation of the noise canceling headphones



\*1 Under the Sony measurement standard. The noise canceling effect may not be pronounced in a very quiet environment, or some noise may be heard. Ambient noise is not reduced to zero.

Availability is limited to model in stock. For information about the prices of "Open Price" products, please contact your nearest Sony product retailer.



## Inner Ear

入耳式

**MDR-EX10LP(JE)**  
Open Price

- Choose from 14 colors to suit your personal music player and your fashion sense
- 14种颜色任选, 搭配您的个性音乐播放器, 满足您的时尚品味

Colors: (PV) Pink Violet, (B) Black, (W) White, (H) Gray, (P) Hot Pink, (G) Green, (L) Cobalt Blue, (V) Violet, (R) Red, (D) Orange, (Y) Yellow, (P) Pale Pink, (LY) Blue Yellow, (LI) Turquoise Blue, (GI) Mint Green, (L) Soda Blue, (V) Grape Violet.

**MDR-EX20LP(JE)**  
Open Price

- Fun and cool colors, ensuring good sound quality
- 酷而有趣的颜色, 确保优良音质

Colors: (PJ) Cassis Pink, (PI) Cherry Pink, (P) Peach Pink, (R) Raspberry Red, (DI) Apricot Orange, (D) Mango Orange, (Y) Lemon Yellow, (W) Milk White, (G) Muscat Green, (GI) Mint Green, (L) Soda Blue, (V) Grape Violet.

**MDR-EX37B(JE)**  
Open Price

- High quality 9mm driver units provide dynamic audio performance
- 高品质9mm驱动单元展现动态音频性能

Colors: (B) Black, (R) Red, (L) Blue, (Y) Yellow.

**MDR-EX100LP(JE)**  
Open Price

- Enjoy, high-resolution treble and midrange with powerful bass sound
- 欣赏高分辨率的高音和中音以及强劲的低音

Colors: (B) Black, (R) Red, (P) Pink, (L) Turquoise Blue, (G) Lime, (D) Orange, (GI) Green, (Y) Yellow, (W) White.

**MDR-EX220LP(JE)**  
Open Price

- Capable of producing premium sound quality with 13.5mm high-sensitivity driver units
- 能够凭借13.5mm高灵敏度驱动单元产生高品质声音

Colors: (R) Red, (B) Black, (P) Pink, (L) Blue, (W) White.

## Head Band

头戴式

**MDR-XB400(JE)**  
Open Price **NEW**

- Powerful bass sound is realized through 30mm XB(Extra Bass) driver units
- Tightly sealed acoustic design for a high level of sound isolation & bass sounds
- Ultra-thick pressure-relieving earpads cushion your ears for unbeatable comfort
- 通过30mm XB(超强重低音)驱动单元实现强劲低音
- 密封的声学设计实现高度声音隔离和低沉的低音
- 超厚减压耳垫, 佩戴无比舒适

Colors: (B) Black, (W) White, (L) Blue, (R) Red, (G) Green, (P) Pink, (V) Violet.

**MDR-ZX100(JE)**  
Open Price

- Closed-type 30mm driver units
- Slim, folding design for easy portability
- 封闭式30mm驱动单元
- 易于携带的纤细型折叠设计

Colors: (B) Black, (W) White, (P) Pink, (R) Red.

**MDR-ZX300(JE)**  
Open Price

- Closed-type 30mm driver units
- Neodymium magnet\*1 delivers powerful sound
- Slim, folding design for easy portability
- 封闭式30mm驱动单元
- 钕磁\*1营造强劲声音
- 易于携带的纤细型折叠设计

Colors: (B) Black, (L) Blue, (R) Red, (N) Gold.

## Clip Style Headphones & Speaker

挂耳式耳机和扬声器

**MDR-Q68LW(JE)**  
Open Price

- Just press a button to retract both neck and plug cords
- 仅需轻触一键, 即可收回颈链式耳机线和插头连线

Colors: (L) Blue, (W) White, (S) Silver.

**SRS-TD60(JE)**  
Open Price

- Aluminum-cone satellite speakers for clear vocal midrange playback
- 铝质锥形卫星喇叭可提供清晰的中频声音再现

Color: (W) White.

<b>Instruction Manual</b> 使用说明书	<b>MDR-Q68LW:</b> English / Chinese (Simplified Chinese / Traditional Chinese) / 中文 (简体中文 / 繁体中文) / Korean	<b>SRS-TD60:</b> English / French / Spanish / Korean / Chinese (Simplified Chinese / Traditional Chinese) / 中文 (简体中文 / 繁体中文)	<b>Others:</b> English / Chinese (Traditional Chinese) / 中文 (繁体中文) / Korean
------------------------------------	---	---	--

## Head Set

耳麦式

**DR-EX12IP(JE)**  
For iPod / iPhone / iPad  
Open Price

Colors: (B) Black, (L) Turquoise Blue, (PI) Hot Pink, (R) Red, (V) Violet, (W) White.

For Smartphone **DR-EX14VP(JE)**  
Open Price

Colors: (S) Straight stereo mini plug, (L) L shaped stereo mini plug.

**Remote control / Microphone**  
遥控器和麦克风部分

**DR-EX12IP**

- Volume control (+/- buttons)
- Call / End call
- Play music
- 音量控制 (+/-按钮)
- 接听/结束通话
- 播放音乐

**DR-EX14VP**

- Volume control
- Call / End call
- 音量控制
- 接听/结束通话

**PC Headset DR-EX13DPV(JE)**  
Open Price

- For Skype™, Windows Live™ Messenger, MSN™ Messenger, Yahoo!Messenger™, Google Talk™
- 适用于Skype™, Windows Live™ Messenger, MSN™ Messenger, Yahoo!Messenger™, Google Talk™

Colors: (B) Black, (W) White.

## Active Style Headphones

[Designed for workouts]

运动式耳机 [专为体育锻炼而设计]

**MDR-AS51G(JE)**  
Open Price

- Lightweight, soft neck band design
- 重量极轻的软颈带式

Colors: (L) L shaped stereo mini plug, (S) Straight stereo mini plug.

**MDR-AS21J(JE)**  
Open Price

- The vertical and soft loop-hangers are great for intense workouts
- 直立的软环挂架非常适合于从事较为激烈的活动

Colors: (B) Black, (P) Pink, (Y) Yellow.

**MDR-AS41EX(JE)**  
Open Price

- Recommended for fast movement and high-impact workouts
- 建议用于快速运动或高冲击性活动中

Colors: (B) Black, (L) Blue, (P) Pink, (Y) Yellow.

## IC Recorder | 数码录音棒

## IC RECORDER

**ICD-SX713(JE)**  
4GB Internal Memory  
Open Price

- CD Quality Recording for Business and Live Music recording High Quality microphone capture voice clearly at distance recording
- CD品质录音, 适合商务会议和现场音乐录音
- 高品质麦克风捕捉清晰人声, 适合远距离录音

for Windows® 7 / Vista / XP  
for Macintosh® Mac OS X (v10.2.8-v10.6)

LinearPCM MP3 S-MiC RECORDING SYSTEM

**ICD-TX50(JE)**  
4GB Internal Memory  
Open Price

- Easy to read Bright Organic EL Display
- Stylish Thin & Clip Style Design
- Easy Recording Setting with Scene Select Function
- 易于阅读的明亮有机EL显示屏
- 时尚轻薄的背夹式设计
- 简易录制设定, 具备场景选择功能

for Windows® 7 / Vista / XP  
for Macintosh® Mac OS X (v10.3.9-v10.7)

LinearPCM MP3 S-MiC RECORDING SYSTEM

**ICD-BX112(JE)**  
2GB Internal Memory  
Open Price

- Easy to use IC recorder with 2GB internal memory for extended recording
- 易用型数码录音棒, 2GB内存容量, 适合长时间录音

MP3

**ICD-UX533F(JE)**  
4GB Internal Memory  
Open Price **NEW**

- All-in-1 Recording with Direct USB
- High Sensitivity and Low Noise
- Built-in FM tuner
- 采用直连USB的一体化录制
- 高灵敏度、低噪音
- 内置FM调频

for Windows® 7 / Vista / XP  
for Macintosh® Mac OS X (v10.3.9-v10.7)

LinearPCM MP3 S-MiC RECORDING SYSTEM

<b>Multilingual Menu Display</b> 多语言菜单显示	ICD-SX713 / TX50 / UX533F: English / Chinese (Simplified Chinese / Traditional Chinese) / 中文 (简体中文 / 繁体中文) / French / German / Italian / Korean / Russian / Spanish / Thai / Japanese (ICD-SX713 / TX50 only)	ICD-BX112: English	<b>Instruction Manual</b> 使用说明书	ICD-SX713: English / Chinese (Simplified Chinese / Traditional Chinese) / 中文 (简体中文 / 繁体中文) / Korean / Spanish	ICD-BX112 / TX50 / UX533F: English / Chinese (Simplified Chinese / Traditional Chinese) / 中文 (简体中文 / 繁体中文) / Spanish / Arabic / Persian / Korean (ICD-BX112 / TX50 only)
---	---	--------------------	------------------------------------	---	--

\*1 Neodymium magnet: Reproduces deeper bass and clearer treble sound 钕磁: 再现下潜更深的低音和更清澈的高音 \*2 Conversion cord 转换线 \*3 Extension cord 延长线

※Please refer to page 47 for rec time. 关于拍摄时间, 请参阅第47页。  
★For information about the prices of "Open Price" products, please contact your nearest Sony product retailer.  
★如需了解关于"Open Price(价格未定)"产品的价格信息, 请就近向索尼产品零售商联系咨询。

Digital Camcorder Specifications 数码摄像机规格

Table with columns for Model Name (机型名称) and various camera specifications including Image Sensor, Lens, Viewfinder, Camera, Recorder/Player, Still Picture, Jack, and Other. It lists models from HDR-PJ760E(JE) to HDR-GW77E(JE) with their respective features and technical details.

Digital Camcorder Specifications 数码摄像机规格

Table with 5 columns: Model Name (机型名称), Type (类型), and detailed specifications for NEX-VG900EH(JE) P10 and NEX-VG30EH(JE) P11. Specifications include image sensor, lens, recording system, still image, white balance, shutter speeds, gain, zoom control, monitor, viewfinder, interface, other, and supplied accessories.

\*1 Class 4 or higher. \*2 Recording mode and media are default settings. \*3 Still Image only. \*4 Achieved by using "By Pixel Super Resolution" technology... \*5 With Adaptor (not supplied). \*6 DCF (Design rule for Camera File System) \*7 DPOF (Digital Print Order Format) \*8 Movies and still images recorded with this camera can be output by TV that supports PAL System.

Digital Still Camera Specifications 数码相机规格

Table with 5 columns: Model Name (机型名称), Type (类型), and detailed specifications for DSC-RX100(JE) P22, DSC-HX200(JE) P23, DSC-HX10(JE) P23, and DSC-TX200(JE) P24. Specifications include lens construction, camera, image sensor, camera, white balance, flash, shooting, scene selection, panorama, 3D, picture effect, photo creativity, monitor, viewfinder, recording, movie recording mode, internal memory, file format, image file format, movie recording mode, battery life, print, interface, video out mode, power, dimensions, mass, and supplied accessories.

Digital Still Camera Specifications 数码相机规格

Table with columns for Model Name and four camera models (DSC-TX66/JE, DSC-WX170/JE, DSC-W630/JE, DSC-W610/JE). Rows include Lens, Image Sensor, Camera, Monitor, Viewfinder, Digital Level Gauge, Recording Media, Internal Memory, File Format, Image File Format, Movie Recording Mode, Battery life, Print, Interface, Video Out Mode, Power/Other, and Supplied Accessories.

Digital Camcorder Accessories 数码摄像机配件

Table titled 'Overseas Models 海外规格产品' with columns for Rechargeable Battery Pack, Accessory Kit, Shooting Grip, and Portable Speaker. Rows list various camcorder models like HDR-PJ760, HDR-PJ260, etc.

Other Accessories Available in Japan 在日本可购买的其他配件

Table for accessories available in Japan, including Carrying Case, LCS-U30, LCS-U20, LCS-U10, LCS-ACB, LCS-BBG, and models like HDR-PJ760, HDR-PJ720, etc.

Digital Still Camera Accessories 数码相机配件

Table titled 'Overseas Models 海外规格产品' with columns for Rechargeable Battery Pack and Accessory Kit. Rows list camera models like DSC-RX100, DSC-HX10, etc.

Other Accessories Available in Japan 在日本可购买的其他配件

Table for accessories available in Japan, including Carrying Case, LCS-TWH, LCS-THQ, LCS-WM, and models like DSC-RX100, DSC-TX200, etc.

HDR-GW77E Usage Notes 使用注意事项

Battery, memory card and multi connector cover • Keep the cover areas free from sand, hair, dust and other small particles. • Before using "Handycam" in wet environments, make sure the gaskets on the covers are not damaged...

\*1 Still Image only. 仅限静态图像。 \*2 Achieved by using "ByPixel Super Resolution" technology and overlay burst shooting. 使用 "高分辨率像素" 技术和重叠连拍功能实现。 \*3 Class 4 or higher. Class 4或更高。 \*4 With Adaptor (not supplied). 包括适配器 (未附带)。








# Striving to achieve a zero environmental footprint

## Sony Road to Zero Environmental Plan

The zero in Road to Zero means a zero environmental footprint. This is the ultimate goal of our environmental plan, which inspires innovative thinking and technology. To put Sony firmly on the road to zero, environmental goals are based on these four perspectives.



## Visit Sony Overseas Models Website 访问索尼海外规格产品网站

[sony.jp/overseas/](http://sony.jp/overseas/)

Please access to Sony Overseas Models website for product information, shop locations, and support & service for products purchased. 如需了解更多产品信息、商铺位置以及所购产品的技术支持与服务, 请浏览索尼海外规格产品网站。



Note: Screens shown in this illustration are as of July 2012

### Safety Cautions 安全注意事项

To ensure correct use of this product, read the "Instruction Manual" prior to use. Failure to follow all safeguards can result in fire, electric shock, or other accidents. Do not use headphones while driving and cycling, etc. 为确保正确使用本产品, 使用前请仔细阅读"使用说明书"。如果未能遵守所有安全防护事项, 可能会导致火灾、电击或其他事故的发生。在从事车辆驾驶或骑自行车等活动时, 请勿使用耳机。

**Sony Corporation**  
**Sony Marketing (Japan) Inc.**  
 1-7-1 Konan Minato-ku, Tokyo, 108-0075 Japan

### Sony Customer Information Center Japan

© For information about how to purchase or use our products, and for other assistance, please call our Customer Hotline.

#### Free Dial 0120-777-886

(Toll-free number available only in Japan. Assistance available in Japanese language only.)

- Mobile/PHS phone callers please dial **0466-31-2546**
- Service available  
 Mon. to Fri. .... 9:00-18:00  
 Sat., Sun. and Holidays ... 9:00-17:00

**Showroom 样品陈列室**  
 Tokyo: Sony Bldg., 3-1 Ginza 5-chome, Chuo-ku, (03)3573-2563  
 东京都: 中央区银座5丁目3-1 索尼大厦 (03)3573-2563

Come see the Showroom to find wide range of Sony products and selected items listed in this catalog.

You can experience leading technology and design, all in one place.

欢迎莅临索尼样品陈列室, 包括本目录精选产品在内, 您可浏览更多、更丰富的索尼产品。在这里, 足不出户, 即可体验当今世界上最先进的科技和设计理念。

- "SONY" and "make.believe" are trademarks of Sony Corporation.
- "Cyber-shot," "Cyber-shot," "X," "Handycam," "HANDYCAM," "InfoLITHIUM," "ActiFORCE," "ActiFORCE," "Walkman," "WALKMAN," "WALKMAN," are registered trademarks of Sony Corporation.
- "G Lens," "G," "Exmor," "Exmor R," "BIONZ," "Memory Stick," "Memory Stick Duo," "Memory Stick PRO," "Memory Stick PRO Duo," "Memory Stick PRO-HG Duo," "Memory Stick Micro," "MEMORY STICK," "MEMORY STICK DUO," "MEMORY STICK PRO," "MEMORY STICK PRO DUO," "MEMORY STICK PRO-HG DUO," "MagicGate" and "MAGICGATE" are trademarks of Sony Corporation.
- "AVCHD" and "AVCHD" are trademarks of Panasonic Corporation and Sony Corporation.
- HDMI, "HDMI" and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.
- Microsoft, Windows, Windows Vista, Windows Media are trademarks or registered trademarks of Microsoft Corporation.
- Macintosh, Mac OS, the Mac OS logo, iMac, iBook, PowerBook, Power Mac and eMac are trademarks or registered trademarks of Apple Inc.
- The Bluetooth word mark, figure mark, and combination mark are all trademarks that are owned by the Bluetooth SIG and licensed out for use to companies that are incorporating Bluetooth wireless technology into their products.
- SD and SDHC Logo are trademarks of SD-3C, LLC.
- All other product and company names are trademarks or registered trademarks of their respective companies.
- Availability is limited to model in stock. ■ 产品的供应因各型号产品库存情况而异。
- Design and specifications are subject to change without notice. 产品设计及参数可能会发生变更, 恕不事先通知。
- M.S.R.P.: Manufacture's Suggested Retail Price. M.S.R.P.: 制造商建议零售价。
- For more information on the products listed in this catalog, see the catalogs of the individual products or ask a retailer. 关于此综合目录中产品的详情, 请参考每个品目的产品目录, 或与销售店联系咨询。

Contents of this catalog are valid as of October 2012

### Sony Showroom

Sony Building / Sukiyabashi,  
 Ginza, Chuo-ku, Tokyo  
 URL: [sonybuilding.jp/e/](http://sonybuilding.jp/e/)

